



## COMPRESSION FITTINGS

### COMPRESSION FITTINGS

Compression Fittings are available in Acetal, Nylon, Polypropylene, PVDF, Brass, and Nickel-Plated Brass. Used with hard and soft tubing lines for coupling to instrumentation equipment, Potable water, and chemical lines. F.D.A. and N.S.F.-approved plastics.



# METAL COMPRESSION FITTINGS

## **METAL COMPRESSION FITTINGS**

Find the right metal compression fittings for the job, here at Pneuline Supply! Request a Quote Today!



## MCC SERIES

The MCC Series is a Chrome-Plated Brass Ferrules Compression fitting. The pressure range is vacuum to 100 psi and the working temperature range is -40°F to 180°F. Tubing options for use with this fitting are Polyethylene, Polyurethane, and PVC. Sizes available for pipe thread are 10-32 inch male UNF, 1/8 inch MNPT, and 1/4 inch MNPT. Available tubing sizes are 1/8 inch, 1/4 inch, and 3/8 inch.

SKU	Description
MCC-1018	10-32 inch Male UNF with 5/64 inch ID by 1/8 inch OD Chrome-Plated Brass Compression Fitting
MCC-1014	10-32 inch Male UNF with .170 inch ID by 1/4 inch OD Chrome-Plated Brass Compression Fitting
MCC-2M18	1/8 inch MNPT with 5/64 inch ID by 1/8 inch OD Chrome-Plated Brass Compression Fitting
MCC-2M14	1/8 inch MNPT with .170 inch ID by 1/4 inch OD Chrome-Plated Brass Compression Fitting
MCC-2M38	1/8 inch MNPT with 1/4 inch ID by 3/8 inch OD Chrome-Plated Brass Compression Fitting
MCC-4M14	1/4 inch MNPT with .170 inch ID by 1/4 inch OD Chrome-Plated Brass Compression Fitting
MCC-4M38	1/4 inch MNPT with 1/4 inch ID by 3/8 inch OD Chrome-Plated Brass Compression Fitting



## PLASTIC COMPRESSION FITTINGS

### **PLASTIC COMPRESSION FITTINGS**

Find the right plastic compression fittings for the job, here at Pneuline Supply! Request a Quote Today!



## TGAT SERIES

TGAT Series is a PFA compression Tee adapter with male NPT threads to two gripper rings. OD sizes range from 1/4" to 3/4", the male NPT threads range from 1/8" to 3/4" .

---



## CMT SERIES

The CMT Series is a branch tee with either a poly gripper or a ferrule nut with an integral sleeve. The materials available are Acetal, Polypropylene, Nylon, and PVDF. The Male NPT sizes range from 1/8 inch to 3/4 inch and the OD tube sizes are 1/4 inch to 7/8 inch. The recommended temperature range is -80° F to 275° F.

---

SKU	Description
CMT-1212	1/2 inch MNPT by 1/2 inch OD Compression Tee
CMT-1234	1/2 inch MNPT by 3/4 inch OD Compression Tee
CMT-1258	1/2 inch MNPT by 5/8 inch OD Compression Tee
CMT-1414	1/4 inch MNPT by 1/4 inch OD Compression Tee
CMT-1438	1/4 inch MNPT by 3/8 inch OD Compression Tee
CMT-14516	1/4 inch MNPT by 5/16 inch OD Compression Tee
CMT-1814	1/8 inch MNPT by 1/4 inch OD Compression Tee
CMT-3434	3/4 inch MNPT by 3/4 inch OD Compression Tee
CMT-3478	3/4 inch MNPT by 7/8 inch OD Compression Tee
CMT-3812	3/8 inch MNPT by 1/2 inch OD Compression Tee
CMT-3838	3/8 inch MNPT by 3/8 inch OD Compression Tee



## TGF SERIES

TGF Series is a PFA compression-reducing adapter with female NPT threads to a gripper ring. OD sizes range from 1/8 inch to 3/4 inch.

---

SKU	Description
TGF-4F4	PFA 1/4 inch FNPT by 1/4 inch OD Compression Adapter
TGF-2F-2	PFA 1/8 inch FNPT by 1/8 inch OD Compression Adapter
TGF-2F-4	PFA 1/8 inch FNPT by 1/4 inch OD Compression Adapter
TGF-4F-2	PFA 1/4 inch FNPT by 1/8 inch OD Compression Adapter
TGF-4F-6	PFA 1/4 inch FNPT by 3/8 inch OD Compression Adapter
TGF-4F-8	PFA 1/4 inch FNPT by 1/2 inch OD Compression Adapter
TGF-6F-4	PFA 3/8 inch FNPT by 1/4 inch OD Compression Adapter
TGF-6F-6	PFA 3/8 inch FNPT by 3/8 inch OD Compression Adapter
TGF-6F-8	PFA 3/8 inch FNPT by 1/2 inch OD Compression Adapter
TGF-8F-4	PFA 1/2 inch FNPT by 1/4 inch OD Compression Adapter
TGF-8F-6	PFA 1/2 inch FNPT by 3/8 inch OD Compression Adapter
TGF-8F-8	PFA 1/2 inch FNPT by 1/2 inch OD Compression Adapter
TGF-8F-12	PFA 1/2 inch FNPT by 3/4 inch OD Compression Adapter
TGF-12F-8	PFA 3/4 inch FNPT by 1/2 inch OD Compression Adapter
TGF-12F-12	PFA 3/4 inch FNPT by 3/4 inch OD Compression Adapter



## TGA SERIES

TGA Series is a PFA compression reducer connector with male NPT threads to gripper rings. OD sizes range from 1/8 inch to 3/4 inch, the thread sizes are also from 1/8 inch to 3/4 inch.

---

SKU	Description
TGA-12M-8	PFA 3/4 inch MNPT by 1/2 inch OD Compression Adapter
TGA-12M-12	PFA 3/4 inch MNPT by 3/4 inch OD Compression Adapter
TGA-2M-2	PFA 1/8 inch MNPT by 1/8 inch OD Compression Adapter
TGA-2M-4	PFA 1/8 inch MNPT by 1/4 inch OD Compression Adapter
TGA-4M-2	PFA 1/4 inch MNPT by 1/8 inch OD Compression Adapter
TGA-4M-4	PFA 1/4 inch MNPT by 1/4 inch OD Compression Adapter

SKU	Description
TGA-4M-6	PFA 1/4 inch MNPT by 3/8 inch OD Compression Adapter
TGA-4M-8	PFA 1/4 inch MNPT by 1/2 inch OD Compression Adapter
TGA-6M-4	PFA 3/8 inch MNPT by 1/4 inch OD Compression Adapter
TGA-6M-6	PFA 3/8 inch MNPT by 3/8 inch OD Compression Adapter
TGA-6M-8	PFA 3/8 inch MNPT by 1/2 inch OD Compression Adapter
TGA-8M-4	PFA 1/2 inch MNPT by 1/4 inch OD Compression Adapter
TGA-8M-6	PFA 1/2 inch MNPT by 3/8 inch OD Compression Adapter
TGA-8M8	PFA 1/2 inch MNPT by 1/2 inch OD Compression Adapter
TGA-8M-12	PFA 1/2 inch MNPT by 3/4 inch OD Compression Adapter




## CCV SERIES - POPPET CHECK VALVES

The CCV Series are miniature Poppet Check Valves and Pressure Release Valves available with 1/8 inch Male NPT threads and 1/4 inch compression fittings. The NPT fittings are made of Polypropylene, Nylon, and ABS with O-rings made of Buna-N, EPDM, Viton®, Silicone, or fluorosilicone. The spring pressure is 20 psi. The compression fittings are made of Polypropylene with a .713 OD size.

SKU	Description
CCV-2M14C-1	1/8 MNPT by 1/4 Comp Polypropylene / EPDM 1 psi
CCV-2M14C-1.5	1/8 MNPT by 1/4 Comp Polypropylene / EPDM 1.5 psi
CCV-2M14C-3	1/8 MNPT by 1/4 Comp Polypropylene / EPDM 3 psi
CCV-2M14C-3-PPS	1/8 MNPT by 1/4 Comp Polypropylene / Silicone 3 psi
CCV-2M-3	1/8 MNPT by 1/8 MNPT Polypropylene / EPDM 3 psi
CCV-4C6M-3	1/4 Comp by 3/8 MNPT Polypropylene / EPDM 3 psi
CCV-4M14C-1	1/4 MNPT by 1/4 Comp Polypropylene / EPDM 1 psi
CCV-4M-4	1/4 MNPT by 1/4 MNPT Polypropylene / EPDM 4 psi



## CT SERIES




The CT Series Three port Compression Fittings are for a 1/8 inch to 7/8 inch tubing connection without kinking attached tubing. Available in NSF approved Glass-Filled White Polypropylene, FDA and NSF approved Acetal (POM) for use with hot water applications, FDA and NSF approved Nylon and UV resistant FDA and NSF-rated PVDF. Provided with Poly gripper (except for 1/8 inch units) for use up to 220 psi. Available in a select number of reducing sizes.

SKU	Description
CT-12-AC-PG	1/2 inch OD Tee Connector Acetal Compression with Poly Gripper
CT-12-GFPP-PG	1/2 inch OD Tee Connector Glass-Filled Polypropylene Compression with Poly Gripper
CT-12-NN-PG	1/2 inch OD Tee Connector Natural Nylon Compression with Poly Gripper
CT-12-PVDF-PG	1/2 inch OD Tee Connector PVDF Compression with Poly Gripper
CT-14-AC-PG	1/4 inch OD Tee Connector Acetal Compression with Poly Gripper
CT-14-GFPP-PG	1/4 inch OD Tee Connector Glass-Filled Polypropylene Compression with Poly Gripper
CT-14-K-PG	1/4 inch OD Tee Connector PVDF Compression with Poly Gripper
CT-14-NN-PG	1/4 inch OD Tee Connector Natural Nylon Compression with Poly Gripper
CT-18-AC-PG	1/8 inch OD Tee Connector Acetal Compression with Poly Gripper
CT-18-GFPP-PG	1/8 inch OD Tee Connector Glass-Filled Polypropylene Compression with Poly Gripper
CT-18-NN-PG	1/8 inch OD Tee Connector Natural Nylon Compression with Poly Gripper
CT-18-PVDF-PG	1/8 inch OD Tee Connector PVDF Compression with Poly Gripper
CT-34-AC-PG	3/4 inch OD Tee Connector Acetal Compression with Poly Gripper
CT-34-GFPP-PG	3/4 inch OD Tee Connector Glass-Filled Polypropylene Compression with Poly Gripper
CT-34-NN-PG	3/4 inch OD Tee Connector Natural Nylon Compression with Poly Gripper
CT-34-PVDF-PG	3/4 inch OD Tee Connector PVDF Compression with Poly Gripper
CT-38-AC-PG	3/8 inch OD Tee Connector Acetal Compression with Poly Gripper



SKU	Description
CT-38-GFPP-PG	3/8 inch OD Tee Connector Glass-Filled Polypropylene Compression with Poly Gripper
CT-38-K	3/8 inch OD Tee Connector PVDF Compression
CT-38-K-PG	3/8 inch OD Tee Connector PVDF Compression with Poly Gripper
CT-38-NN-PG	3/8 inch OD Tee Connector Natural Nylon Compression with Poly Gripper
CT-516-AC-PG	5/16 inch OD Tee Connector Acetal Compression with Poly Gripper
CT-516-GFPP-PG	5/16 inch OD Tee Connector Glass-Filled Polypropylene Compression with Poly Gripper
CT-516-NN-PG	5/16 inch OD Tee Connector Natural Nylon Compression with Poly Gripper
CT-516-PVDF-PG	5/16 inch OD Tee Connector PVDF Compression with Poly Gripper
CT-58-AC-PG	5/8 inch OD Tee Connector Acetal Compression with Poly Gripper
CT-58-GFPP-PG	5/8 inch OD Tee Connector Glass-Filled Polypropylene Compression with Poly Gripper
CT-58-NN-PG	5/8 inch OD Tee Connector Natural Nylon Compression with Poly Gripper
CT-58-PVDF-PG	5/8 inch OD Tee Connector PVDF Compression with Poly Gripper
CT-5838-AC-PG	5/8 inch OD by 3/8 inch OD Reducing Tee Acetal Compression with Poly Gripper
CT-5838-GFPP-PG	5/8 inch OD by 3/8 inch OD Reducing Tee Glass-Filled Polypropylene Compression with Poly Gripper
CT-5838-K-PG	5/8 inch OD by 3/8 inch OD Reducing Tee PVDF Compression with Poly Gripper
CT-5838-NN-PG	5/8 inch OD by 3/8 inch OD Reducing Tee Natural Nylon Compression with Poly Gripper
CT-78-AC-PG	7/8 inch OD Tee Connector Acetal Compression with Poly Gripper
CT-78-GFPP-PG	7/8 inch OD Tee Connector Glass-Filled Polypropylene Compression with Poly Gripper
CT-78-NN-PG	7/8 inch OD Tee Connector Natural Nylon Compression with Poly Gripper
CT-78-PVDF-PG	7/8 inch OD Tee Connector PVDF Compression with Poly Gripper
CT-7858-AC-PG	7/8 inch OD by 3/8 inch OD Reducing Tee Acetal Compression with Poly Gripper
CT-7858-GFPP-PG	7/8 inch OD by 3/8 inch OD Reducing Tee Glass-Filled Polypropylene Compression with Poly Gripper
CT-7858-NN-PG	7/8 inch OD by 3/8 inch OD Reducing Tee Natural Nylon Compression with Poly Gripper
CT-7858-PVDF-PG	7/8 inch OD by 3/8 inch OD Reducing Tee PVDF Compression with Poly Gripper

SKU	Description
CT-785858-AC-PG	7/8 inch OD by 5/8 inch by 5/8 inch OD Reducing Tee Acetal Compression with Poly Gripper
CT-785858-GFPP-PG	7/8 inch OD by 5/8 inch by 5/8 inch OD Reducing Tee Glass-Filled Polypropylene Compression with Poly Gripper
CT-785858-NN-PG	7/8 inch OD by 5/8 inch by 5/8 inch OD Reducing Tee Natural Nylon Compression with Poly Gripper
CT-785858-PVDF-PG	7/8 inch OD by 5/8 inch by 5/8 inch OD Reducing Tee PVDF Compression with Poly Gripper



## CMR SERIES

The CMR Series Male Thread runs with a compression connection on the branch. Male pipe threads are 1/8 inch to 3/4 inch. Compression Branch allows tubing connections of 1/4 inch to 1 inch without kinking attached tubing. Available in NSF approved Glass-Filled White Polypropylene, FDA and NSF approved Acetal (POM) for use with hot water applications, FDA and NSF approved Nylon and UV resistant FDA and NSF-rated PVDF. Provided with Poly gripper (except for 1/8 inch units) for use up to 220 psi.

SKU	Description
CMR-1212-AC-PG	1/2 inch Male NPT 1/2 inch OD Run Acetal with Poly Gripper
CMR-1212-GFPP-PG	1/2 inch Male NPT 1/2 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-1212-NPP-PG	1/2 inch Male NPT 1/2 inch OD Run Natural Polypropylene with Poly Gripper
CMR-1212-PG	1/2 inch Male NPT 1/2 inch OD Run with Poly Gripper
CMR-1234-AC-PG	1/2 inch Male NPT 3/4 inch OD Run Acetal with Poly Gripper
CMR-1234-GFPP-PG	1/2 inch Male NPT 3/4 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-1234-NPP-PG	1/2 inch Male NPT 3/4 inch OD Run Natural Polypropylene with Poly Gripper
CMR-1234-PG	1/2 inch Male NPT 3/4 inch OD Run with Poly Gripper
CMR-1258-AC-PG	1/2 inch Male NPT 5/8 inch OD Run Acetal with Poly Gripper
CMR-1258-GFPP-PG	1/2 inch Male NPT 5/8 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-1258-NPP-PG	1/2 inch Male NPT 5/8 inch OD Run Natural Polypropylene with Poly Gripper
CMR-1258-PG	1/2 inch Male NPT 5/8 inch OD Run with Poly Gripper
CMR-1414-AC-PG	1/4 inch Male NPT 1/4 inch OD Run Acetal with Poly Gripper
CMR-1414-K-PG	1/4 inch Male NPT 1/4 inch OD Run PVDF with Poly Gripper

SKU	Description
CMR-1414-NPP-PG	1/4 inch Male NPT 1/4 inch OD Run Natural Polypropylene with Poly Gripper
CMR-1414-PG	1/4 inch Male NPT 1/4 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-1438-AC-PG	1/4 inch Male NPT 3/8 inch OD Run Acetal with Poly Gripper
CMR-1438-K-PG	1/4 inch Male NPT 3/8 inch OD Run PVDF with Poly Gripper
CMR-1438-NPP-PG	1/4 inch Male NPT 3/8 inch OD Run Natural Polypropylene with Poly Gripper
CMR-1438-PG	1/4 inch Male NPT 3/8 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-14516-AC-PG	1/4 inch Male NPT 5/16 inch OD Run Acetal with Poly Gripper
CMR-14516-NPP-PG	1/4 inch Male NPT 5/16 inch OD Run Natural Polypropylene with Poly Gripper
CMR-14516-PG	1/4 inch Male NPT 5/16 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-14516-PVDF-PG	1/4 inch Male NPT 5/16 inch OD Run PVDF with Poly Gripper
CMR-1814-AC-PG	1/8 inch Male NPT 1/4 inch OD Run Acetal with Poly Gripper
CMR-1814-NPP-PG	1/8 inch Male NPT 1/4 inch OD Run Natural Polypropylene with Poly Gripper
CMR-1814-PG	1/8 inch Male NPT 1/4 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-1814-PVDF-PG	1/8 inch Male NPT 1/4 inch OD Run PVDF with Poly Gripper
CMR-3434-AC-PG	3/4 inch Male NPT 3/4 inch OD Run Acetal with Poly Gripper
CMR-3434-NPP-PG	3/4 inch Male NPT 3/4 inch OD Run Natural Polypropylene with Poly Gripper
CMR-3434-PG	3/4 inch Male NPT 3/4 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-3434-PVDF-PG	3/4 inch Male NPT 3/4 inch OD Run PVDF with Poly Gripper
CMR-3478-AC-PG	3/4 inch Male NPT 7/8 inch OD Run Acetal with Poly Gripper
CMR-3478-NPP-PG	3/4 inch Male NPT 7/8 inch OD Run Natural Polypropylene with Poly Gripper
CMR-3478-PG	3/4 inch Male NPT 7/8 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-3478-PVDF-PG	3/4 inch Male NPT 7/8 inch OD Run PVDF with Poly Gripper
CMR-3812-AC-PG	3/8 inch Male NPT 1/2 inch OD Run Acetal with Poly Gripper
CMR-3812-GFPP-PG	3/8 inch Male NPT 1/2 inch OD Run Glass Filled Polypropylene with Poly Gripper
CMR-3812-PG	3/8 inch Male NPT 1/2 inch OD Run Natural Polypropylene with Poly Gripper
CMR-3812-PVDF-PG	3/8 inch Male NPT 1/2 inch OD Run PVDF with Poly Gripper
CMR-3838-AC-PG	3/8 inch Male NPT 3/8 inch OD Run Acetal with Poly Gripper
CMR-3838-GFPP-PG	3/8 inch Male NPT 3/8 inch OD Run Glass Filled Polypropylene NP
CMR-3838-K-PG	3/8 inch Male NPT 3/8 inch OD Run PVDF with Poly Gripper
CMR-3838-NPP-PG	3/8 inch Male NPT 3/8 inch OD Run Natural Polypropylene with Poly Gripper



**CFE SERIES- ELBOW FITTING**

The CFE Series Compression to Female Pipe Thread Fittings is to Valves or Plastic Pipe Fittings for tube connection without kinking attached tubing. Available in NSF approved Glass-Filled White Polypropylene, FDA and NSF approved Acetal (POM) for use with hot water applications, FDA and NSF approved Nylon, and UV resistant FDA and NSF-rated PVDF. Provided with Poly gripper (except for 1/8 inch units) for use up to 220 psi.

SKU	Description
CFE-1814	1/8 FNPT by 1/4 OD Compression Elbow
CFE-1418	1/4 FNPT by 1/8 OD Compression Elbow
CFE-1414	1/4 FNPT by 1/4 OD Compression Elbow
CFE-14516	1/4 FNPT by 5/16 OD Compression Elbow
CFE-1438	1/4 FNPT by 3/8 OD Compression Elbow
CFE-3838	3/8 FNPT by 3/8 OD Compression Elbow
CFE-3812	3/8 FNPT by 1/2 OD Compression Elbow
CFE-1212	1/2 FNPT by 1/2 OD Compression Elbow
CFE-1258	1/2 FNPT by 5/8 OD Compression Elbow

## CF SERIES



The CF Series Compression Female Pipe Threads, 1/8 inch to 1/2 inch, with compression fittings ranging from 1/4 inch to 5/8 inch tube connection without kinking attached tubing. Available in NSF approved Glass-Filled White Polypropylene, FDA and NSF approved Acetal (POM) for use with hot water applications, FDA and NSF approved Nylon and UV resistant FDA and NSF-rated PVDF. Provided with Poly gripper (except for 1/8 inch units) for use up to 220 psi.

SKU	Description
CF-1212-AC-PG	1/2 inch OD by 1/2 inch Female Connector Acetal Compression with Poly Gripper
CF-1212-NN-PG	1/2 inch OD by 1/2 inch Female Connector Natural Nylon Compression with Poly Gripper
CF-1212-PG	1/2 inch OD by 1/2 inch Female Connector Glass-Filled Polypropylene Compression with Poly Gripper
CF-1212-PVDF-PG	1/2 inch OD by 1/2 inch Female Connector PVDF Compression with Poly Gripper
CF-1238-AC-PG	3/8 inch OD by 1/2 inch Female Connector Acetal Compression with Poly Gripper
CF-1238-GFPP-PG	3/8 inch OD by 1/2 inch Female Connector Glass-Filled Polypropylene Compression with Poly Gripper
CF-1238-K-PG	3/8 inch OD by 1/2 inch Female Connector PVDF Compression with Poly Gripper
CF-1238-NN-PG	3/8 inch OD by 1/2 inch Female Connector Natural Nylon Compression with Poly Gripper
CF-1258-AC-PG	5/8 inch OD by 1/2 inch Female Connector Acetal Compression with Poly Gripper
CF-1258-GFPP-PG	5/8 inch OD by 1/2 inch Female Connector Glass-Filled Polypropylene Compression with Poly Gripper
CF-1258-PG	5/8 inch OD by 1/2 inch Female Connector Natural Nylon Compression with Poly Gripper
CF-1258-PVDF-PG	5/8 inch OD by 1/2 inch Female Connector PVDF Compression with Poly Gripper
CF-1414	1/4 inch OD by 1/4 inch Female Connector Polypropylene Compression
CF-1414-AC-PG	1/4 inch OD by 1/4 inch Female Connector Acetal Compression with Poly Gripper
CF-1414-F257	1/4 inch OD by 1/4 inch Female Polypropylene Compression with thru hole
CF-1414-GFPP-PG	1/4 inch OD by 1/4 inch Female Connector Glass-Filled Polypropylene Compression with Poly Gripper
CF-1414-K	1/4 inch OD by 1/4 inch Female Connector PVDF Compression

SKU	Description
CF-1414-K-PG	1/4 inch OD by 1/4 inch Female Connector PVDF Compression with Poly Gripper
CF-1414-NN-PG	1/4 inch OD by 1/4 inch Female Connector Natural Nylon Compression with Poly Gripper
CF-1418-AC-PG	1/4 inch OD by 1/8 inch Female Connector Acetal Compression with Poly Gripper
CF-1418-GFPP-PG	1/4 inch OD by 1/8 inch Female Connector Glass-Filled Polypropylene Compression with Poly Gripper
CF-1418-PG	1/4 inch OD by 1/8 inch Female Connector Natural Nylon Compression with Poly Gripper
CF-1418-PVDF-PG	1/4 inch OD by 1/8 inch Female Connector PVDF Compression with Poly Gripper
CF-1438-AC-PG	3/8 inch OD by 1/4 inch Female Connector Acetal Compression with Poly Gripper
CF-1438-GFPP-PG	3/8 inch OD by 1/4 inch Female Connector Glass-Filled Polypropylene Compression with Poly Gripper
CF-1438-K	3/8 inch OD by 1/4 inch Female Connector PVDF Compression
CF-1438-K-PG	3/8 inch OD by 1/4 inch Female Connector PVDF Compression with Poly Gripper
CF-1438-NN-PG	3/8 inch OD by 1/4 inch Female Connector Natural Nylon Compression with Poly Gripper
CF-14516-AC-PG	5/16 OD by 1/4 inch Female Connector Acetal Compression with Poly Gripper
CF-14516-GFPP-PG	5/16 OD by 1/4 inch Female Connector Glass-Filled Polypropylene Compression with Poly Gripper
CF-14516-NN-PG	5/16 OD by 1/4 inch Female Connector Natural Nylon Compression with Poly Gripper
CF-14516-PVDF-PG	5/16 OD by 1/4 inch Female Connector PVDF Compression with Poly Gripper
CF-1814-AC-PG	1/8 inch Female NPT by 1/4 inch OD Acetal Compression with Poly Gripper
CF-1814-GFPP-PG	1/8 inch Female NPT by 1/4 inch OD Glass-Filled Polypropylene Compression with Poly Gripper
CF-1814-K-PG	1/8 inch Female NPT by 1/4 inch OD PVDF Compression with Poly Gripper
CF-1814-NN-PG	1/8 inch Female NPT by 1/4 inch OD Natural Nylon Compression with Poly Gripper
CF-3812-AC-PG	1/2 inch OD by 3/8 inch Female Acetal Compression with Poly Gripper
CF-3812-GFPP-PG	1/2 inch OD by 3/8 inch Female Glass-Filled Polypropylene Compression with Poly Gripper
CF-3812-K-PG	1/2 inch OD by 3/8 inch Female PVDF Compression with Poly Gripper
CF-3812-NN-PG	1/2 inch OD by 3/8 inch Female Natural Nylon Compression with Poly Gripper
CF-3838	3/8 inch OD by 3/8 inch Female Connector Compression
CF-3838-AC-PG	3/8 inch OD by 3/8 inch Female Connector Acetal Compression with Poly Gripper

SKU	Description
CF-3838-GFPP-PG	3/8 inch OD by 3/8 inch Female Connector Glass-Filled Polypropylene Compression with Poly Gripper
CF-3838-K-PG	3/8 inch OD by 3/8 inch Female Connector PVDF Compression with Poly Gripper
CF-3838-NN-PG	3/8 inch OD by 3/8 inch Female Connector Natural Nylon Compression with Poly Gripper

## CE SERIES



The CE Series Plastic Compression Elbow Fittings are used to allow a 90-degree tube connection without kinking attached tubing. Available in NSF approved Glass-Filled White Polypropylene, FDA and NSF approved Acetal (POM) for use with hot water applications, FDA and NSF approved Nylon, and UV resistant FDA and NSF-rated PVDF. Provided with Poly gripper (except for 1/8 inch units) for use up to 220 psi.

SKU	Description
CE-12-K-PG	1/2 inch OD by 1/2 inch OD Elbow Compression PVDF Compression with Poly Gripper
CE-12-PG	1/2 inch OD by 1/2 inch OD Elbow Compression
CE-12-NN-PG	1/2 inch OD by 1/2 inch OD Elbow Compression Natural Nylon with Poly Gripper
CE-14	1/4 inch OD by 1/4 inch OD Elbow Compression Polypropylene
CE-14-K	1/4 inch OD by 1/4 inch OD PVDF
CE-14-K-PG	1/4 inch OD by 1/4 inch OD Elbow Compression PVDF with Poly Gripper
CE-14-PG	1/4 inch OD Elbow Compression Polypropylene with Poly Gripper
CE-14-NN-PG	1/4 inch OD Elbow Compression Natural Nylon with Poly Gripper
CE-38-K-PG	3/8 inch OD by 3/8 inch OD Elbow Compression PVDF with Poly Gripper
CE-38-PG	3/8 inch OD by 3/8 inch OD Elbow Compression Natural Nylon with Poly Gripper
CE-3814-K	3/8 inch OD by 1/4 inch OD Elbow Compression PVDF
CE-3814-NN	3/8 inch OD by 1/4 inch OD Elbow Compression Natural Nylon
CE-516-K-PG	5/16 inch OD by 5/16 inch OD Elbow Compression PVDF with Poly Gripper
CE-516-PG	5/16 inch OD by 5/16 inch OD Elbow Compression Natural Nylon with Poly Gripper



SKU	Description
CE-58-PG	5/8 inch OD by 5/8 inch OD Elbow Compression Natural Nylon with Poly Gripper
CE-58-PVDF-PG	5/8 inch OD by 5/8 inch OD Elbow Compression PVDF with Poly Gripper
CE-78-PG	7/8 inch OD by 7/8 inch OD Elbow Compression Natural Nylon with Poly Gripper
<b>CE-78-PVDG-PG</b>	<b>7/8 inch OD by 7/8 inch OD Elbow Compression PVDF with Poly Gripper</b>



## CC SERIES

The CC Series is a straight Compression connector for tubing OD of 1/8 inch to 7/8 inch. It is available in Acetal, Nylon, Polypropylene, and PVDF with either poly grippers or ferrule nuts. It is also available in several reduced sizes.

SKU	Description
CC-12-AC	1/2 inch OD by 1/2 inch OD Connector Acetal Compression
CC-12-GFPP	1/2 inch OD by 1/2 inch OD Connector Glass-Filled Polypropylene Compression
CC-12-K-PG	1/2 inch OD by 1/2 inch OD Connector PVDF Compression with Poly Gripper
CC-12-NN	1/2 inch OD by 1/2 inch OD Connector Natural Nylon Compression
CC-12-PG	1/2 inch OD by 1/2 inch OD Connector with Poly Gripper
CC-12-P-PG	1/2 inch OD by 1/2 inch OD Connector w with Poly Gripper
CC-1238-AC	1/2 inch OD by 3/8 inch OD Reducer Acetal Compression
CC-1238-GFPP	1/2 inch OD by 3/8 inch OD Reducer Glass-Filled Polypropylene Compression
CC-1238-NN	1/2 inch OD by 3/8 inch OD Reducer Natural Nylon Compression
CC-1238-PVDF	1/2 inch OD by 3/8 inch OD Reducer PVDF Compression
CC-14	1/4 inch OD by 1/4 inch OD Connector Compression
CC-14-AC-PG	1/4 inch OD by 1/4 inch OD Connector Acetal Compression with Poly Gripper
CC-14-GFPP-PG	1/4 inch OD by 1/4 inch OD Connector Glass-Filled Polypropylene Compression with Poly Gripper
CC-14-K-PG	1/4 inch OD by 1/4 inch OD Connector PVDF Compression with Poly Gripper
CC-14-NN-PG	1/4 inch OD by 1/4 inch OD Connector Natural Nylon Compression with Poly Gripper

SKU	Description
CC-14-PG	1/4 inch OD by 1/4 inch OD Connector with Poly Gripper
CC-1418	1/4 inch OD by 1/8 inch OD Reducing Compression
CC-1418-PVDF-PG	1/4 inch OD by 1/8 inch OD Reducing PVDF Compression with Poly Gripper
CC-1418-GFPP-PG	1/4 inch OD by 1/8 inch OD Reducing Glass-Filled Polypropylene Compression with Poly Gripper
CC-1418-NN-PG	1/4 inch OD by 1/8 inch OD Reducing Natural Nylon Compression with Poly Gripper
CC-1418-AC-PG	1/4 inch OD by 1/8 inch OD Reducing Acetal Compression with Poly Gripper
CC-18-B	1/8 inch OD Brass Compression Union
CC-34-AC-PG	3/4 inch OD by 3/4 inch OD Connector Acetal Compression with Poly Gripper
CC-34-GFPP-PG	3/4 inch OD by 3/4 inch OD Connector Glass-Filled Polypropylene Compression with Poly Gripper
CC-34-NN-PG	3/4 inch OD by 3/4 inch OD Connector Natural Nylon Compression with Poly Gripper
CC-34-PG	3/4 inch OD by 3/4 inch OD Connector PVDF Compression with Poly Gripper
CC-38-AC-PG	3/8 inch OD by 3/8 inch OD Connector Acetal Compression with Poly Gripper
CC-38-GFPP-PG	3/8 inch OD by 3/8 inch OD Connector Glass-Filled Polypropylene Compression with Poly Gripper
CC-38-K-PG	3/8 inch OD by 3/8 inch OD Connector PVDF Compression with Poly Gripper
CC-38-NN-PG	3/8 inch OD by 3/8 inch OD Connector Natural Nylon Compression with Poly Gripper
CC-38-PG	3/8 inch OD by 3/8 inch OD Connector Compression
CC-3814-AC-PG	3/8 inch OD by 1/4 inch OD Reducing Acetal Compression with Poly Gripper
CC-3814-GFPP-PG	3/8 inch OD by 1/4 inch OD Reducing Glass-Filled Polypropylene Compression with Poly Gripper
CC-3814-K	3/8 inch OD by 1/4 inch OD Reducer PVDF Compression
CC-3814-NN-PG	3/8 inch OD by 1/4 inch OD Reducing Natural Nylon Compression with Poly Gripper
CC-3814-PG	3/8 inch OD by 1/4 inch OD Reducing PVDF Compression with Poly Gripper
CC-4F	1/4 inch Female Connector Natural Nylon Compression
CC-4F-PP	1/4 inch FNPT Glass-Filled Polypropylene Compression
CC-516-AC-PG	5/16 inch OD by 5/16 inch OD Connector Acetal Compression with Poly Gripper
CC-516-GFPP-PG	5/16 inch OD by 5/16 inch OD Connector Glass-Filled Polypropylene Compression with Poly Gripper
CC-516-K-PG	5/16 inch OD by 5/16 inch OD Connector PVDF Compression with Poly Gripper
CC-516-NN-PG	5/16 inch OD by 5/16 inch OD Connector Natural Nylon Compression with Poly Gripper

SKU	Description
CC-516-PG	5/16 inch OD by 5/16 inch OD Connector Compression with Poly Gripper
CC-51614-AC-PG	5/16 inch OD by 1/4 inch OD Reducing Acetal Compression with Poly Gripper
CC-51614-GFPP-PG	5/16 inch OD by 1/4 inch OD Reducing Glass-Filled Polypropylene Compression with Poly Gripper
CC-51614-NN-PG	5/16 inch OD by 1/4 inch OD Reducing Natural Nylon Compression with Poly Gripper
CC-51614-PG	5/16 inch OD by 1/4 inch OD Reducing
CC-51614-PVDF-PG	5/16 inch OD by 1/4 inch OD Reducing PVDF Compression with Poly Gripper
CC-58-AC-PG	5/8 inch OD by 5/8 inch OD Connector Acetal Compression with Poly Gripper
CC-58-GFPP-PG	5/8 inch OD by 5/8 inch OD Connector Glass-Filled Polypropylene Compression with Poly Gripper
CC-58-K-PG	5/8 inch OD by 5/8 inch OD Connector PVDF Compression with Poly Gripper
CC-58-NN-PG	5/8 inch OD by 5/8 inch OD Connector Natural Nylon Compression with Poly Gripper
CC-58-PG	5/8 inch OD by 5/8 inch OD Connector with Poly Gripper
CC-5812-AC-PG	5/8 inch OD by 1/2 inch OD Reducing Acetal Compression with Poly Gripper
CC-5812-GFPP-PG	5/8 inch OD by 1/2 inch OD Reducing Glass-Filled Polypropylene Compression with Poly Gripper
CC-5812-NN-PG	5/8 inch OD by 1/2 inch OD Reducing Natural Nylon Compression with Poly Gripper
CC-5812-PG	5/8 inch OD by 1/2 inch OD Reducing with Poly Gripper Compression
CC-5812-PVDF-PG	5/8 inch OD by 1/2 inch OD Reducing PVDF Compression with Poly Gripper
CC-5838-AC-PG	5/8 inch OD by 1/8 inch OD Reducing Acetal Compression with Poly Gripper
CC-5838-GFPP-PG	5/8 inch OD by 1/8 inch OD Reducing Glass-Filled Polypropylene Compression with Poly Gripper
CC-5838-NN-PG	5/8 inch OD by 1/8 inch OD Reducing Natural Nylon Compression with Poly Gripper
CC-5838-PG	5/8 inch OD by 1/8 inch OD Reducing Compression with Poly Gripper
CC-5838-PVDF-PG	5/8 inch OD by 1/8 inch OD Reducing PVDF Compression with Poly Gripper
CC-78-AC-PG	7/8 inch OD by 7/8 inch OD Connector Acetal Compression with Poly Gripper
CC-78-GFPP-PG	7/8 inch OD by 7/8 inch OD Connector Glass-Filled Polypropylene Compression with Poly Gripper
CC-78-NN-PG	7/8 inch OD by 7/8 inch OD Connector Natural Nylon Compression with Poly Gripper
CC-78-PG	7/8 inch OD by 7/8 inch OD Connector Compression with Poly Gripper

SKU	Description
CC-78-PVDF-PG	7/8 inch OD by 7/8 inch OD Connector PVDF Compression with Poly Gripper
CC-7858-AC-PG	7/8 inch OD by 5/8 inch OD Reducing Acetal Compression with Poly Gripper
CC-7858-GFPP-PG	7/8 inch OD by 5/8 inch OD Reducing Glass-Filled Polypropylene Compression with Poly Gripper
CC-7858-NN-PG	7/8 inch OD by 5/8 inch OD Reducing Natural Nylon Compression with Poly Gripper
CC-7858-PG	7/8 inch OD by 5/8 inch OD Reducing Compression with Poly Gripper
CC-7858-PVDF-PG	7/8 inch OD by 5/8 inch OD Reducing PVDF Compression with Poly Gripper



## CB SERIES

The CB Series Compression Bulkheads allow Air or Fluid lines to be passed through walls for a clean connection for use with tubing ranges of 1/4 inch to 7/8 inch Outside Diameter in tanks and service lines. Available in NSF approved Glass-Filled White Polypropylene, FDA and NSF approved Acetal (POM) for use with hot water applications, FDA and NSF approved Nylon and UV resistant FDA and NSF-rated PVDF. Provided with Poly gripper (except for 1/8 inch units) for use up to 220 psi.

SKU	Description
CB-12-GFPP	1/2 inch OD Glass-Filled Polypropylene Bulkhead
CB-12-KO	1/2 inch OD PVDF Bulkhead
CB-12-PG	1/2 inch OD Polypropylene Bulkhead with Gripper
CB-14-GFPP	1/4 inch OD Glass-Filled Polypropylene Bulkhead
CB-14-K	1/4 inch OD PVDF Bulkhead
CB-14-PG	1/4 inch OD Polypropylene Bulkhead with Gripper
CB-1814R-AC	1/4 inch Short with 1/8 Cap Acetal Bulkhead
CB-1814R-GFPP	1/4 inch Short with 1/8 Cap Polypropylene Bulkhead
CB-1814R-K	1/4 inch Short with 1/8 Cap PVDF Bulkhead
CB-1814R-NN	1/4 inch Short with 1/8 Cap Natural Nylon Bulkhead
CB-34-AC	3/4 inch OD Acetal Bulkhead
CB-34-GFPP	3/4 inch OD Glass-Filled Polypropylene Bulkhead
CB-34-K	3/4 inch OD PVDF Bulkhead

SKU	Description
CB-34-NN	3/4 inch OD Natural Nylon Bulkhead
CB-34-PG	3/4 inch OD Glass-Filled Polypropylene Bulkhead with Gripper
CB-38-GFPP	3/8 inch OD Glass-Filled Polypropylene Bulkhead
CB-38-K	3/8 inch OD PVDF Bulkhead
CB-38-PG	3/8 inch OD Polypropylene Bulkhead with Gripper
CB-516-GFPP	5/16 inch OD Glass-Filled Polypropylene Bulkhead
CB-516-K	5/16 inch OD PVDF Bulkhead
CB-516-PG	5/16 inch OD Polypropylene Bulkhead with Gripper
CB-78-AC	7/8 inch OD Acetal Bulkhead
CB-78-GFPP	7/8 inch OD Glass-Filled Polypropylene Bulkhead
CB-78-K	7/8 inch OD PVDF Bulkhead
CB-78-NN	7/8 inch OD Natural Nylon Bulkhead
CB-78-PG	7/8 inch OD Polypropylene Bulkhead with Gripper



## CA SERIES- COMPRESSION FITTING

The CA Series is a Male Straight Pipe Compression Fittings. This allows the tubing to be connected to Pipes, Valves, and Manifolds for attaching Tube lines. Available for 1/8" to 7/8" tubing and Male NPT 1/8" to 3/4" tube connection without kinking attached tubing. The Fittings are also available in FDA and NSF approved Acetal (POM) for use with hot water applications, FDA and NSF approved Nylon, and UV resistant FDA and NSF-rated PVDF. In addition, the CA Series is provided with a Poly gripper (except for 1/8 inch units) for up to 220 psi.

SKU	Descriptions
CA-1212-AC-PG	1/2 inch MNPT by 1/2 inch OD Acetal Compression Fitting with Poly Gripper
CA-1212-K-PG	1/2 inch MNPT by 1/2 inch OD PVDF Compression Fitting with Poly Gripper
CA-1212-NN-PG	1/2 inch MNPT by 1/2 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1212-PG	1/2 inch MNPT by 1/2 inch OD Polypropylene Compression Fitting with Poly Gripper
CA-1234-AC-PG	1/2 inch MNPT by 3/4 inch OD Acetal Compression Fitting with Poly Gripper
CA-1234-NN-PG	1/2 inch MNPT by 3/4 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1234-PG	1/2 inch MNPT by 3/4 inch OD Polypropylene Compression Fitting with Poly Gripper


SKU	Descriptions
CA-1234-PVDF-PG	1/2 inch MNPT by 3/4 inch OD PVDF Compression Fitting with Poly Gripper
CA-1238-AC-PG	1/2 inch MNPT by 3/8 inch OD Acetal Compression Fitting with Poly Gripper
CA-1238-K-PG	1/2 inch MNPT by 3/8 inch OD PVDF Compression Fitting with Poly Gripper
CA-1238-NN-PG	1/2 inch MNPT by 3/8 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1238-PG	1/2 inch MNPT by 3/8 inch OD Polypropylene Compression Fitting with Poly Gripper
CA-12516-AC-PG	1/2 inch MNPT by 5/16 inch OD Acetal Compression Fitting with Poly Gripper 2 piece unit
CA-12516-NN-PG	1/2 inch MNPT by 5/16 inch OD Natural Nylon Compression Fitting with Poly Gripper 2 piece unit
CA-12516-PVDF-PG	1/2 inch MNPT by 5/16 inch OD PVDF Compression Fitting with Poly Gripper 2 piece unit
CA-1258-AC-PG	1/2 inch MNPT by 5/8 inch OD Acetal Compression Fitting with Poly Gripper
CA-1258-NN-PG	1/2 inch MNPT by 5/8 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1258-PG	1/2 inch MNPT by 5/8 inch OD Polypropylene Compression Fitting with Poly Gripper
CA-1258-PVDF-PG	1/2 inch MNPT by 5/8 inch OD PVDF Compression Fitting with Poly Gripper
CA-1412-AC-PG	1/4 inch MNPT by 1/2 inch OD Acetal Compression Fitting with Poly Gripper
CA-1412-K-PG	1/4 inch MNPT by 1/2 inch OD PVDF Compression Fitting with Poly Gripper
CA-1412-NN-PG	1/4 inch MNPT by 1/2 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1412-PG	1/4 inch MNPT by 1/2 inch OD Polypropylene Compression Fitting with Poly Gripper
CA-1414	1/4 inch MNPT by 1/4 inch OD Polypropylene Compression Fitting with O-Ring
CA-1414-AC-PG	1/4 inch MNPT by 1/4 inch OD Acetal Compression Fitting with Poly Gripper
CA-1414-K-PG	1/4 inch MNPT by 1/4 inch OD PVDF Compression Fitting with Poly Gripper
CA-1414-NN-PG	1/4 inch MNPT by 1/4 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1438-AC-PG	1/4 inch MNPT by 3/8 inch OD Acetal Compression Fitting with Poly Gripper
CA-1438-K-PG	1/4 inch MNPT by 3/8 inch OD PVDF Compression Fitting with Poly Gripper
CA-1438-NN-PG	1/4 inch MNPT by 3/8 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-14516	1/4 inch MNPT by 5/16 inch OD Polypropylene Compression Fitting with O-Ring

SKU	Descriptions
CA-14516-AC-PG	1/4 inch MNPT by 5/16 inch OD Acetal Compression Fitting with Poly Gripper
CA-14516-PP-PG	1/4 inch MNPT by 5/16 inch OD Polypropylene Compression Fitting with Poly Gripper
CA-14516-K-PG	1/4 inch MNPT by 5/16 inch OD PVDF Compression Fitting with Poly Gripper
CA-14516-NN-PG	1/4 inch MNPT by 5/16 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1812-AC-PG	1/8 inch MNPT by 1/2 inch OD Acetal Compression Fitting with Poly Gripper
CA-1812-NN-PG	1/8 inch MNPT by 1/2 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1812-PVDF-PG	1/8 inch MNPT by 1/2 inch OD PVDF Compression Fitting with Poly Gripper
CA-1814-PP	1/8 inch MNPT by 1/4 inch OD Polypropylene Compression Fitting with O-Ring
CA-1814-K	1/8 inch MNPT by 1/4 inch OD PVDF Compression Fitting with O-Ring
CA-1814-K-PG	1/8 inch MNPT by 1/4 inch OD PVDF Compression Fitting with Poly Gripper
CA-1818-PP	1/8 inch MNPT by 1/8 inch OD Polypropylene Compression Fitting with O-Ring
CA-1818-AC-PG	1/8 inch MNPT by 1/8 inch OD Acetal Compression Fitting with Poly Gripper
CA-1818-K	1/8 inch MNPT by 1/8 inch OD PVDF Compression Fitting with O-Ring
CA-1818-NN-PG	1/8 inch MNPT by 1/8 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-1838-AC-PG	1/8 inch MNPT by 3/8 inch OD Acetal Compression Fitting with Poly Gripper
CA-1838-K-PG	1/8 inch MNPT by 3/8 inch OD PVDF Compression Fitting with Poly Gripper
CA-1838-NN-PG	1/8 inch MNPT by 3/8 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-3434-AC-PG	3/4 inch MNPT by 3/4 inch OD Acetal Compression Fitting with Poly Gripper
CA-3434-NN-PG	3/4 inch MNPT by 3/4 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-3434-PVDF-PG	3/4 inch MNPT by 3/4 inch OD PVDF Compression Fitting with Poly Gripper
CA-3478-AC-PG	3/4 inch MNPT by 7/8 inch OD Acetal Compression Fitting with Poly Gripper
CA-3478-NN-PG	3/4 inch MNPT by 7/8 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-3478-PVDF-PG	3/4 inch MNPT by 7/8 inch OD PVDF Compression Fitting with Poly Gripper
CA-3812-AC-PG	3/8 inch MNPT by 1/2 inch OD Acetal Compression Fitting with Poly Gripper



SKU	Descriptions
CA-3812-K-PG	3/8 inch MNPT by 1/2 inch OD PVDF Compression Fitting with Poly Gripper
CA-3812-NN-PG	3/8 inch MNPT by 1/2 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-3814-AC-PG	3/8 inch MNPT by 1/4 inch OD Acetal Compression Fitting with Poly Gripper
CA-3814-K-PG	3/8 inch MNPT by 1/4 inch OD PVDF Compression Fitting with Poly Gripper
CA-3814-NN-PG	3/8 inch MNPT by 1/4 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-3814-PP-PG	3/8 inch MNPT by 1/4 inch OD Polypropylene Compression Fitting with Gripper
CA-3838-AC-PG	3/8 inch MNPT by 3/8 inch OD Acetal Compression Fitting with Poly Gripper
CA-3838-K-PG	3/8 inch MNPT by 3/8 inch OD PVDF Compression Fitting with Poly Gripper
CA-3838-NN-PG	3/8 inch MNPT by 3/8 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-3838-PP-PG	3/8 inch MNPT by 3/8 inch OD Polypropylene Compression Fitting with Poly Gripper
CA-38516-AC-PG	3/8 inch MNPT by 5/16 inch OD Acetal Compression Fitting with Poly Gripper
CA-38516-K-PG	3/8 inch MNPT by 5/16 inch OD PVDF Compression Fitting with Poly Gripper
CA-38516-NN-PG	3/8 inch MNPT by 5/16 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-3858-AC-PG	3/8 inch MNPT by 5/8 inch OD Acetal Compression Fitting with Poly Gripper
CA-3858-NN-PG	3/8 inch MNPT by 5/8 inch OD Natural Nylon Compression Fitting with Poly Gripper
CA-3858-PP-PG	3/8 inch MNPT by 5/8 inch OD Polypropylene Compression Fitting with Poly Gripper
CA-3858-PVDF-PG	3/8 inch MNPT by 5/8 inch OD PVDF Compression Fitting with Poly Gripper

## CME SERIES



The CME Series are Male NPT Compression Fittings to an OD Elbow configuration. Use for Manifolds, Valves, Regulators, or mechanical instruments. They are molded of either Glass-Filled White polypropylene, NSF-approved FDA-approved Acetal for use with hot water applications, NSF-approved FDA-approved Nylon, or NSF-approved FDA-approved UV-resistant PVDF. Provided with a poly gripper for use up to 220 psi. 1/8-inch units do not have a poly gripper.

SKU	Description
CME-1212-AC-PG	1/2 inch MNPT by 1/2 inch OD Acetal Elbow with Poly Gripper
CME-1212-NN-PG	1/2 inch MNPT by 1/2 inch OD Natural Nylon Elbow with Poly Gripper
CME-1212-PG	1/2 inch MNPT by 1/2 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-1212-PVDF-PG	1/2 inch MNPT by 1/2 inch OD PVDF Elbow with Poly Gripper
CME-1258- AC PG	1/2 inch MNPT by 5/8 inch OD Acetal Elbow with Poly Gripper
CME-1258-NN-PG	1/2 inch MNPT by 5/8 inch OD Natural Nylon Elbow with Poly Gripper
CME-1258-PG	1/2 inch MNPT by 5/8 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-1258-PVDF PG	1/2 inch MNPT by 5/8 inch OD PVDF Elbow with Poly Gripper
CME-1412-AC-PG	1/4 inch MNPT by 1/2 inch OD Acetal Elbow with Poly Gripper
CME-1412-GFPP-PG	1/4 inch MNPT by 1/2 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-1412-K-PG	1/4 inch MNPT by 1/2 inch OD PVDF Elbow with Poly Gripper
CME-1412-NN-PG	1/4 inch MNPT by 1/2 inch OD Natural Nylon Elbow with Poly Gripper
CME-1414-AC-PG	1/4 inch MNPT by 1/4 inch OD Acetal Elbow with Poly Gripper
CME-1414-GFPP-PG	1/4 inch MNPT by 1/4 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-1414-K-PG	1/4 inch MNPT by 1/4 inch OD PVDF Elbow with Poly Gripper
CME-1414-NN-PG	1/4 inch MNPT by 1/4 inch OD Natural Nylon Elbow with Poly Gripper
CME-1438-AC-PG	1/4 inch MNPT by 3/8 inch OD Acetal Elbow with Poly Gripper
CME-1438-K	1/4 inch MNPT by 3/8 inch OD PVDF Elbow
CME-1438-K-PG	1/4 inch MNPT by 3/8 inch OD PVDF Elbow with Poly Gripper
CME-1438-NN-PG	1/4 inch MNPT by 3/8 inch OD Natural Nylon Elbow with Poly Gripper
CME-1438-PG	1/4 inch MNPT by 3/8 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-14516AC--PG	1/4 inch MNPT by 5/16 inch OD Acetal Elbow with Poly Gripper
CME-14516-K-PG	1/4 inch MNPT by 5/16 inch OD PVDF Elbow with Poly Gripper
CME-14516-NN-PG	1/4 inch MNPT by 5/16 inch OD Natural Nylon Elbow with Poly Gripper

SKU	Description
CME-14516-PG	1/4 inch MNPT by 5/16 inch OD Glass Filled Polypropylene Elbow with Poly Gripper
CME-1814	1/8 inch MNPT by 1/4 inch OD Glass-Filled Polypropylene Elbow
CME-1814-AC-PG	1/8 inch MNPT by 1/4 inch OD Acetal Elbow with Poly Gripper
CME-1814-K	1/8 inch MNPT by 1/4 inch OD PVDF Elbow
CME-1814-NN-PG	1/8 inch MNPT by 1/4 inch OD Natural Nylon Elbow with Poly Gripper
CME-1814-PVDF-PG	1/8 inch MNPT by 1/4 inch OD PVDF Elbow with Poly Gripper
CME-1818	1/8 inch MNPT by 1/8 inch OD Glass-Filled Polypropylene Elbow
CME-1818-AC	1/8 inch MNPT by 1/8 inch OD Acetal Elbow
CME-1818-K	1/8 inch MNPT by 1/8 inch OD PVDF Elbow
CME-1818-NN	1/8 inch MNPT by 1/8 inch OD Natural Nylon Elbow
CME-3812-AC-PG	3/8 inch MNPT by 1/2 inch OD Acetal Elbow with Poly Gripper
CME-3812-K-PG	3/8 inch MNPT by 1/2 inch OD PVDF Elbow with Poly Gripper
CME-3812-NN-PG	3/8 inch MNPT by 1/2 inch OD Natural Nylon Elbow with Poly Gripper
CME-3812-PG	3/8 inch MNPT by 1/2 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-3814-AC-PG	3/8 inch MNPT by 1/4 inch OD Acetal Elbow with Poly Gripper
CME-3814-K-PG	3/8 inch MNPT by 1/4 inch OD PVDF Elbow with Poly Gripper
CME-3814-NN-PG	3/8 inch MNPT by 1/4 inch OD Natural Nylon Elbow with Poly Gripper
CME-3814-PG	3/8 inch MNPT by 1/4 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-3838-AC-PG	3/8 inch MNPT by 3/8 inch OD Acetal Elbow with Poly Gripper
CME-3838-K-PG	3/8 inch MNPT by 3/8 inch OD PVDF Elbow with Poly Gripper
CME-3838-NN-PG	3/8 inch MNPT by 3/8 inch OD Natural Nylon Elbow with Poly Gripper
CME-3838-PG	3/8 inch MNPT by 3/8 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-38516-AC-PG	3/8 inch MNPT by 5/16 inch OD Acetal Elbow with Poly Gripper
CME-38516-K-PG	3/8 inch MNPT by 5/16 inch OD PVDF Elbow with Poly Gripper
CME-38516-NN-PG	3/8 inch MNPT by 5/16 inch OD Natural Nylon Elbow with Poly Gripper
CME-38516-PG	3/8 inch MNPT by 5/16 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-3858-AC-PG	3/8 inch MNPT by 5/8 inch OD Acetal Elbow with Poly Gripper
CME-3858-GFPP-PG	3/8 inch MNPT by 5/8 inch OD Glass-Filled Polypropylene Elbow with Poly Gripper
CME-3858-NN-PG	3/8 inch MNPT by 5/8 inch OD Natural Nylon Elbow with Poly Gripper
CME-3858-PVDF-PG	3/8 inch MNPT by 5/8 inch OD PVDF Elbow with Poly Gripper