



PLASTIC BARBED FITTINGS

PLASTIC BARBED FITTINGS

Plastic Barbed Fittings: Where Flexibility Meets Reliability



PLASTIC MULTI-BARB

PLASTIC MULTI-BARB

Plastic Multi-Barb fittings are primarily produced with materials that are NSF-51 and NSF-61, FDA, and USP Class VI approved, and RoHS compliant. Standard materials are Natural nylon, -40° to 200° F. Black Polypropylene and Black Polyethylene are UV resistant and can be used with numerous chemicals. Temperature ranges of these materials are -65° to 190° F. Some products available by special order are Bovine free natural polypropylene or PVDF. Maximum working pressure 125 PSI. Hose clamps are recommended, low pressures, such as drain lines, etc. may not require clamps.



CH-O SERIES

CH-O Series multi-barbed connector is offered in Nylon material. In addition, the sizes offered are 1/4" 3/8" 1/2" 5/8" 3/4", and 1-inch configurations.



SFE SERIES

SFE Series is an Elbow adapter made of PVC and can be used for irrigation and O.E.M. applications. There is a wide variety of configurations available for use with Polyethylene pipe sizes 1/2" through 2". Also, it conforms to ASTM D 2609 and is NSF-certified for use with potable water. Female NPT thread sizes are 1/2", 3/4", 1", 1-1/4", 1-1/2" and 2". Furthermore, Barb sizes range from 1/2" to 1-1/2".



VC-Y SERIES

The VC-Y Series are vacuum-style Wye fittings. Available in Natural or Black Nylon 6/6. The equal barb sizes for this wye are 3/16 inch, 1/4 inch, and 3/8 inch. The available reducing barb size is 1/4 inch by 3/16 inch. The working temperature range is from -20° F to 212° F. This wye is recommended for air, liquid, and vapor applications.

| SKU | Description |
|----------------|--|
| VC-Y-3B-NN | 3/16 inch Natural Nylon Vacuum Wye Connector |
| VC-Y-3B-BN | 3/16 inch Black Nylon Vacuum Wye Connector |
| VC-Y-4B-NN | 1/4 inch Natural Nylon Vacuum Wye Connector |
| VC-Y-4B-BN | 1/4 inch Black Nylon Vacuum Wye Connector |
| VC-Y-6B-NN | 3/8 inch Natural Nylon Vacuum Wye Connector |
| VC-Y-6B-BN | 3/8 inch Black Nylon Vacuum Wye Connector |
| VC-Y-4B3B-O-NN | 1/4 inch by 3/16 inch Natural Nylon Vacuum Wye Connector |
| VC-Y-4B3B-O-BN | 1/4 inch by 3/16 inch Black Nylon Vacuum Wye Connector |



YA SERIES

The YA Series are multi-barbed wye connectors and are made of Acetal. There is a 90° span between the top two legs of this wye connector. Available barb sizes are 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 7/16 inch, 1/2 inch, 9/16 inch, 3/4 inch, 5/32 inch by 1/4 inch, and 1/4 inch by 5/6 inch. Barb sizes can also be used for metric tubing.

| SKU | Description |
|--------|---|
| YA-2 | 1/8 inch (3 mm) Acetal Multi-Barbed Wye Connector |
| YA-3 | 3/16 inch (5 mm) Acetal Multi-Barbed Wye Connector |
| YA-4 | 1/4 inch (6 mm) Acetal Multi-Barbed Wye Connector |
| YA-5 | 5/16 inch (8 mm) Acetal Multi-Barbed Wye Connector |
| YA-532 | 5/32 inch (4 mm) Acetal Multi-Barbed Wye Connector |
| YA-6 | 3/8 inch (10 mm) Acetal Multi-Barbed Wye Connector |
| YA-7 | 7/16 inch (11 mm) Acetal Multi-Barbed Wye Connector |

| SKU | Description |
|----------|---|
| YA-8 | 1/2 inch (13 mm) Acetal Multi-Barbed Wye Connector |
| YA-9 | 9/16 inch (14 mm) Acetal Multi-Barbed Wye Connector |
| YA-10 | 5/8 inch (16 mm) Acetal Multi-Barbed Wye Connector |
| YA-12 | 3/4 inch (19 mm) Acetal Multi-Barbed Wye Connector |
| YA-532-4 | 5/32 inch by 1/4 inch Acetal Multi-Barbed Wye Connector |
| YA-4-5 | 1/4 inch by 5/16 inch Acetal Multi-Barbed Wye Connector |



T SERIES

The T Series is a series of plastic single and multi-barbed tee connectors. This series is available in NSF-listed Natural Nylon, Black Polyethylene, and FDA-listed Natural Black Polypropylene. Equal and reducing barb sizes ranging from .170 inches to 1-1/2 inches are available (see list below). Barb sizes over 1 inch are not available in Polyethylene.

| SKU | Description |
|-----------------|---|
| T-.170B-NN-NSF | .170 inch NSF Natural Nylon Single Barbed Tee - use only with poly tube |
| T-.170B-BPE-NSF | .170 inch NSF Black Polyethylene Single Barbed Tee - use only with poly tube |
| T-.170B-NPP-FDA | .170 inch FDA Natural Polypropylene Single Barbed Tee - use only with poly tube |
| T-.170B-BPP-FDA | .170 inch FDA Black Polypropylene Single Barbed Tee - use only with poly tube |
| T-3B-NN-NSF | 3/16 inch NSF Natural Nylon Single Barbed Tee Connector |
| T-3B-BPE-NSF | 3/16 inch NSF Black Polyethylene Single Barbed Tee Connector |
| T-3B-NPP-FDA | 3/16 inch FDA Natural Polypropylene Single Barbed Tee Connector |
| T-3B-BPP-FDA | 3/16 inch FDA Black Polypropylene Single Barbed Tee Connector |
| T-2B-NN-NSF | 1/8 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-2B-BPE-NSF | 1/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-2B-NPP-FDA | 1/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-2B-BPP-FDA | 1/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-532B-NN-NSF | 5/32 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-532B-BPE-NSF | 5/32 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-532B-NPP-FDA | 5/32 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|----------------|---|
| T-532B-BPP-FDA | 5/32 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-4B-NN-NSF | 1/4 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-4B-BPE-NSF | 1/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-4B-NPP-FDA | 1/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-4B-BPP-FDA | 1/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-5B-NN-NSF | 5/16 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-5B-BPE-NSF | 5/16 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-5B-NPP-FDA | 5/16 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-5B-BPP-FDA | 5/16 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-6B-NN-NSF | 3/8 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-6B-BPE-NSF | 3/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-6B-NPP-FDA | 3/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-6B-BPP-FDA | 3/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-8B-NN-NSF | 1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-8B-BPE-NSF | 1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-8B-NPP-FDA | 1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-8B-BPP-FDA | 1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-10B-NN-NSF | 5/8 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-10B-BPE-NSF | 5/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-10B-NPP-FDA | 5/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-10B-BPP-FDA | 5/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-12B-NN-NSF | 3/4 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-12B-BPE-NSF | 3/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-12B-NPP-FDA | 3/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-12B-BPP-FDA | 3/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-16B-NN-NSF | 1 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-16B-BPE-NSF | 1 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-16B-NPP-FDA | 1 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-16B-BPP-FDA | 1 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-20B-NN-NSF | 1-1/4 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-20B-BPE-NSF | 1-1/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-20B-NPP-FDA | 1-1/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-20B-BPP-FDA | 1-1/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-24B-NN-NSF | 1-1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-24B-BPE-NSF | 1-1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-24B-NPP-FDA | 1-1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-24B-BPP-FDA | 1-1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-4B5B-NN-NSF | 1/4 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-4B5B-BPE-NSF | 1/4 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|------------------|---|
| T-4B5B-NPP-FDA | 1/4 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-4B5B-BPP-FDA | 1/4 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-4B6B-BPE-NSF | 1/4 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-4B6B-BPP-FDA | 1/4 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-4B6B-NN-NSF | 1/4 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-4B6B-NPP-FDA | 1/4 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-6B8B-BPE-NSF | 3/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-6B8B-BPP-FDA | 3/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-6B8B-NN-NSF | 3/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-6B8B-NPP-FDA | 3/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-8B12B-BPE-NSF | 1/2 inch by 3/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-8B12B-BPP-FDA | 1/2 inch by 3/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-8B12B-NN-NSF | 1/2 inch by 3/4 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-8B12B-NPP-FDA | 1/2 inch by 3/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-532B2B-NN-NSF | 5/32 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-532B2B-BPE-NSF | 5/32 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-532B2B-NPP-FDA | 5/32 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-532B2B-BPP-FDA | 5/32 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-5B4B-BPE-NSF | 5/16 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-5B4B-BPP-FDA | 5/16 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-5B4B-NN-NSF | 5/16 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-5B4B-NPP-FDA | 5/16 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-6B3B-BPE-NSF | 3/8 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-6B3B-BPP-FDA | 3/8 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|-----------------|---|
| T-6B3B-NN-NSF | 3/8 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-6B3B-NPP-FDA | 3/8 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-6B4B-BPE-NSF | 3/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-6B4B-BPP-FDA | 3/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-6B4B-NN-NSF | 3/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-6B4B-NPP-FDA | 3/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B4B-BPE-NSF | 1/2 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-8B4B-BPP-FDA | 1/2 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B4B-NN-NSF | 1/2 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-8B4B-NPP-FDA | 1/2 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B5B-BPE-NSF | 1/2 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-8B5B-BPP-FDA | 1/2 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B5B-NN-NSF | 1/2 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-8B5B-NPP-FDA | 1/2 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B6B-BPE-NSF | 1/2 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-8B6B-BPP-FDA | 1/2 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B6B-NN-NSF | 1/2 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-8B6B-NPP-FDA | 1/2 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B4B-BPE-NSF | 5/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-10B4B-BPP-FDA | 5/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B4B-NN-NSF | 5/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-10B4B-NPP-FDA | 5/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B5B-BPE-NSF | 5/8 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-10B5B-BPP-FDA | 5/8 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|-----------------|---|
| T-10B5B-NN-NSF | 5/8 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-10B5B-NPP-FDA | 5/8 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B6B-BPE-NSF | 5/8 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-10B6B-BPP-FDA | 5/8 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B6B-NN-NSF | 5/8 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-10B6B-NPP-FDA | 5/8 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B8B-BPE-NSF | 5/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-10B8B-BPP-FDA | 5/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B8B-NN-NSF | 5/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-10B8B-NPP-FDA | 5/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-12B8B-BPE-NSF | 3/4 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-12B8B-BPP-FDA | 3/4 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-12B8B-NN-NSF | 3/4 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-12B8B-NPP-FDA | 3/4 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |

L-IG SERIES



The L-IG Series are multi-barbed elbows made of Black and White Nylon and Gray Polypropylene. The ports are 1/16 inch and 1/8 inch. The maximum working pressure is 125 psi and the temperature ranges are: Nylon -50° F to 180° F; Polypropylene -40° F to 200° F.

| SKU | Description |
|-------------|---|
| L-IG-1B-BN | 1/16 inch Black Nylon Multi-Barbed Elbow |
| L-IG-1B-GPP | 1/16 inch Gray Polypropylene Multi-Barbed Elbow |
| L-IG-1B-WN | 1/16 inch White Nylon Multi-Barbed Elbow |
| L-IG-2B-BN | 1/8 inch Black Nylon Multi-Barbed Elbow |
| L-IG-2B-GPP | 1/8 inch Gray Polypropylene Multi-Barbed Elbow |
| L-IG-2B-WN | 1/8 inch White Nylon Multi-Barbed Elbow |

Y-T SERIES



Y-T Series is a multi-barbed Wye connector and is available in Nylon and Black Polypropylene. This connector comes in three different equal barb sizes: 1/4 inch, 3/8 inch, and 1/2 inch.

| SKU | Description |
|------------|---|
| Y-T-4B-BPP | 1/4 inch Multi-Barbed Black Polypropylene Wye Connector |
| Y-T-4B-NN | 1/4 inch Multi-Barbed Natural Nylon Wye Connector |
| Y-T-6B-BPP | 3/8 inch Multi-Barbed Black Polypropylene Wye Connector |
| Y-T-6B-NN | 3/8 inch Multi-Barbed Natural Nylon Wye Connector |
| Y-T-8B-BPP | 1/2 inch Multi-Barbed Black Polypropylene Wye Connector |
| Y-T-8B-NN | 1/2 inch Multi-Barbed Natural Nylon Wye Connector |



L SERIES

The L Series are standard triple-barbed elbow connectors and are offered in both equal and reducing sizes. These elbow connectors are molded of Natural Nylon or Polyethylene. Optional materials include: Natural and Black Polypropylene. Equal sizes are 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, 1 inch, 1-1/4 inch, and 1-1/2 inch. Reducing sizes are 1/2 inch by 1/4 inch and 1/2 inch by 3/8 inch. Barbed fittings over 1 inch are not offered in Polyethylene.

| SKU | Description |
|------------|---|
| L-4B-NN | 1/4 inch Natural Nylon Barbed Elbow Connector |
| L-4B-NPP | 1/4 inch Natural Polypropylene Barbed Elbow Connector |
| L-4B-BKPP | 1/4 inch Black Polypropylene Barbed Elbow Connector |
| L-4B-PE | 1/4 inch Polyethylene Barbed Elbow Connector |
| L-5B-NN | 5/16 inch Natural Nylon Barbed Elbow Connector |
| L-5B-NPP | 5/16 inch Natural Polypropylene Barbed Elbow Connector |
| L-5B-BKPP | 5/16 inch Black Polypropylene Barbed Elbow Connector |
| L-5B-PE | 5/16 inch Polyethylene Barbed Elbow Connector |
| L-6B-NN | 3/8 inch Natural Nylon Barbed Elbow Connector |
| L-6B-NPP | 3/8 inch Natural Polypropylene Barbed Elbow Connector |
| L-6B-BKPP | 3/8 inch Black Polypropylene Barbed Elbow Connector |
| L-6B-PE | 3/8 inch Polyethylene Barbed Elbow Connector |
| L-8B-NN | 1/2 inch Natural Nylon Barbed Elbow Connector |
| L-8B-NPP | 1/2 inch Natural Polypropylene Barbed Elbow Connector |
| L-8B-BKPP | 1/2 inch Black Polypropylene Barbed Elbow Connector |
| L-8B-PE | 1/2 inch Polyethylene Barbed Elbow Connector |
| L-10B-NN | 5/8 inch Natural Nylon Barbed Elbow Connector |
| L-10B-NPP | 5/8 inch Natural Polypropylene Barbed Elbow Connector |
| L-10B-BKPP | 5/8 inch Black Polypropylene Barbed Elbow Connector |
| L-10B-PE | 5/8 inch Polyethylene Barbed Elbow Connector |
| L-12B-NN | 3/4 inch Natural Nylon Barbed Elbow Connector |
| L-12B-NPP | 3/4 inch Natural Polypropylene Barbed Elbow Connector |
| L-12B-BKPP | 3/4 inch Black Polypropylene Barbed Elbow Connector |
| L-12B-PE | 3/4 inch Polyethylene Barbed Elbow Connector |
| L-16B-NN | 1 inch Natural Nylon Barbed Elbow Connector |
| L-16B-NPP | 1 inch Natural Polypropylene Barbed Elbow Connector |
| L-16B-BKPP | 1 inch Black Polypropylene Barbed Elbow Connector |
| L-16B-PE | 1 inch Polyethylene Barbed Elbow Connector |
| L-20B-NN | 1-1/4 inch Natural Nylon Barbed Elbow Connector |
| L-20B-NPP | 1-1/4 inch Natural Polypropylene Barbed Elbow Connector |
| L-20B-BKPP | 1-1/4 inch Black Polypropylene Barbed Elbow Connector |

| SKU | Description |
|-------------|---|
| L-20B-PE | 1-1/4 inch Polyethylene Barbed Elbow Connector |
| L-24B-NN | 1-1/2 inch Natural Nylon Barbed Elbow Connector |
| L-24B-NPP | 1-1/2 inch Natural Polypropylene Barbed Elbow Connector |
| L-24B-BKPP | 1-1/2 inch Black Polypropylene Barbed Elbow Connector |
| L-24B-PE | 1-1/2 inch Polyethylene Barbed Elbow Connector |
| L-8B4B-NN | 1/2 inch by 1/4 inch Natural Nylon Barbed Elbow Reducer |
| L-8B4B-NPP | 1/2 inch by 1/4 inch Natural Polypropylene Barbed Elbow Reducer |
| L-8B4B-BKPP | 1/2 inch by 1/4 inch Black Polypropylene Barbed Elbow Reducer |
| L-8B4B-PE | 1/2 inch by 1/4 inch Polyethylene Barbed Elbow Reducer |
| L-8B6B-NN | 1/2 inch by 3/8 inch Natural Nylon Barbed Elbow Reducer |
| L-8B6B-NPP | 1/2 inch by 3/8 inch Natural Polypropylene Barbed Elbow Reducer |
| L-8B6B-BKPP | 1/2 inch by 3/8 inch Black Polypropylene Barbed Elbow Reducer |
| L-8B6B-PE | 1/2 inch by 3/8 inch Polyethylene Barbed Elbow Reducer |



YCP SERIES

YCP Series is a low-pressure multi-barbed Wye connector made of Natural Polypropylene. This connector is for metric tubing and comes in seven sizes: 4 mm, 6 mm, 8 mm, 10 mm, 12 mm, 14 mm, and 16 mm.

| SKU | Description |
|-------------|--|
| YCP-4M-NPP | 4 mm Natural Polypropylene Multi-Barbed Wye Connector |
| YCP-6M-NPP | 6 mm Natural Polypropylene Multi-Barbed Wye Connector |
| YCP-8M-NPP | 8 mm Natural Polypropylene Multi-Barbed Wye Connector |
| YCP-10M-NPP | 10 mm Natural Polypropylene Multi-Barbed Wye Connector |
| YCP-12M-NPP | 12 mm Natural Polypropylene Multi-Barbed Wye Connector |
| YCP-14M-NPP | 14 mm Natural Polypropylene Multi-Barbed Wye Connector |
| YCP-16M-NPP | 16 mm Natural Polypropylene Multi-Barbed Wye Connector |



YSP SERIES

YSP Series is a low-pressure wye connector made of FDA-listed Natural Polypropylene. This wye connector comes in six equal barb sizes: 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, and 1/2 inch. The maximum pressure is 20 psi and the maximum working temperature is 198°F. This wye is autoclavable.

SKU

Description

| | |
|------------|--|
| YSP-2B-FDA | 1/8 inch FDA Polypropylene Multi-Barbed Wye Connector |
| YSP-3B-FDA | 3/16 inch FDA Polypropylene Multi-Barbed Wye Connector |
| YSP-4B-FDA | 1/4 inch FDA Polypropylene Multi-Barbed Wye Connector |
| YSP-5B-FDA | 5/16 inch FDA Polypropylene Multi-Barbed Wye Connector |
| YSP-6B-FDA | 3/8 inch FDA Polypropylene Multi-Barbed Wye Connector |
| YSP-8B-FDA | 1/2 inch FDA Polypropylene Multi-Barbed Wye Connector |



GHE SERIES

Upgrade your hose connections with the **GHE Series Male Garden Hose Elbow**, built for **long-lasting durability** and a **leak-free seal**. Constructed from **high-quality Nylon or Black Polypropylene**, this elbow fitting offers **exceptional resistance to wear, weather, and chemicals**. Available in **1/4", 3/8", 1/2", 5/8", and 3/4" barb sizes**, it ensures a **secure grip and smooth fluid flow**, making it the **ideal solution for irrigation, plumbing, and industrial applications**.

SKU

Description

| | |
|---------|--|
| GHE-6B | Garden Hose Elbow by 3/8 inch Nylon Barb |
| GHE-8B | Garden Hose Elbow by 1/2 inch Nylon Barb |
| GHE-10B | Garden Hose Elbow by 5/8 inch Nylon Barb |
| GHE-12B | Garden Hose Elbow by 3/4 inch Nylon Barb |
| GHE-16B | GHE by 1 inch Nylon Barb |



CR SERIES

The CR Series Plastic Multi-Barbed Fittings are reducing connectors with a standard Triple-Barb hose. Molded of either NSF Listed Natural Nylon, NSF Listed Black Polyethylene, FDA Listed Natural Polypropylene, FDA Listed Black Polypropylene, or Black Nylon. Sizes range from 1/8 inch to 1-1/2 inch.

| SKU | Description |
|----------|--|
| CR-4B2B | 1/4 Multi Barb by 1/8 Multi Barb Reducer |
| CR-4B3B | 1/4 Multi Barb by 3/16 Multi Barb Reducer |
| CR-4B532 | 1/4 Multi Barb by 5/32 Multi Barb Reducer |
| CR-5B2B | 5/16 Multi Barb by 1/8 Multi Barb Reducer |
| CR-5B3B | 5/16 Multi Barb by 3/16 Multi Barb Reducer |
| CR-6B4B | 3/8 Multi Barb by 1/4 Multi Barb Reducer |
| CR-6B5B | 3/8 Multi Barb by 5/16 Multi Barb Reducer |
| CR-6B8B | 3/8 Multi Barb by 1/2 Multi Barb Reducer |
| CR-8B4B | 1/2 Multi Barb by 1/4 Multi Barb Reducer |
| CR-8B6B | 1/2 Multi Barb by 3/8 Multi Barb Reducer |
| CR-10B6B | 5/8 Multi Barb by 3/8 Multi Barb Reducer |
| CR-10B8B | 5/8 Multi Barb by 1/2 Multi Barb Reducer |
| CR-12B8B | 3/4 Multi BarbX 1/2 Multi Barb Reducer |



PLASTIC SINGLE BARB

PLASTIC SINGLE BARB

These unassuming connectors bridge the gap between flexible tubing and other hoses or equipment. In low-pressure scenarios, they, ensure a seamless connection without fuss.

VC-TB SERIES



VC-TB Series is a single-barb, triple-leg vacuum connector. It is made of natural Nylon and has 5 equal barbs of 3/16".

| SKU | DESCRIPTION |
|----------|---------------------------------------|
| VC-TB-3B | 3/16 Barb Triple Leg Vacuum Connector |

AT-S SERIES



AT-S Series is an Adapter Tee available in black and white Nylon, black Polypropylene, and PVDF. There is straight male 10-32 UNF threads, male 1/8" NPT threads, and tapered 10-32 UNF threads. The barb sizes are 1/16" 3/32", 1/8", 3/16", and 1/4".

| SKU | DESCRIPTION |
|--------------|---|
| AT-S-101B | 10-32 Male UNF by 1/16 Barb Adapter Tee |
| AT-S-102B | 10-32 Male UNF by 1/8 Barb Adapter Tee |
| AT-S-10T1B | 10-32 Taper by 1/16 Adapter Tee |
| AT-S-10T2B | 10-32 Taper by 1/8 Barb Adapter Tee |
| AT-S-10T332B | 10-32 Taper by 3/32 Barb Adapter Tee |
| AT-S-102B | 10-32 Male UNF by 1/8 inch Barb Adapter Tee |
| AT-S-2M3B | 1/8 MNPT by 3/16 Barb Adapter Tee |



USTA SERIES

USTA Series is a Male UNF straight thread Adapter with 5/32" barbs. This product is made out of Acetal.

| SKU | DESCRIPTION |
|----------------|--|
| USTA-1220-POM | 1/2-20 UNF Thread by 5/32 Barb Acetal |
| USTA-3824-POM | 3/8-24 UNF Thread by 5/32 Barb Acetal |
| USTA-71624-POM | 7/16-24 UNF Thread by 5/32 Barb Acetal |
| USTA-91618-POM | 9/16-18 UNF Thread by 5/32 Barb Acetal |

T-I SERIES

The T-I Series is a standard equal barb Tee made of white Nylon and natural Polypropylene. It is available in 1/16", 1/8" and 3/16" barbs.



DTP-S SERIES



The DTP-S Series fittings are in four-port elbow tee configurations. Included in this series is the DTTP-S Series, which is a six-port double tee configuration. Both series have single barbs with no parting line, and the barbs will expand tubing 50% above its normal size. In addition, the materials available are White Nylon and Natural Polypropylene. Furthermore all the barbs on each fitting are equal to 1/16 inch, 3/32 inch, and 1/8 inch. These fittings are recommended for medical and laboratory environments.

SKU

Description

| | |
|-------------|-----------------------------|
| DTP-S-1B | 1/16 Single Barb Double Tee |
| DTP-S-2B | 1/8 Single Barb Double Tee |
| DTP-S-332 | 3/32 Single Barb Double Tee |
| DTTP-S-1B | 1/16 Single Barb Quad Tee |
| DTTP-S-2B | 1/8 Single Barb Quad Tee |
| DTTP-S-332B | 3/32 Single Barb Quad Tee |



Y-U SERIES

Y-U Series is an ultimate Wye tube fitting. This series has equal single barbs and is designed to work with a wide range of tubing types and sizes. It is available in Nylon or Polypropylene. Barb sizes are 3/8 inch, 1/2 inch, 3/4 inch, and 1 inch. These Wyes are used in medical and laboratory environments.

SKU

Description

| | |
|-------------|--|
| Y-U-6B-NN | 3/8 inch Natural Nylon Single Barbed Wye Connector |
| Y-U-6B-NPP | 3/8 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-U-8B-NN | 1/2 inch Natural Nylon Single Barbed Wye Connector |
| Y-U-8B-NPP | 1/2 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-U-12B-NN | 3/4 inch Natural Nylon Single Barbed Wye Connector |
| Y-U-12B-NPP | 3/4 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-U-16B-NN | 1 inch Natural Nylon Single Barbed Wye Connector |
| Y-U-16B-NPP | 1 inch Natural Polypropylene Single Barbed Wye Connector |



Y-R SERIES

Y-R Series are single barbed equal and enlarging Wye tube fittings. The equal Wye barb sizes are 1/8 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, and 3/4 inch. The enlarging Wye barb are oriented with 2 smaller branches to a larger inlet on the bottom. Current sizes are (2)1/8 inch by 1/4 inch; (2)3/16 inch by 5/16 inch; (2)1/4 inch by 3/8 inch; 3/8 inch by 1/2 inch; 5/8 inch by 3/4 inch, and 3/4 inch by 1 inch. Available materials are Natural and Black Nylon, Glass-Filled Black Nylon, Natural and White High-Density Polyethylene, and Natural and Gray PVDF.

******The flow is from the bottom of the Wye and through the two smaller barbs.******

Various Branches Wyes are also available. VC-Y series.

| SKU | Description |
|--------------|---|
| Y-R-2B-NN | 1/8 inch Natural Nylon Equal Single Barbed Wye Connector |
| Y-R-2B-BN | 1/8 inch Black Nylon Equal Single Barbed Wye Connector |
| Y-R-2B-GFBN | 1/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector |
| Y-R-2B-NPP | 1/8 inch Natural Polypropylene Equal Single Barbed Wye Connector |
| Y-R-2B-WPP | 1/8 inch White Polypropylene Equal Single Barbed Wye Connector |
| Y-R-2B-PVDF | 1/8 inch PVDF Equal Single Barbed Wye Connector |
| Y-R-2B-GPVDF | 1/8 inch Gray PVDF Equal Single Barbed Wye Connector |
| Y-R-2B-HDPE | 1/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector |
| Y-R-3B-NN | 3/16 inch Natural Nylon Equal Single Barbed Wye Connector |
| Y-R-3B-BN | 3/16 inch Black Nylon Equal Single Barbed Wye Connector |
| Y-R-3B-GFBN | 3/16 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector |
| Y-R-3B-NPP | 3/16 inch Natural Polypropylene Equal Single Barbed Wye Connector |
| Y-R-3B-WPP | 3/16 inch White Polypropylene Equal Single Barbed Wye Connector |
| Y-R-3B-PVDF | 3/16 inch PVDF Equal Single Barbed Wye Connector |
| Y-R-3B-GPVDF | 3/16 inch Gray PVDF Equal Single Barbed Wye Connector |
| Y-R-3B-HDPE | 3/16 inch High-Density Polyethylene Equal Single Barbed Wye Connector |

| SKU | Description |
|---------------|--|
| Y-R-4B-NN | 1/4 inch Natural Nylon Equal Single Barbed Wye Connector |
| Y-R-4B-BN | 1/4 inch Black Nylon Equal Single Barbed Wye Connector |
| Y-R-4B-GFBN | 1/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector |
| Y-R-4B-NPP | 1/4 inch Natural Polypropylene Equal Single Barbed Wye Connector |
| Y-R-4B-WPP | 1/4 inch White Polypropylene Equal Single Barbed Wye Connector |
| Y-R-4B-PVDF | 1/4 inch PVDF Equal Single Barbed Wye Connector |
| Y-R-4B-GPVDF | 1/4 inch Gray PVDF Equal Single Barbed Wye Connector |
| Y-R-4B-HDPE | 1/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector |
| Y-R-6B-NN | 3/8 inch Natural Nylon Equal Single Barbed Wye Connector |
| Y-R-6B-BN | 3/8 inch Black Nylon Equal Single Barbed Wye Connector |
| Y-R-6B-GFBN | 3/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector |
| Y-R-6B-NPP | 3/8 inch Natural Polypropylene Equal Single Barbed Wye Connector |
| Y-R-6B-WPP | 3/8 inch White Polypropylene Equal Single Barbed Wye Connector |
| Y-R-6B-PVDF | 3/8 inch PVDF Equal Single Barbed Wye Connector |
| Y-R-6B-GPVDF | 3/8 inch Gray PVDF Equal Single Barbed Wye Connector |
| Y-R-6B-HDPE | 3/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector |
| Y-R-8B-NN | 1/2 inch Natural Nylon Equal Single Barbed Wye Connector |
| Y-R-8B-BN | 1/2 inch Black Nylon Equal Single Barbed Wye Connector |
| Y-R-8B-GFBN | 1/2 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector |
| Y-R-8B-NPP | 1/2 inch Natural Polypropylene Equal Single Barbed Wye Connector |
| Y-R-8B-WPP | 1/2 inch White Polypropylene Equal Single Barbed Wye Connector |
| Y-R-8B-PVDF | 1/2 inch PVDF Equal Single Barbed Wye Connector |
| Y-R-8B-GPVDF | 1/2 inch Gray PVDF Equal Single Barbed Wye Connector |
| Y-R-8B-HDPE | 1/2 inch High-Density Polyethylene Equal Single Barbed Wye Connector |
| Y-R-10B-NN | 5/8 inch Natural Nylon Equal Single Barbed Wye Connector |
| Y-R-10B-BN | 5/8 inch Black Nylon Equal Single Barbed Wye Connector |
| Y-R-10B-GFBN | 5/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector |
| Y-R-10B-NPP | 5/8 inch Natural Polypropylene Equal Single Barbed Wye Connector |
| Y-R-10B-WPP | 5/8 inch White Polypropylene Equal Single Barbed Wye Connector |
| Y-R-10B-PVDF | 5/8 inch PVDF Equal Single Barbed Wye Connector |
| Y-R-10B-GPVDF | 5/8 inch Gray PVDF Equal Single Barbed Wye Connector |

Plastic Barbed Fittings



| SKU | Description |
|----------------|--|
| Y-R-10B-HDPE | 5/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector |
| Y-R-12B-NN | 3/4 inch Natural Nylon Equal Single Barbed Wye Connector |
| Y-R-12B-BN | 3/4 inch Black Nylon Equal Single Barbed Wye Connector |
| Y-R-12B-GFBN | 3/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector |
| Y-R-12B-NPP | 3/4 inch Natural Polypropylene Equal Single Barbed Wye Connector |
| Y-R-12B-WPP | 3/4 inch White Polypropylene Equal Single Barbed Wye Connector |
| Y-R-12B-PVDF | 3/4 inch PVDF Equal Single Barbed Wye Connector |
| Y-R-12B-GPVDF | 3/4 inch Gray PVDF Equal Single Barbed Wye Connector |
| Y-R-12B-HDPE | 3/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector |
| Y-R-2B4B-NN | 1/8 inch by 1/4 inch Natural Nylon Single Barbed Wye Connector |
| Y-R-2B4B-BN | 1/8 inch by 1/4 inch Black Nylon Single Barbed Wye Connector |
| Y-R-2B4B-GFBN | 1/8 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector |
| Y-R-2B4B-NPP | 1/8 inch by 1/4 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-R-2B4B-WPP | 1/8 inch by 1/4 inch White Polypropylene Single Barbed Wye Connector |
| Y-R-2B4B-PVDF | 1/8 inch by 1/4 inch PVDF Single Barbed Wye Connector |
| Y-R-2B4B-GPVDF | 1/8 inch by 1/4 inch Gray PVDF Single Barbed Wye Connector |
| Y-R-2B4B-HDPE | 1/8 inch by 1/4 inch High-Density Polyethylene Single Barbed Wye Connector |
| Y-R-3B5B-NN | 3/16 inch by 5/16 inch Natural Nylon Single Barbed Wye Connector |
| Y-R-3B5B-BN | 3/16 inch by 5/16 inch Black Nylon Single Barbed Wye Connector |
| Y-R-3B5B-GFBN | 3/16 inch by 5/16 inch Glass-Filled Black Nylon Single Barbed Wye Connector |
| Y-R-3B5B-NPP | 3/16 inch by 5/16 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-R-3B5B-WPP | 3/16 inch by 5/16 inch White Polypropylene Single Barbed Wye Connector |
| Y-R-3B5B-PVDF | 3/16 inch by 5/16 inch PVDF Single Barbed Wye Connector |
| Y-R-3B5B-GPVDF | 3/16 inch by 5/16 inch Gray PVDF Single Barbed Wye Connector |
| Y-R-3B5B-HDPE | 3/16 inch by 5/16 inch High-Density Polyethylene Single Barbed Wye Connector |
| Y-R-4B6B-NN | 1/4 inch by 3/8 inch Natural Nylon Single Barbed Wye Connector |
| Y-R-4B6B-BN | 1/4 inch by 3/8 inch Black Nylon Single Barbed Wye Connector |
| Y-R-4B6B-GFBN | 1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Wye Connector |
| Y-R-4B6B-NPP | 1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Wye Connector |

| SKU | Description |
|------------------|--|
| Y-R-4B6B-WPP | 1/4 inch by 3/8 inch White Polypropylene Single Barbed Wye Connector |
| Y-R-4B6B-PVDF | 1/4 inch by 3/8 inch PVDF Single Barbed Wye Connector |
| Y-R-4B6B-GPVDF | 1/4 inch by 3/8 inch Gray PVDF Single Barbed Wye Connector |
| Y-R-4B6B-HDPE | 1/4 inch by 3/8 inch High-Density Polyethylene Single Barbed Wye Connector |
| Y-R-6B8B-NN | 3/8 inch by 1/2 inch Natural Nylon Single Barbed Wye Connector |
| Y-R-6B8B-BN | 3/8 inch by 1/2 inch Black Nylon Single Barbed Wye Connector |
| Y-R-6B8B-GFBN | 3/8 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Wye Connector |
| Y-R-6B8B-NPP | 3/8 inch by 1/2 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-R-6B8B-WPP | 3/8 inch by 1/2 inch White Polypropylene Single Barbed Wye Connector |
| Y-R-6B8B-PVDF | 3/8 inch by 1/2 inch PVDF Single Barbed Wye Connector |
| Y-R-6B8B-GPVDF | 3/8 inch by 1/2 inch Gray PVDF Single Barbed Wye Connector |
| Y-R-6B8B-HDPE | 3/8 inch by 1/2 inch High-Density Polyethylene Single Barbed Wye Connector |
| Y-R-10B12B-NN | 5/8 inch by 3/4 inch Natural Nylon Single Barbed Wye Connector |
| Y-R-10B12B-BN | 5/8 inch by 3/4 inch Black Nylon Single Barbed Wye Connector |
| Y-R-10B12B-GFBN | 5/8 inch by 3/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector |
| Y-R-10B12B-NPP | 5/8 inch by 3/4 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-R-10B12B-WPP | 5/8 inch by 3/4 inch White Polypropylene Single Barbed Wye Connector |
| Y-R-10B12B-PVDF | 5/8 inch by 3/4 inch PVDF Single Barbed Wye Connector |
| Y-R-10B12B-GPVDF | 5/8 inch by 3/4 inch Gray PVDF Single Barbed Wye Connector |
| Y-R-10B12B-HDPE | 5/8 inch by 3/4 inch High-Density Polyethylene Single Barbed Wye Connector |
| Y-R-12B16B-NN | 3/4 inch by 1 inch Natural Nylon Single Barbed Wye Connector |
| Y-R-12B16B-BN | 3/4 inch by 1 inch Black Nylon Single Barbed Wye Connector |
| Y-R-12B16B-GFBN | 3/4 inch by 1 inch Glass-Filled Black Nylon Single Barbed Wye Connector |
| Y-R-12B16B-NPP | 3/4 inch by 1 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-R-12B16B-WPP | 3/4 inch by 1 inch White Polypropylene Single Barbed Wye Connector |
| Y-R-12B16B-PVDF | 3/4 inch by 1 inch PVDF Single Barbed Wye Connector |
| Y-R-12B16B-GPVDF | 3/4 inch by 1 inch Gray PVDF Single Barbed Wye Connector |
| Y-R-12B16B-HDPE | 3/4 inch by 1 inch High-Density Polyethylene Single Barbed Wye Connector |

Y-S SERIES



Y-S Series Wye tube fitting has equal single barbs and works well with flexible tubing. The barbs can expand tubing up to 50% above its normal size. This allows higher pressure capabilities. Available materials are White and Black Nylon, Natural Polypropylene, Polycarbonate, and PVDF. Barb sizes are 1/16 inch, 3/32 inch, 1/18 inch, 5/32 inch, 3/16 inch, and 1/4 inch. These Wyes are used primarily in laboratory and medical environments.

| SKU | Description |
|---------------|---|
| Y-S-1B-WN | 1/16 inch White Nylon Single Barbed Wye Connector |
| Y-S-1B-BN | 1/16 inch Black Nylon Single Barbed Wye Connector |
| Y-S-1B-NPP | 1/16 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-S-1B-PC | 1/16 inch Polycarbonate Single Barbed Wye Connector |
| Y-S-1B-PVDF | 1/16 inch PVDF Single Barbed Wye Connector |
| Y-S-332B-WN | 3/32 inch White Nylon Single Barbed Wye Connector |
| Y-S-332B-BN | 3/32 inch Black Nylon Single Barbed Wye Connector |
| Y-S-332B-NPP | 3/32 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-S-332B-PC | 3/32 inch Polycarbonate Single Barbed Wye Connector |
| Y-S-332B-PVDF | 3/32 inch PVDF Single Barbed Wye Connector |
| Y-S-2B-WN | 1/8 inch White Nylon Single Barbed Wye Connector |
| Y-S-2B-BN | 1/8 inch Black Nylon Single Barbed Wye Connector |
| Y-S-2B-NPP | 1/8 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-S-2B-PC | 1/8 inch Polycarbonate Single Barbed Wye Connector |
| Y-S-2B-PVDF | 1/8 inch PVDF Single Barbed Wye Connector |
| Y-S-532-WN | 5/32 inch White Nylon Single Barbed Wye Connector |
| Y-S-532-BN | 5/32 inch Black Nylon Single Barbed Wye Connector |
| Y-S-532-NPP | 5/32 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-S-532-PC | 5/32 inch Polycarbonate Single Barbed Wye Connector |
| Y-S-532-PVDF | 5/32 inch PVDF Single Barbed Wye Connector |
| Y-S-3B-WN | 3/16 inch White Nylon Single Barbed Wye Connector |
| Y-S-3B-BN | 3/16 inch Black Nylon Single Barbed Wye Connector |
| Y-S-3B-NPP | 3/16 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-S-3B-PC | 3/16 inch Polycarbonate Single Barbed Wye Connector |
| Y-S-3B-PVDF | 3/16 inch PVDF Single Barbed Wye Connector |
| Y-S-4B-WN | 1/4 inch White Nylon Single Barbed Wye Connector |
| Y-S-4-BN | 1/4 inch Black Nylon Single Barbed Wye Connector |
| Y-S-4-NPP | 1/4 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-S-4B-PC | 1/4 inch Polycarbonate Single Barbed Wye Connector |
| Y-S-4B-PVDF | 1/4 inch PVDF Single Barbed Wye Connector |

CRX-I SERIES



The CRX-I Series is a standard single barbed commercial grade Cross fitting with no parting line on the barb. It is available in Natural Nylon and Polypropylene. The equal barb size available is 1/4 inch.

| SKU | Description |
|----------|---------------------------------|
| CRX-I-4B | 1/4 Barb Commercial Grade Cross |

CNRX SERIES



The CNRX Series is an equal single barbed Cross fitting. These crosses are available in Natural Nylon, Natural Polypropylene, and White Polypropylene. Available barb sizes are 1/8 inch and 1/4 inch.

| SKU | Description |
|-------------|--|
| CNRX-2B-NN | 1/8 inch Natural Nylon Single Barbed Cross Connector |
| CNRX-2B-NPP | 1/8 inch Natural Polypropylene Single Barbed Cross Connector |
| CNRX-2B-WPP | 1/8 inch White Polypropylene Single Barbed Cross Connector |
| CNRX-4B-NN | 1/4 inch Natural Nylon Single Barbed Cross Connector |
| CNRX-4B-NPP | 1/4 inch Natural Polypropylene Single Barbed Cross Connector |
| CNRX-4B-WPP | 1/4 inch White Polypropylene Single Barbed Cross Connector |

CX SERIES



The CX Series is a standard single barbed Cross fitting with no molded parting line on the barb. The barb will expand the tubing to 50% above its normal size. It is available in White Nylon and Natural Polypropylene. The available equal barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch. This cross-fitting is recommended for medical and laboratory environments.

| SKU | Description |
|-------------|--|
| CX-1B-NPP | 1/16 inch Natural Polypropylene Standard Single Barbed Cross Connector |
| CX-1B-WN | 1/16 inch White Nylon Standard Single Barbed Cross Connector |
| CX-332B-NPP | 3/32 inch Natural Polypropylene Standard Single Barbed Cross Connector |
| CX-332B-WN | 3/32 inch White Nylon Standard Single Barbed Cross Connector |
| CX-2B-NPP | 1/8 inch Natural Polypropylene Standard Single Barbed Cross Connector |
| CX-2B-WN | 1/8 inch White Nylon Standard Single Barbed Cross Connector |

TR-R SERIES



TR-R Series are standard single barbed reducing and enlarging tee connectors. Materials available are Natural and Black Nylon, Natural and Gray PVDF, Natural and White Polypropylene, Glass-Filled Black Nylon, and Polyethylene that is NSF 51/61 certified.

| SKU | Description |
|-------------------|---|
| TR-R-532B6B-NN | 5/32 inch by 3/8 inch Natural Nylon Single Barbed Tee Connector |
| TR-R-532B6B-BN | 5/32 inch by 3/8 inch Black Nylon Single Barbed Tee Connector |
| TR-R-532B6B-PVDF | 5/32 inch by 3/8 inch PVDF Single Barbed Tee Connector |
| TR-R-532B6B-GPVDF | 5/32 inch by 3/8 inch Gray PVDF Single Barbed Tee Connector |
| TR-R-532B6B-NPP | 5/32 inch by 3/8 inch Natural Polypropylene Single Barbed Tee Connector |
| TR-R-532B6B-WPP | 5/32 inch by 3/8 inch White Polypropylene Single Barbed Tee Connector |

| SKU | Description |
|--------------------|---|
| TR-R-532B6B-GFBN | 5/32 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| TR-R-532B6B-PE-NSF | 5/32 inch by 3/8 inch NSF Polyethylene Single Barbed Tee Connector |
| TR-R-4B10B-NN | 1/4 inch by 5/8 inch Natural Nylon Single Barbed Tee Connector |
| TR-R-4B10B-BN | 1/4 inch by 5/8 inch Black Nylon Single Barbed Tee Connector |
| TR-R-4B10B-PVDF | 1/4 inch by 5/8 inch PVDF Single Barbed Tee Connector |
| TR-R-4B10B-GPVDF | 1/4 inch by 5/8 inch Gray PVDF Single Barbed Tee Connector |
| TR-R-4B10B-NPP | 1/4 inch by 5/8 inch Natural Polypropylene Single Barbed Tee Connector |
| TR-R-4B10B-WPP | 1/4 inch by 5/8 inch White Polypropylene Single Barbed Tee Connector |
| TR-R-4B10B-GFBN | 1/4 inch by 5/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| TR-R-4B10B-PE-NSF | 1/4 inch by 5/8 inch NSF Polyethylene Single Barbed Tee Connector |
| TR-R-4B6B-NN | 1/4 inch by 3/8 inch Natural Nylon Single Barbed Tee Connector |
| TR-R-4B6B-BN | 1/4 inch by 3/8 inch Black Nylon Single Barbed Tee Connector |
| TR-R-4B6B-PVDF | 1/4 inch by 3/8 inch PVDF Single Barbed Tee Connector |
| TR-R-4B6B-GPVDF | 1/4 inch by 3/8 inch Gray PVDF Single Barbed Tee Connector |
| TR-R-4B6B-NPP | 1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Tee Connector |
| TR-R-4B6B-WPP | 1/4 inch by 3/8 inch White Polypropylene Single Barbed Tee Connector |
| TR-R-4B6B-GFBN | 1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| TR-R-4B6B-PE-NSF | 1/4 inch by 3/8 inch NSF Polyethylene Single Barbed Tee Connector |
| TR-R-4B3B-NN | 1/4 inch by 3/16 inch Natural Nylon Single Barbed Reducing Tee Connector |
| TR-R-4B3B-BN | 1/4 inch by 3/16 inch Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-4B3B-PVDF | 1/4 inch by 3/16 inch PVDF Single Barbed Reducing Tee Connector |
| TR-R-4B3B-GPVDF | 1/4 inch by 3/16 inch Gray PVDF Single Barbed Reducing Tee Connector |
| TR-R-4B3B-NPP | 1/4 inch by 3/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-4B3B-WPP | 1/4 inch by 3/16 inch White Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-4B3B-GFBN | 1/4 inch by 3/16 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-4B3B-PE-NSF | 1/4 inch by 3/16 inch NSF Polyethylene Single Barbed Reducing Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|-------------------|--|
| TR-R-8B4B-NN | 1/2 inch by 1/4 inch Natural Nylon Single Barbed Reducing Tee Connector |
| TR-R-8B4B-BN | 1/2 inch by 1/4 inch Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-8B4B-PVDF | 1/2 inch by 1/4 inch PVDF Single Barbed Reducing Tee Connector |
| TR-R-8B4B-GPVDF | 1/2 inch by 1/4 inch Gray PVDF Single Barbed Reducing Tee Connector |
| TR-R-8B4B-NPP | 1/2 inch by 1/4 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-8B4B-WPP | 1/2 inch by 1/4 inch White Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-8B4B-GFBN | 1/2 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-8B4B-PE-NSF | 1/2 inch by 1/4 inch NSF Polyethylene Single Barbed Reducing Tee Connector |
| TR-R-8B6B-NN | 1/2 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector |
| TR-R-8B6B-BN | 1/2 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-8B6B-PVDF | 1/2 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector |
| TR-R-8B6B-GPVDF | 1/2 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector |
| TR-R-8B6B-NPP | 1/2 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-8B6B-WPP | 1/2 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-8B6B-GFBN | 1/2 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-8B6B-PE-NSF | 1/2 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector |
| TR-R-10B6B-NN | 5/8 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector |
| TR-R-10B6B-BN | 5/8 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-10B6B-PVDF | 5/8 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector |
| TR-R-10B6B-GPVDF | 5/8 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector |
| TR-R-10B6B-NPP | 5/8 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-10B6B-WPP | 5/8 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-10B6B-GFBN | 5/8 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-10B6B-PE-NSF | 5/8 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector |

| SKU | Description |
|--------------------|--|
| TR-R-12B6B-NN | 3/4 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector |
| TR-R-12B6B-BN | 3/4 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-12B6B-PVDF | 3/4 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector |
| TR-R-12B6B-GPVDF | 3/4 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector |
| TR-R-12B6B-NPP | 3/4 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-12B6B-WPP | 3/4 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-12B6B-GFBN | 3/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-12B6B-PE-NSF | 3/4 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector |
| TR-R-12B8B-NN | 3/4 inch by 1/2 inch Natural Nylon Single Barbed Reducing Tee Connector |
| TR-R-12B8B-BN | 3/4 inch by 1/2 inch Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-12B8B-PVDF | 3/4 inch by 1/2 inch PVDF Single Barbed Reducing Tee Connector |
| TR-R-12B8B-GPVDF | 3/4 inch by 1/2 inch Gray PVDF Single Barbed Reducing Tee Connector |
| TR-R-12B8B-NPP | 3/4 inch by 1/2 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-12B8B-WPP | 3/4 inch by 1/2 inch White Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-12B8B-GFBN | 3/4 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-12B8B-PE-NSF | 3/4 inch by 1/2 inch NSF Polyethylene Single Barbed Reducing Tee Connector |
| TR-R-16B10B-NN | 1 inch by 5/8 inch Natural Nylon Single Barbed Reducing Tee Connector |
| TR-R-16B10B-BN | 1 inch by 5/8 inch Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-16B10B-PVDF | 1 inch by 5/8 inch PVDF Single Barbed Reducing Tee Connector |
| TR-R-16B10B-GPVDF | 1 inch by 5/8 inch Gray PVDF Single Barbed Reducing Tee Connector |
| TR-R-16B10B-NPP | 1 inch by 5/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-16B10B-WPP | 1 inch by 5/8 inch White Polypropylene Single Barbed Reducing Tee Connector |
| TR-R-16B10B-GFBN | 1 inch by 5/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector |
| TR-R-16B10B-PE-NSF | 1 inch by 5/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector |

RT-S SERIES



The RT-S Series are standard single barbed reducing and enlarging tees. Available in White Nylon and Natural Polypropylene. Barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 3/16 inch, and 1/4 inch.

| SKU | Description |
|------------------|---|
| RT-S-1B-2B-NPP | 1/16 inch by 1/8 inch Natural Polypropylene Single Barbed Tee Connector |
| RT-S-1B-2B-WN | 1/16 inch by 1/8 inch White Nylon Single Barbed Tee Connector |
| RT-S-2B-1B-NPP | 1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| RT-S-2B-1B-WN | 1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Tee Connector |
| RT-S-2B-332-NPP | 1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| RT-S-2B-332-WN | 1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Tee Connector |
| RT-S-332B-1B-NPP | 3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| RT-S-332B-1B-WN | 3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Tee Connector |
| RT-S-332B-2B-NPP | 3/32 inch by 1/8 inch Natural Polypropylene Single Barbed Tee Connector |
| RT-S-332B-2B-WN | 3/32 inch by 1/8 inch White Nylon Single Barbed Tee Connector |
| RT-S-4B-2B-NPP | 1/4 inch by 1/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| RT-S-4B-2B-WN | 1/4 inch by 1/8 inch White Nylon Single Barbed Reducing Tee Connector |
| RT-S-4B-332B-NPP | 1/4 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| RT-S-4B-332B-WN | 1/4 inch by 3/32 inch White Nylon Single Barbed Reducing Tee Connector |
| RT-S-4B-3B-NPP | 1/4 inch by 3/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector |
| RT-S-4B-3B-WN | 1/4 inch by 3/16 inch White Nylon Single Barbed Reducing Tee Connector |



T SERIES

The T Series is a series of plastic single and multi-barbed tee connectors. This series is available in NSF-listed Natural Nylon, Black Polyethylene, and FDA-listed Natural Black Polypropylene. Equal and reducing barb sizes ranging from .170 inches to 1-1/2 inches are available (see list below). Barb sizes over 1 inch are not available in Polyethylene.

| SKU | Description |
|-----------------|---|
| T-.170B-NN-NSF | .170 inch NSF Natural Nylon Single Barbed Tee - use only with poly tube |
| T-.170B-BPE-NSF | .170 inch NSF Black Polyethylene Single Barbed Tee - use only with poly tube |
| T-.170B-NPP-FDA | .170 inch FDA Natural Polypropylene Single Barbed Tee - use only with poly tube |
| T-.170B-BPP-FDA | .170 inch FDA Black Polypropylene Single Barbed Tee - use only with poly tube |
| T-3B-NN-NSF | 3/16 inch NSF Natural Nylon Single Barbed Tee Connector |
| T-3B-BPE-NSF | 3/16 inch NSF Black Polyethylene Single Barbed Tee Connector |
| T-3B-NPP-FDA | 3/16 inch FDA Natural Polypropylene Single Barbed Tee Connector |
| T-3B-BPP-FDA | 3/16 inch FDA Black Polypropylene Single Barbed Tee Connector |
| T-2B-NN-NSF | 1/8 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-2B-BPE-NSF | 1/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-2B-NPP-FDA | 1/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-2B-BPP-FDA | 1/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-532B-NN-NSF | 5/32 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-532B-BPE-NSF | 5/32 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-532B-NPP-FDA | 5/32 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-532B-BPP-FDA | 5/32 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-4B-NN-NSF | 1/4 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-4B-BPE-NSF | 1/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-4B-NPP-FDA | 1/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-4B-BPP-FDA | 1/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-5B-NN-NSF | 5/16 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-5B-BPE-NSF | 5/16 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-5B-NPP-FDA | 5/16 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-5B-BPP-FDA | 5/16 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-6B-NN-NSF | 3/8 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-6B-BPE-NSF | 3/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|----------------|--|
| T-6B-NPP-FDA | 3/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-6B-BPP-FDA | 3/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-8B-NN-NSF | 1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-8B-BPE-NSF | 1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-8B-NPP-FDA | 1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-8B-BPP-FDA | 1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-10B-NN-NSF | 5/8 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-10B-BPE-NSF | 5/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-10B-NPP-FDA | 5/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-10B-BPP-FDA | 5/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-12B-NN-NSF | 3/4 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-12B-BPE-NSF | 3/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-12B-NPP-FDA | 3/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-12B-BPP-FDA | 3/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-16B-NN-NSF | 1 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-16B-BPE-NSF | 1 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-16B-NPP-FDA | 1 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-16B-BPP-FDA | 1 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-20B-NN-NSF | 1-1/4 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-20B-BPE-NSF | 1-1/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-20B-NPP-FDA | 1-1/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-20B-BPP-FDA | 1-1/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-24B-NN-NSF | 1-1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-24B-BPE-NSF | 1-1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-24B-NPP-FDA | 1-1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-24B-BPP-FDA | 1-1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-4B5B-NN-NSF | 1/4 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-4B5B-BPE-NSF | 1/4 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-4B5B-NPP-FDA | 1/4 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-4B5B-BPP-FDA | 1/4 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-4B6B-BPE-NSF | 1/4 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-4B6B-BPP-FDA | 1/4 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-4B6B-NN-NSF | 1/4 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-4B6B-NPP-FDA | 1/4 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|------------------|---|
| T-6B8B-BPE-NSF | 3/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-6B8B-BPP-FDA | 3/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-6B8B-NN-NSF | 3/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-6B8B-NPP-FDA | 3/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-8B12B-BPE-NSF | 1/2 inch by 3/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector |
| T-8B12B-BPP-FDA | 1/2 inch by 3/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector |
| T-8B12B-NN-NSF | 1/2 inch by 3/4 inch NSF Natural Nylon Multi-Barbed Tee Connector |
| T-8B12B-NPP-FDA | 1/2 inch by 3/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector |
| T-532B2B-NN-NSF | 5/32 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-532B2B-BPE-NSF | 5/32 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-532B2B-NPP-FDA | 5/32 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-532B2B-BPP-FDA | 5/32 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-5B4B-BPE-NSF | 5/16 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-5B4B-BPP-FDA | 5/16 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-5B4B-NN-NSF | 5/16 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-5B4B-NPP-FDA | 5/16 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-6B3B-BPE-NSF | 3/8 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-6B3B-BPP-FDA | 3/8 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-6B3B-NN-NSF | 3/8 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-6B3B-NPP-FDA | 3/8 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-6B4B-BPE-NSF | 3/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-6B4B-BPP-FDA | 3/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-6B4B-NN-NSF | 3/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-6B4B-NPP-FDA | 3/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|-----------------|---|
| T-8B4B-BPE-NSF | 1/2 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-8B4B-BPP-FDA | 1/2 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B4B-NN-NSF | 1/2 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-8B4B-NPP-FDA | 1/2 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B5B-BPE-NSF | 1/2 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-8B5B-BPP-FDA | 1/2 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B5B-NN-NSF | 1/2 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-8B5B-NPP-FDA | 1/2 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B6B-BPE-NSF | 1/2 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-8B6B-BPP-FDA | 1/2 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-8B6B-NN-NSF | 1/2 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-8B6B-NPP-FDA | 1/2 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B4B-BPE-NSF | 5/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-10B4B-BPP-FDA | 5/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B4B-NN-NSF | 5/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-10B4B-NPP-FDA | 5/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B5B-BPE-NSF | 5/8 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-10B5B-BPP-FDA | 5/8 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B5B-NN-NSF | 5/8 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-10B5B-NPP-FDA | 5/8 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B6B-BPE-NSF | 5/8 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-10B6B-BPP-FDA | 5/8 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B6B-NN-NSF | 5/8 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-10B6B-NPP-FDA | 5/8 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |

| SKU | Description |
|-----------------|--|
| T-10B8B-BPE-NSF | 5/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-10B8B-BPP-FDA | 5/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-10B8B-NN-NSF | 5/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-10B8B-NPP-FDA | 5/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |
| T-12B8B-BPE-NSF | 3/4 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector |
| T-12B8B-BPP-FDA | 3/4 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector |
| T-12B8B-NN-NSF | 3/4 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector |
| T-12B8B-NPP-FDA | 3/4 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector |

C SERIES



The C Series are standard multi-barbed straight and reducing connectors. They are available in Black Nylon, NSF listed Natural Nylon and Black Polyethylene, and FDA listed Natural and Black Polypropylene. Also, A range of barb sizes from 1/8 inch to 1 1/2 inch are available.



| SKU | Description |
|----------------|--|
| C-2B2B-NN-NSF | 1/8 inch NSF Natural Nylon Multi-Barbed Connector |
| C-2B2B-BPE-NSF | 1/8 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-2B2B-NPP-FDA | 1/8 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-2B2B-BPP-FDA | 1/8 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-2B2B-BN | 1/8 inch Black Nylon Multi-Barbed Connector |
| C-3B3B-NN-NSF | 3/16 inch NSF Natural Nylon Multi-Barbed Connector |
| C-3B3B-BPE-NSF | 3/16 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-3B3B-NPP-FDA | 3/16 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-3B3B-BPP-FDA | 3/16 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-3B3B-BN | 3/16 inch Black Nylon Multi-Barbed Connector |
| C-4B4B-NN-NSF | 1/4 inch NSF Natural Nylon Multi-Barbed Connector |
| C-4B4B-BPE-NSF | 1/4 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-4B4B-NPP-FDA | 1/4 inch FDA Natural Polypropylene Multi-Barbed Connector |

Plastic Barbed Fittings



| SKU | Description |
|------------------|---|
| C-4B4B-BPP-FDA | 1/4 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-4B4B-BN | 1/4 inch Black Nylon Multi-Barbed Connector |
| C-5B5B-NN-NSF | 5/16 inch NSF Natural Nylon Multi-Barbed Connector |
| C-5B5B-BPE-NSF | 5/16 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-5B5B-NPP-FDA | 5/16 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-5B5B-BPP-FDA | 5/16 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-5B5B-BN | 5/16 inch Black Nylon Multi-Barbed Connector |
| C-6B6B-NN-NSF | 3/8 inch NSF Natural Nylon Multi-Barbed Connector |
| C-6B6B-BPE-NSF | 3/8 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-6B6B-NPP-FDA | 3/8 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-6B6B-BPP-FDA | 3/8 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-6B6B-BN | 3/8 inch Black Nylon Multi-Barbed Connector |
| C-8B8B-NN-NSF | 1/2 inch NSF Natural Nylon Multi-Barbed Connector |
| C-8B8B-BPE-NSF | 1/2 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-8B8B-NPP-FDA | 1/2 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-8B8B-BPP-FDA | 1/2 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-8B8B-BN | 1/2 inch Black Nylon Multi-Barbed Connector |
| C-10B10-NN-NSF | 5/8 inch NSF Natural Nylon Multi-Barbed Connector |
| C-10B10B-BPE-NSF | 5/8 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-10B10B-NPP-FDA | 5/8 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-10B10B-BPP-FDA | 5/8 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-10B10B-BN | 5/8 inch Black Nylon Multi-Barbed Connector |
| C-12B12B-NN-NSF | 3/4 inch NSF Natural Nylon Multi-Barbed Connector |
| C-12B12B-BPE-NSF | 3/4 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-12B12B-NPP-FDA | 3/4 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-12B12B-BPP-FDA | 3/4 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-12B12B-BN | 3/4 inch Black Nylon Multi-Barbed Connector |
| C-16B16B-NN-NSF | 1 inch NSF Natural Nylon Multi-Barbed Connector |
| C-16B16B-BPE-NSF | 1 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-16B16B-NPP-FDA | 1 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-16B16B-BPP-FDA | 1 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-16B16B-BN | 1 inch Black Nylon Multi-Barbed Connector |
| C-20B20B-NN-NSF | 1-1/4 inch NSF Natural Nylon Multi-Barbed Connector |
| C-20B20B-BPE-NSF | 1-1/4 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-20B20B-NPP-FDA | 1-1/4 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-20B20B-BPP-FDA | 1-1/4 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-20B20B-BN | 1-1/4 inch Black Nylon Multi-Barbed Connector |
| C-24B24B-NN-NSF | 1-1/2 inch NSF Natural Nylon Multi-Barbed Connector |
| C-24B24B-BPE | 1-1/2 inch NSF Black Polyethylene Multi-Barbed Connector |
| C-24B24B-NPP-FDA | 1-1/2 inch FDA Natural Polypropylene Multi-Barbed Connector |
| C-24B24B-BPP-FDA | 1-1/2 inch FDA Black Polypropylene Multi-Barbed Connector |
| C-24B24B-BN | 1-1/2 inch Black Nylon Multi-Barbed Connector |

Plastic Barbed Fittings



| SKU | Description |
|-----------------|--|
| C-4B2B-NN-NSF | 1/4 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-4B2B-BPE-NSF | 1/4 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-4B2B-NPP-FDA | 1/4 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-4B2B-BPP-FDA | 1/4 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-4B2B-BN | 1/4 inch by 1/8 inch Black Nylon Multi-Barbed Reducing Connector |
| C-4B3B-NN-NSF | 1/4 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-4B3B-BPE-NSF | 1/4 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-4B3B-NPP-FDA | 1/4 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-4B3B-BPP-FDA | 1/4 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-4B3B-BN | 1/4 inch by 3/16 inch Black Nylon Multi-Barbed Reducing Connector |
| C-4B532-NN-NSF | 1/4 inch by 5/32 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-4B532-BPE-NSF | 1/4 inch by 5/32 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-4B532-NPP-FDA | 1/4 inch by 5/32 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-4B532-BPP-FDA | 1/4 inch by 5/32 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-4B532-BN | 1/4 inch by 5/32 inch Black Nylon Multi-Barbed Reducing Connector |
| C-5B2B-NN-NSF | 5/16 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-5B2B-BPE-NSF | 5/16 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-5B2B-NPP-FDA | 5/16 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-5B2B-BPP-FDA | 5/16 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-5B2B-BN | 5/16 inch by 1/8 inch Black Nylon Multi-Barbed Reducing Connector |
| C-5B3B-NN-NSF | 5/16 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-5B3B-BPE-NSF | 5/16 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-5B3B-NPP-FDA | 5/16 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-5B3B-BPP-FDA | 5/16 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |

Plastic Barbed Fittings



| SKU | Description |
|----------------|---|
| C-5B3B-BN | 5/16 inch by 3/16 inch Black Nylon Multi-Barbed Reducing Connector |
| C-6B4B-NN-NSF | 3/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-6B4B-BPE-NSF | 3/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-6B4B-NPP-FDA | 3/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-6B4B-BPP-FDA | 3/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-6B4B-BN | 3/8 inch by 1/4 inch Black Nylon Multi-Barbed Reducing Connector |
| C-6B5B-NN-NSF | 3/8 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-6B5B-BPE-NSF | 3/8 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-6B5B-NPP-FDA | 3/8 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-6B5B-BPP-FDA | 3/8 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-6B5B-BN | 3/8 inch by 5/16 inch Black Nylon Multi-Barbed Reducing Connector |
| C-6B8B-NN-NSF | 3/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-6B8B-BPE-NSF | 3/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-6B8B-NPP-FDA | 3/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-6B8B-BPP-FDA | 3/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-6B8B-BN | 3/8 inch by 1/2 inch Black Nylon Multi-Barbed Reducing Connector |
| C-8B4B-NN-NSF | 1/2 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-8B4B-BPE-NSF | 1/2 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-8B4B-NPP-FDA | 1/2 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-8B4B-BPP-FDA | 1/2 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-8B4B-BN | 1/2 inch by 1/4 inch Black Nylon Multi-Barbed Reducing Connector |
| C-8B6B-NN-NSF | 1/2 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-8B6B-BPE-NSF | 1/2 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-8B6B-NPP-FDA | 1/2 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |

Plastic Barbed Fittings



| SKU | Description |
|-----------------|--|
| C-8B6B-BPP-FDA | 1/2 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-8B6B-BN | 1/2 inch by 3/8 inch Black Nylon Multi-Barbed Reducing Connector |
| C-8B6B-PVDF | 1/2 inch by 3/8 inch PVDF Multi-Barbed Reducing Connector |
| C-10B6B-NN-NSF | 5/8 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-10B6B-BPE-NSF | 5/8 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-10B6B-NPP-FDA | 5/8 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-10B6B-BPP-FDA | 5/8 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-10B6B-BN | 5/8 inch by 3/8 inch Black Nylon Multi-Barbed Reducing Connector |
| C-10B8B-BPE-NSF | 5/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Connector |
| C-10B8B-BPP-FDA | 5/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Connector |
| C-10B8B-NN-NSF | 5/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Connector |
| C-10B8B-NPP-FDA | 5/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector |
| C-10B8B-BN | 5/8 inch by 1/2 inch Black Nylon Multi-Barbed Reducing Connector |
| C-12B8B-NN-NSF | 3/4 inch by 1/2 inch NSF Natural Nylon |
| C-12B8B-BPE-NSF | 3/4 inch by 1/2 inch NSF Black Polyethylene |
| C-12B8B-NPP-FDA | 3/4 inch by 1/2 inch FDA Natural Polypropylene |
| C-12B8B-BPP-FDA | 3/4 inch by 1/2 inch FDA Black Polypropylene |
| C-12B8B-BN | 3/4 inch by 1/2 inch Black Nylon |

T-W SERIES



T-W Series is a precision, equal single barbed tee connector. These tees are made of White Nylon or Polypropylene. Barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

| SKU | Description |
|-------------|---|
| T-W-18NPP | 1/8 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-18-WN | 1/8 inch White Nylon Single Barbed Precision Tee Connector |
| T-W-1B-NPP | 1/16 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-1B-WN | 1/16 inch White Nylon Single Barbed Precision Tee Connector |
| T-W-332-NPP | 3/32 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-332-WN | 3/32 inch White Nylon Single Barbed Precision Tee Connector |

| T-W-18NPP | 1/8 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-18-WN | 1/8 inch White Nylon Single Barbed Precision Tee Connector |
| T-W-1B-NPP | 1/16 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-1B-WN | 1/16 inch White Nylon Single Barbed Precision Tee Connector |
| T-W-332-NPP | 3/32 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-332-WN | 3/32 inch White Nylon Single Barbed Precision Tee Connector |

TR-C SERIES



TR-C Series is a commercial-grade, single-barbed Tee connector. It is available in White Nylon. Barb sizes available are 1/8 inch by 3/16 inch, 1/8 inch by 1/4 inch, 5/32 inch by 3/16 inch, and 5/32 inch by 1/4 inch. Reducing barb sizes: 5/32 inch by 1/16 inch.

| SKU | Description |
| --- | --- |
| TR-C-2B4B | 1/8 by 1/4 Barb Reducing Tee |
| TR-C-532B1B | 5/32 by 1/16 Barb Reducing Tee |
| TR-C-532B3B | 5/32 by 3/16 Barb Reducing Tee |
| TR-C-532B4B | 5/32 by 1/4 Barb Reducing Tee |

T-S SERIES



The T-S Series standard single-barbed Tee is made of White Nylon and Natural Polypropylene. Available equal barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, and 1/4 inch. This Tee works well with flexible tubing and expands the tubing 50% above its normal ID.

| SKU | Description |
|------------|---------------------------|
| T-S-1B-400 | 1/16 Barb Tee Low Profile |
| T-S-1B | 1/16 Barb Tee |
| T-S-2B | 1/8 Barb Tee |
| T-S-332B | 3/32 Barb Tee |

T-R SERIES



The T-R Series is a standard industrial-grade, single-barbed Tee connector. There is a rib behind the barb to prevent the tubing from rotating. There is no parting line on the barb. This Tee is available in Natural and Black Nylon, Natural and Gray PVDF, Polyethylene certified NSF 51/61, Natural and White Polypropylene, HDPE, and Glass-Filled Black Nylon. Equal barb connectors come in a range of sizes from 3/32 inch to 1 inch (see list below). The reducing barb sizes available for this series are 5/8 inch by 3/8 inch.

| SKU | Description |
|------------------|---|
| T-R-10B6B-NN | 5/8 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector |
| T-R-10B6B-BN | 5/8 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector |
| T-R-10B6B-PVDF | 5/8 inch by 3/8 inch PVDF Single Barbed Reducing Connector |
| T-R-10B6B-GPVDF | 5/8 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector |
| T-R-10B6B-PE-NSF | 5/8 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Connector |
| T-R-10B6B-HDPE | 5/8 inch by 3/8 inch High-Density Polyethylene Single Barbed Reducing Tee Connector |
| T-R-10B6B-NPP | 5/8 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector |

Plastic Barbed Fittings



| SKU | Description |
|-----------------|--|
| T-R-10B6B-WPP | 5/8 inch by 3/8 inch White Polypropylene Single Barbed Reducing Connector |
| T-R-10B6B-GFBN | 5/8 inch by 3/8 inch Glass Filled Black Nylon Single Barbed Reducing Tee Connector |
| T-R-2B-NN | 1/8 inch Natural Nylon Single Barbed Tee Connector |
| T-R-2B-BN | 1/8 inch Black Nylon Single Barbed Tee Connector |
| T-R-2B-PVDF | 1/8 inch PVDF Single Barbed Tee Connector |
| T-R-2B-GPVDF | 1/8 inch Gray PVDF Single Barbed Tee Connector |
| T-R-2B-PE-NSF | 1/8 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-2B-HDPE | 1/8 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-2B-NPP | 1/8 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-2B-WPP | 1/8 inch White Polypropylene Single Barbed Tee Connector |
| T-R-2B-GFBN | 1/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-332B-NN | 3/32 inch Natural Nylon Single Barbed Tee Connector |
| T-R-332B-BN | 3/32 inch Black Nylon Single Barbed Tee Connector |
| T-R-332B-PVDF | 3/32 inch PVDF Single Barbed Tee Connector |
| T-R-332B-GPVDF | 3/32 inch Gray PVDF Single Barbed Tee Connector |
| T-R-332B-PE-NSF | 3/32 inch NSF Polyethylene Singly Barbed Tee Connector |
| T-R-332B-HDPE | 3/32 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-332B-NPP | 3/32 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-332B-WPP | 3/32 inch White Polypropylene Single Barbed Tee Connector |
| T-R-332B-GFBN | 3/32 inch Glass Filled Black Nylon Single Barbed Tee Connector |
| T-R-3B-NN | 3/16 inch Natural Nylon Single Barbed Tee Connector |
| T-R-3B-BN | 3/16 inch Black Nylon Single Barbed Tee Connector |
| T-R-3B-PVDF | 3/16 inch PVDF Single Barbed Tee Connector |
| T-R-3B-GPVDF | 3/16 inch Gray PVDF Single Barbed Tee Connector |
| T-R-3B-PE-NSF | 3/16 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-3B-HDPE | 3/16 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-3B-NPP | 3/16 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-3B-WPP | 3/16 inch White Polypropylene Single Barbed Tee Connector |
| T-R-3B-GFBN | 3/16 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-4B-NN | 1/4 inch Natural Nylon Single Barbed Tee Connector |
| T-R-4B-BN | 1/4 inch Black Nylon Single Barbed Tee Connector |
| T-R-4B-PVDF | 1/4 inch PVDF Single Barbed Tee Connector Natural |
| T-R-4B-GPVDF | 1/4 inch Gray PVDF Single Barbed Tee Connector |
| T-R-4B-PE-NSF | 1/4 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-4B-HDPE | 1/4 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-4B-NPP | 1/4 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-4B-WPP | 1/4 inch White Polypropylene Single Barbed Tee Connector |
| T-R-4B-GFBN | 1/4 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-532B-NN | 5/32 inch Natural Nylon Single Barbed Tee Connector |
| T-R-532B-BN | 5/32 inch Black Nylon Single Barbed Tee Connector |

| SKU | Description |
|-----------------|---|
| T-R-532B-PVDF | 5/32 inch PVDF Single Barbed Tee Connector |
| T-R-532B-GPVDF | 5/32 inch Gray PVDF Single Barbed Tee Connector |
| T-R-532B-PE-NSF | 5/32 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-532B-HDPE | 5/32 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-532B-NPP | 5/32 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-532B-WPP | 5/32 inch White Polypropylene Single Barbed Tee Connector |
| T-R-532B-GFBN | 5/32 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-5B-NN | 5/16 inch Natural Nylon Single Barbed Tee Connector |
| T-R-5B-BN | 5/16 inch Black Nylon Single Barbed Tee Connector |
| T-R-5B-PVDF | 5/16 inch PVDF Single Barbed Tee Connector |
| T-R-5B-GPVDF | 5/16 inch Gray PVDF Single Barbed Tee Connector |
| T-R-5B-PE-NSF | 5/16 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-5B-HDPE | 5/16 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-5B-NPP | 5/16 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-5B-WPP | 5/16 inch White Polypropylene Single Barbed Tee Connector |
| T-R-5B-GFBN | 5/16 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-6B-NN | 3/8 inch Natural Nylon Single Barbed Tee Connector |
| T-R-6B-BN | 3/8 inch Black Nylon Single Barbed Tee Connector |
| T-R-6B-PVDF | 3/8 inch PVDF Single Barbed Tee Connector |
| T-R-6B-GPVDF | 3/8 inch Gray PVDF Single Barbed Tee Connector |
| T-R-6B-PE-NSF | 3/8 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-6B-HDPE | 3/8 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-6B-NPP | 3/8 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-6B-WPP | 3/8 inch White Polypropylene Single Barbed Tee Connector |
| T-R-6B-GFBN | 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-8B-NN | 1/2 inch Natural Nylon Single Barbed Tee Connector |
| T-R-8B-BN | 1/2 inch Black Nylon Single Barbed Tee Connector |
| T-R-8B-PVDF | 1/2 inch PVDF Single Barbed Tee Connector |
| T-R-8B-GPVDF | 1/2 inch Gray PVDF Single Barbed Tee Connector |
| T-R-8B-PE-NSF | 1/2 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-8B-HDPE | 1/2 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-8B-NPP | 1/2 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-8B-WPP | 1/2 inch White Polypropylene Single Barbed Tee Connector |
| T-R-8B-GFBN | 1/2 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-10B-NN | 5/8 inch Natural Nylon Single Barbed Tee Connector |
| T-R-10B-BN | 5/8 inch Black Nylon Single Barbed Tee Connector |
| T-R-10B-PVDF | 5/8 inch PVDF Single Barbed Tee Connector |
| T-R-10B-GPVDF | 5/8 inch Gray PVDF Single Barbed Tee Connector |
| T-R-10B-PE-NSF | 5/8 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-10B-HDPE | 5/8 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-10B-NPP | 5/8 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-10B-WPP | 5/8 inch White Polypropylene Single Barbed Tee Connector |

| SKU | Description |
|----------------|--|
| T-R-10B-GFBN | 5/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-12B-NN | 3/4 inch Natural Nylon Single Barbed Tee Connector |
| T-R-12B-BN | 3/4 inch Black Nylon Single Barbed Tee Connector |
| T-R-12B-PVDF | 3/4 inch PVDF Single Barbed Tee Connector |
| T-R-12B-GPVDF | 3/4 inch Gray PVDF Single Barbed Tee Connector |
| T-R-12B-PE-NSF | 3/4 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-12B-HDPE | 3/4 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-12B-NPP | 3/4 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-12B-WPP | 3/4 inch White Polypropylene Single Barbed Tee Connector |
| T-R-12B-GFBN | 3/4 inch Glass-Filled Black Nylon Single Barbed Tee Connector |
| T-R-16B-NN | 1 inch Natural Nylon Single Barbed Tee Connector |
| T-R-16B-BN | 1 inch Black Nylon Single Barbed Tee Connector |
| T-R-16B-PVDF | 1 inch PVDF Single Barbed Tee Connector |
| T-R-16B-GPVDF | 1 inch Gray PVDF Single Barbed Tee Connector |
| T-R-16B-PE-NSF | 1 inch NSF Polyethylene Single Barbed Tee Connector |
| T-R-16B-HDPE | 1 inch High-Density Polyethylene Single Barbed Tee Connector |
| T-R-16B-NPP | 1 inch Natural Polypropylene Single Barbed Tee Connector |
| T-R-16B-WPP | 1 inch White Polypropylene Single Barbed Tee Connector |
| T-R-16B-GFBN | 1 inch Glass-Filled Black Nylon Single Barbed Tee Connector |

VC-S SERIES



The VC-S Series are straight vacuum connectors in equal and reducing styles. It is made of Natural or Black Nylon 6/6. Equal barb sizes are 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, and 5/8 inch. In addition, reducing barb sizes are 3/16 inch by 5/32 inch, 1/4 inch by 1/8 inch, 1/4 inch by 3/16 inch, 5/16 inch by 1/4 inch, and 3/8 inch by 1/4 inch. The working temperature range is -20° F to 212° F. These connectors are used for air, liquid, and vapor applications.

| SKU | Description |
|---------|----------------------------|
| VC-S-2B | 1/8 Barb Vacuum Connector |
| VC-S-3B | 3/16 Barb Vacuum Connector |
| VC-S-4B | 1/4 Barb Vacuum Connector |
| VC-S-5B | 5/16 Barb Vacuum Connector |
| VC-S-6B | 3/8 Barb Vacuum Connector |
| VC-S-8B | 1/2 Barb Vacuum Connector |

| SKU | Description |
|--------------|---------------------------------------|
| VC-S-10B | 5/8 Barb Vacuum Connector |
| VC-S-3B532BB | 3/16 Barb by 5/32 Barb Vacuum Reducer |
| VC-S-4B2B | 1/4 Barb by 1/8 Barb Vacuum Reducer |
| VC-S-4B3B | 1/4 Barb by 3/16 Barb Vacuum Reducer |
| VC-S-5B4B | 5/16 Barb by 1/4 Barb Vacuum Reducer |
| VC-S-6B4B | 3/8 Barb by 1/4 Barb Vacuum Reducer |



CR-S SERIES

The CR-S Series are standard equal and reducing single barbed straight connectors with no parting line on the barb. These are ideal for medical and laboratory environments. The barbs will expand tubing up to 50% above its normal size. Both equal and reducing connectors are produced of White and Black Nylon, Natural Polypropylene, PVDF, and Polycarbonate. Equal connectors also have the options of Red and Blue Nylon. Orifices are also available. Equal barb sizes: 1/8 inch. Reducing barb sizes: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, and 5/32 inch by 3/32 inch.

| SKU | Description |
|----------------|--|
| CR-S-2B2B-WN | 1/8 inch White Nylon Single Barbed Straight Connector |
| CR-S-2B2B-BN | 1/8 inch Black Nylon Single Barbed Straight Connector |
| CR-S-2B2B-NPP | 1/8 inch Natural Polypropylene Single Barbed Straight Connector |
| CR-S-2B2B-PVDF | 1/8 inch PVDF Single Barbed Straight Connector |
| CR-S-2B2B-PC | 1/8 inch Polycarbonate Single Barbed Straight Connector |
| CR-S-2B2B-BL | 1/8 inch Blue Nylon Single Barbed Straight Connector |
| CR-S-2B2B-RD | 1/8 inch Red Nylon Single Barbed Straight Connector |
| CR-S-2B1B-BN | 1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-2B1B-NPP | 1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector |
| CR-S-2B1B-PC | 1/8 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector |
| CR-S-2B1B-PVDF | 1/8 inch by 1/16 inch PVDF Single Barbed Reducing Connector |
| CR-S-2B1B-WN | 1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Connector |
| CR-S-2B1B-BN | 1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector |

| SKU | Description |
|--------------------|---|
| CR-S-2B332B-BN | 1/8 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-2B332B-NPP | 1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector |
| CR-S-2B332B-PC | 1/8 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector |
| CR-S-2B332B-PVDF | 1/8 inch by 3/32 inch PVDF Single Barbed Reducing Connector |
| CR-S-2B332B-WN | 1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Connector |
| CR-S-2B332B-YEL | 1/8 inch by 3/32 inch Yellow Nylon Single Barbed Reducing Connector |
| CR-S-332B1B-BN | 3/32 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-332B1B-NPP | 3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector |
| CR-S-332B1B-PC | 3/32 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector |
| CR-S-332B1B-PVDF | 3/32 inch by 1/16 inch PVDF Single Barbed Reducing Connector |
| CR-S-332B1B-WN | 3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Connector |
| CR-S-532B332B-BN | 5/32 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-532B332B-NPP | 5/32 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector |
| CR-S-532B332B-PC | 5/32 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector |
| CR-S-532B332B-PVDF | 5/32 inch by 3/32 inch PVDF Single Barbed Reducing Connector |
| CR-S-532B332B-WN | 5/32 inch by 3/32 inch White Nylon Single Barbed Reducing Connector |



CPP SERIES

The CPP Series is a standard single-barbed connector with equal barbs. Included in this series is the CPR Series, which is the reducing connector. Both series are available in Natural, White, and Black Nylon, Polypropylene, PVDF, and Polyethylene. Equal barb sizes (CPP Series) are 1/16 inch, 3/32 inch, and 1/8 inch. Reducing barb sizes (CPR Series) are 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, 3/32 inch by 5/32 inch, 1/4 inch by 1/16 inch, 1/4 inch by 3/32 inch, 1/4 inch by 3/16 inch, 5/32 inch by 1/16 inch, 5/32 inch by 1/8 inch, and 5/32 inch by 3/32 inch.

| SKU | Description |
|--------------|--------------------------------------|
| CPP-1B | 1/16 inch Standard Barbed Connector |
| CPP-2B | 1/8 inch Standard Barbed Connector |
| CPP-332B | 3/32 inch Standard Barbed Connector |
| CPR-2B1B | 1/8 by 1/16 Standard Barbed Reducer |
| CPR-2B332B | 1/8 by 3/32 Standard Barb Reducer |
| CPR-332B1B | 3/32 by 1/16 Standard Barbed Reducer |
| CPR-3B532B | 3/16 by 5/32 Standard Barbed Reducer |
| CPR-4B1B | 1/4 by 1/16 Standard Barbed Reducer |
| CPR-4B2B | 1/4 by 1/8 Standard Barbed Reducer |
| CPR-4B332B | 1/4 by 3/32 Standard Barbed Reducer |
| CPR-4B3B | 1/4 by 3/16 Standard Barbed Reducer |
| CPR-532B1B | 5/32 by 1/16 Standard Barbed Reducer |
| CPR-532B2B | 5/32 by 1/8 Standard Barbed Reducer |
| CPR-532B332B | 5/32 by 3/32 Standard Barbed Reducer |



C-W SERIES

The C-W Series is a single barbed precision connector. These connectors are made of Natural Nylon, Natural Polypropylene and Polycarbonate. The available equal barb sizes are 3/32 inch, 1/16 inch, and 1/8 inch.

SKU**Description**

| | |
|---------|-------------------------------|
| C-W-1B | 1/16 Barb Precision Connector |
| C-W-2B | 1/8 Barb Precision Connector |
| C-W-332 | 3/32 Barb Precision Connector |



CNR SERIES

The CNR Series is a series of single barbed straight and reducing connectors. Available materials are Black Glass-Filled and Natural Nylon, White and Natural Polypropylene, Gray and Natural PVDF, and NSF 51/61 listed High-Density Polyethylene. Furthermore, the equal barb sizes include 3/32 inch, 5/32 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing barb sizes come in combinations of 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch.

SKU**Description**

| | |
|------------|--|
| CNR-332B1B | 3/32 Single Barb by 1/16 Single Barb Reducer |
| CNR-3B2B | 3/16 Single Barb by 1/8 Single Barb Reducer |
| CNR-4B2B | 1/4 Single Barb by 1/8 Single Barb Reducer |
| CNR-4B332B | 1/4 Single Barb by 3/32 Single Barb Reducer |
| CNR-4B3B | 1/4 Single Barb by 1/8 Single Barb Reducer |
| CNR-4B532B | 1/4 Single Barb by 5/32 Single Barb Reducer |
| CNR-5B4B | 5/16 Single Barb by 1/4 Single Barb Reducer |
| CNR-6B4B | 3/8 Single Barb by 1/4 Single Barb Reducer |
| CNR-6B5B | 3/8 Single Barb by 5/16 Single Barb Reducer |
| CNR-8B4B | 1/2 Single Barb by 1/4 Single Barb Reducer |
| CNR-8B5B | 1/2 Single Barb by 5/16 Single Barb Reducer |
| CNR-8B6B | 1/2 Single Barb by 3/8 Single Barb Reducer |
| CNR-10B4B | 5/8 Single Barb by 1/4 Single Barb Reducer |

| SKU | Description |
|------------|---|
| CNR-10B5B | 5/8 Single Barb by 5/16 Single Barb Reducer |
| CNR-10B6B | 5/8 Single Barb by 3/8 Single Barb Reducer |
| CNR-10B8B | 5/8 Single Barb by 1/2 Single Barb Reducer |
| CNR-12B10B | 3/4 Single Barb by 5/8 Single Barb Reducer |
| CNR-12B6B | 3/4 Single Barb by 3/8 Single Barb Reducer |
| CNR-12B8B | 3/4 Single Barb by 1/2 Single Barb Reducer |
| CNR-16B10B | 1 inch Single Barb by 5/8 Single Barb Reducer |
| CNR-16B12B | 1 inch Single Barb by 3/4 Single Barb Reducer |
| CNR-16B8B | 1 inch Single Barb by 1/2 Single Barb Reducer |
| CNR-332B | 3/32 Standard Single Barb Connector |
| CNR-3B | 3/16 Standard Single Barb Connector |
| CNR-4B | 1/4 Standard Single Barb Connector |
| CNR-532B | 5/32 Standard Single Barb Connector |
| CNR-6B | 3/8 Standard Single Barb Connector |
| CNR-8B | 1/2 Standard Single Barb Connector |
| CNR-10B | 5/8 Standard Single Barb Connector |
| CNR-12B | 3/4 Standard Single Barb Connector |
| CNR-16B | 1 inch Standard Single Barb Connector |

VC-T SERIES



The VC-T Series is a series of single-barbed vacuum Tees, available materials are Natural Nylon and Red Nylon. Reducing Tees (VC-TR) are available in Natural, White, and Black Nylon 6/6. The temperature range for these tees is -20° F to 212° F. They can be used for air, liquid, and vapor.

| SKU | Description |
|--------------|---|
| VC-T-3B4B | 3/16 by 1/4 Vacuum Reducing Tee |
| VC-T-6B4B | 3/8 by 1/4 Vacuum Reducing Tee |
| VC-TR-2B3B | 1/8 by 3/16 Vacuum Reducing Tee |
| VC-TR-3B2B3B | 3/16 by 1/8 by 3/16 Vacuum Reducing Tee |
| VC-TR-3B2B | 3/16 by 1/8 Vacuum Reducing Tee |
| VC-TR-4B3B | 1/4 by 3/16 Vacuum Reducing Tee |
| VC-TR-6B3B6B | 3/8 by 3/16 by 3/8 Vacuum Reducing Tee |

C-SO SERIES



The C-SO Series are original single barbed straight and reducing connectors. These connectors have no parting line on the barb and have a square center hub. Also, tubing can be started on the barb of this connector before any expansion begins. It will expand the tubing by 43% when it is completely inserted. Available materials are Black and White Nylon, Natural Polypropylene, Clear Polycarbonate, and Natural PVDF. Available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

| SKU | Description |
|-------------|---------------------------------|
| C-SO-2B1B | 1/8 to 1/16 Square Hub Reducer |
| C-SO-2B332B | 1/8 by 3/32 Square Hub Reducer |
| C-SO-332B1B | 3/32 to 1/16 Square Hub Reducer |
| C-SO-1B | 1/16 Square Hub Connector |
| C-SO-2B | 1/8 Square Hub Connector |
| C-SO-332B | 3/32 Square Hub Connector |

EV SERIES



The EV Series are single barbed tube-to-tube elbows. These elbows are available in White and Black Nylon, Natural Polypropylene, Clear Polycarbonate, and PVDF. These elbows are available in equal or reduced sizes. Barb sizes are 1/16 inch, 1/8 inch, and 3/32 inch.

| SKU | Description |
|-----------|----------------------------------|
| EV-1B | 1/16 Barb Elbow |
| EV-1B-400 | 1/16 Barb Elbow Low Profile |
| EV-2B | 1/8 Barb Elbow |
| EV-332B | 3/32 Barb Elbow |
| EV-2B1B | 1/8 by 1/16 Barb Reducing Elbow |
| EV-2B332B | 1/8 by 3/32 Barb Reducing Elbow |
| EV-332B1B | 3/32 by 1/16 Barb Reducing Elbow |

CPL SERIES



The CPL Series are equal or reducing elbow connectors. This series of single barbed elbows are available in Natural and Black Nylon, Natural Polypropylene, PVDF, and Polyethylene. The barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, and 1/4 inch.

| SKU | Description |
|------------|--------------------------------------|
| CPL-1B | 1/16 Barb Elbow |
| CPL-2B | 1/8 Barb Elbow |
| CPL-332B | 3/32 Barb Elbow |
| CPL-2B1B | 1/8 Barb to 1/16 Barb Elbow Reducer |
| CPL-2B332B | 1/8 Barb by 3/32 Barb Elbow Reducer |
| CPL-332B1B | 3/32 Barb by 1/16 Barb Elbow Reducer |
| CPL-3B1B | 3/16 Barb by 1/8 Barb Elbow Reducer |
| CPL-3B2B | 3/16 Barb by 1/8 Barb Elbow Reducer |
| CPL-4B1B | 1/4 Barb by 1/16 Barb Elbow Reducer |
| CPL-4B2B | 1/4 Barb by 1/8 Barb Elbow Reducer |
| CPL-4B332B | 1/4 Barb by 3/32 Barb Elbow Reducer |
| CPL-532B1B | 5/32 Barb by 1/16 Barb Elbow Reducer |
| CPL-532B2B | 5/32 Barb by 1/8 Barb Elbow Reducer |

C-O SERIES



The C-O Series are original single barbed straight and reducing connectors. These parts have no parting line on the barb. Tubing can be started on the barb before any expansion begins. Also, it will expand the tubing by 43% when completely inserted. Available materials are White Nylon and Natural Polypropylene. In addition, straight barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, and 1/4 inch. Reducing barb sizes come in combinations ranging from 1/16 inch to 3/8 inch (listed below).

| SKU | Description |
|-------------|---|
| C-O-2B1B | 1/8 Barb to 1/16 Barb Reducing Connector |
| C-O-332B1B | 3/32 Barb to 1/16 Barb Reducing Connector |
| C-O-332B-2B | 3/32 Barb to 1/8 Barb Reducing Connector |

| SKU | Description |
|--------------|---|
| C-O-3B1B | 3/16 Barb to 1/16 Barb Reducing Connector |
| C-O-3B2B | 3/16 Barb to 1/8 Barb Reducing Connector |
| C-O-3B332B | 3/16 Barb to 3/32 Barb Reducing Connector |
| C-O-3B532B | 3/16 Barb by 5/32 Barb Reducing Connector |
| C-O-4B2B | 1/4 Barb to 1/8 Barb Reducing Connector |
| C-O-4B3B | 1/4 Barb to 3/16 Barb Reducing Connector |
| C-O-4B532B | 1/4 Barb to 5/32 Barb Reducing Connector |
| C-O-532B1B | 5/32 Barb to 1/16 Barb Reducing Connector |
| C-O-532B2B | 5/32 Barb to 1/8 Barb Reducing Connector |
| C-O-532B332B | 5/32 Barb to 3/32 Barb Reducing Connector |
| C-O-1B | 1/16 Barb Connector |
| C-O-2B | 1/8 Barb Connector |
| C-O-332B | 3/32 Barb Connector |
| C-O-3B | 3/16 Barb Connector |
| C-O-4B | 1/4 Barb Connector |
| C-O-532B | 5/32 Barb Connector |

DTF-S SERIES



The DTF-S Series is a three-port F-style fitting usually used with flexible tubing. It can expand tubing by 50% of its normal ID. This permits high-pressure capabilities. This fitting is available in White Nylon and Natural Polypropylene. All three ports are equal. Available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

| SKU | Description |
|---------------|---|
| DTF-S-1B-NPP | 1/16 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector |
| DTF-S-1B-WN | 1/16 inch White Nylon F-Style Single Barbed Double Tube Tee Connector |
| DTF-S-2B-NPP | 1/8 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector |
| DTF-S-2B-WN | 1/8 inch White Nylon F-Style Single Barbed Double Tube Tee Connector |
| DTF-S-332B-WN | 3/32 inch White Nylon F-Style Single Barbed Double Tube Tee Connector |
| DTF-S-332-P | 3/32 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector |

L-W SERIES



This series of precision, Single Barbed Elbows is available in White Nylon, Natural Polypropylene, and White ABS. The available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU**Description**

| | |
|---------|-------------------------------------|
| L-W-332 | 3/32 Barb Precision Elbow Connector |
| L-W-16 | 1/16 Barb Precision Elbow Connector |
| L-W-18 | 1/8 Barb Precision Elbow Connector |

L-R CONNECTOR SERIES



The L-R Series is a standard, single barbed Elbow connector made of Natural and Black Nylon, Gray PVDF, and NSF 51/61 certified Polyethylene. It is also available in high-density Polyethylene, Natural and White Polypropylene, and Glass-Filled Black Nylon. This elbow is available in equal barbs as well as in a reducing configuration. Equal barb sizes are 1/8 inch, 3/32 inch, 3/16 inch, 1/4 inch, 5/32 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing sizes are 5/16 inch by 1/4 inch and 1/2 inch by 3/8 inch.

SKU**Description**

| | |
|----------|--------------------------------|
| L-R-2B | 1/8 Barb Elbow |
| L-R-332B | 3/32 Barb Elbow |
| L-R-3B | 3/16 Barb Elbow |
| L-R-4B | 1/4 Barb Elbow |
| L-R-532B | 5/32 Barb Elbow |
| L-R-5B | 5/16 Barb Elbow |
| L-R-6B | 3/8 Barb Elbow |
| L-R-8B | 1/2 Barb Elbow |
| L-R-10B | 5/8 Barb Elbow |
| L-R-12B | 3/4 Barb Elbow |
| L-R-16B | 1 inch Barb Elbow |
| L-R-5B4B | 5/16 by 1/4 Barb Elbow Reducer |
| L-R-8B6B | 1/2 by 3/8 Barb Elbow Reducer |



C-U SERIES- BARB FITTING

The C-U series is the ultimate high-flow single barb fitting for soft plastic tubing. The barb will expand the tubing up to 40%. This series is available as an equal or reducing fitting. Sizes ranging from 1/16 inch to 1 inch are available. Optional materials include Natural Nylon, Black Nylon, White Nylon, Polycarbonate, Polypropylene, and PVDF.

| SKU | Description |
|------------|--------------------------------------|
| C-U-2B | 1/8 Barb Connector |
| C-U-3B | 3/16 Barb Connector |
| C-U-4B | 1/4 Barb Connector |
| C-U-532B | 5/32 Barb Connector |
| C-U-5B | 5/16 Barb Connector |
| C-U-6B | 3/8 Barb Connector |
| C-U-8B | 1/2 Barb Connector |
| C-U-10B | 5/8 Barb Connector |
| C-U-12B | 3/4 Barb Connector |
| C-U-16B | 1 inch Barb Connector |
| C-U-2B1B | 1/8 Barb by 1/16 Barb Reducer |
| C-U-2B332B | 1/8 Barb by 3/32 Barb Reducer |
| C-U-3B2B | 3/16 Barb by 1/8 Barb Reducer |
| C-U-3B332B | 3/16 Barb by 3/32 Barb Reducer |
| C-U-3B532B | 3/16 Barb by 5/32 Barb Reducer |
| C-U-4B2B | 1/4 Barb by 1/8 Barb Reducer |
| C-U-4B3B | 1/4 Barb by 3/16 Barb Reducer |
| C-U-4B532B | 1/4 Barb by 5/32 Barb Reducer |
| C-U-532B1B | 5/32 Barb by 1/16 Barb Reducer |
| C-U-5B3B | 5/16 Barb by 3/16 Barb Reducer |
| C-U-5B4B | 5/16 Barb by 1/4 Barb Reducer |
| C-U-5B532B | 5/16 Barb by 5/32 Barb Reducer |
| C-U-6B2B | 3/8 Barb by 1/8 Barb Reducer |
| C-U-6B4B | 3/8 Barb by 1/4 Barb Reducer |
| C-U-8B4B | 1/2 Barb by 1/4 Barb Reducer |
| C-U-8B6B | 1/2 Barb by 3/8 Barb Reducer |
| C-U-10B4B | 5/8 Barb by 1/4 Barb Reducer |
| C-U-12B8B | 3/4 Barb by 1/2 Barb Reducer |
| C-U-16B12B | 1 inch Barb by 3/4 inch Barb Reducer |

GEN1 SERIES BARBED FITTINGS



GEN1 Series, manufactured by Pneuline, are single-barbed plastic fittings without a parting line on the barb.

[Click Here](#) to View Material Options.

Choosing the Right Material for Your Application

- **Black Nylon** – Built to withstand the sun! With UV resistance, it's perfect for outdoor use.
- **Glass-Filled Nylon** – Stronger and liquid-resistant, ideal for water-heavy environments and rugged motor vehicles like motorcycles, boats, and cars.
- **PVDF, Polypropylene & Polycarbonate** – These **Class 6 USP** materials meet the highest standards for medical and bio-pharmaceutical applications and are completely bovine-free.
- **Acetal** – Certified for **NSF 51/61** standards, making it a trusted choice for potable water and food-related applications.

No matter the industry, we have materials designed for durability, compliance, and performance.

Available Connection Types:

- ✓ **Tees** – For branching flow directions
- ✓ **Elbows** – For smooth angle adjustments
- ✓ **Straight Connections** – For direct and seamless flow

*Our products can be manufactured in **Class 7 cleanroom environment**, ensuring the highest levels of cleanliness and contamination control.*

GEN1 Series offers barbed fittings in a range of sizes—**1/16", 1/8", 3/16", 1/4", and 3/8"**