



## **BRASS FITTINGS**

Pneuline Supply, Inc. supplies a wide variety of Brass Fittings including: Adapters, Couplings, Elbows, Nipples, Unions, Tees, Plugs, Swivel, Pipe Fittings and Caps, Hose Barb Fittings, Bite-Style, Wye, and more. Uses of Brass Fittings include: Water, Chemicals, Flammable Gases, Slurries, and other plumbing substances. Brass Fittings can accommodate pressures of 400 psi depending on the design, type, size, and application however most small brass fittings are rated for lower pressure with nominal pressures of 200 psi and temperature ranges from -65 degrees F to +250 degrees F.



PIPE FITTINGS

PIPE FITTINGS

Y-B BRASS WYE BLOCK

Brass Wye block available with male by female by female NPT threads or male by male by male NPT threads. Also available in Nickel Plate.



| SKU      |   | DESCRIPTION |
|----------|---|-------------|
| Y-B-4    | 1/4 MNPT by 1/4 FNPT Brass Wye Block        |             |
| Y-B-4-NP | 1/4 MNPT by 1/4 FNPT Brass Wye Block Nickel |             |

## STM SERIES



The STM Series is a male run street tee available in forged or barstock Brass. The temperature range for these tees is -65° F to 250° F. The working pressure is 1200 psi. These are ASA, ASME and SAE compliant. Nickel-Plate is available in some sizes.

| SKU         | Description                            |
|-------------|--|
| STM-2M2FF   | 1/8 MNPT by 1/8 FNPT Street Tee B F NP |
| STM-6M6FF   | 3/8 MNPT by 3/8 FNPT Street Tee B F NP |
| STM-8M8FF   | 1/2 MNPT by 1/2 FNPT Street Tee B F    |
| STM-12M12FF | 3/4 MNPT by 3/4 FNPT Street Tee B F    |

## STF SERIES



Forged Brass female run Street Tee. These fittings can be used with iron, copper or brass pipe. They can be used for water, chemicals, flammable gases and fire sprinkler systems.

| SKU       | DESCRIPTION                        |
|-----------|------------------------------------|
| STF-2F2MM | 1/8 FNPT Inlet 1/8 MNPT Forged Tee |
| STF-4F4MM | 1/4 FNPT Inlet 1/4 MNPT Forged Tee |

## MRB SERIES



The MRB Series is a Brass reducer bushing in Metric, UNF and NPT thread sizes. Also available in Nickel-Plate. The working pressure for this fitting is 1200 psi and the temperature range is -65° F to 250°F.

| SKU          | Description   |
|--------------|---|
| MRB-14M356F  | 1/4-28 Male by 3-56 Female Brass Reducer Bushing        |
| MRB-14M632F  | 1/4-28 Male by 6-32 Female Brass Reducer Bushing        |
| MRB-14M832F  | 1/4-28 Male by 8-32 Female Brass Reducer Bushing        |
| MRB-14M10F   | 1/4-28 Male by 10-32 Female Brass Reducer Bushing       |
| MRB-1428M10F | 1/4-28 Male by 10-32 Female Brass Reducer Bushing       |
| MRB-1M356F   | 1/16 inch Male by 3-56 Female Brass Reducer Bushing     |
| MRB-1M632F   | 1/16 inch Male by 6-32 Female Brass Reducer Bushing     |
| MRB-1M832F   | 1/16 inch Male by 8-32 Female Brass Reducer Bushing     |
| MRB-1M10F    | 1/16 inch Male by 10-32 Female Brass Reducer Bushing    |
| MRB-1M14F    | 1/16 inch Male by 1/4-28 Female Brass Reducer Bushing   |
| MRB-2M356F   | 1/8 inch Male by 3-56 Female Brass Reducer Bushing      |
| MRB-2M632F   | 1/8 inch Male by 6-32 Female Brass Reducer Bushing      |
| MRB-2M832F   | 1/8 inch Male by 8-32 Female Brass Reducer Bushing      |
| MRB-2M10F    | 1/8 inch Male by 10-32 Female Brass Reducer Bushing     |
| MRB-2M14F    | 1/8 inch Male by 1/4-28 Female Brass Reducer Bushing    |
| MRB-2M1F     | 1/8 inch Male by 1/16 inch Female Brass Reducer Bushing |
| MRB-4M356F   | 1/4 inch Male by 3-56 Female Brass Reducer Bushing      |
| MRB-4M632F   | 1/4 inch Male by 6-32 Female Brass Reducer Bushing      |
| MRB-4M832F   | 1/4 inch Male by 8-32 Female Brass Reducer Bushing      |
| MRB-4M10F    | 1/4 inch Male by 10-32 Female Brass Reducer Bushing     |
| MRB-4M14F    | 1/4 inch Male by 1/4-28 Female Brass Reducer Bushing    |
| MRB-4M51628F | 1/4 inch Male by 5/16-28 Female Brass Reducer Bushing   |
| MRB-4M3824F  | 1/4 inch Male by 3/8-24 Female Brass Reducer Bushing    |
| MRB-4M1F     | 1/4 inch Male by 1/16 inch Female Brass Reducer Bushing |
| MRB-4M2F     | 1/4 inch Male by 1/8 inch Female Brass Reducer Bushing  |
| MRB-6M10F    | 3/8 inch Male by 10-32 Female Brass Reducer Bushing     |
| MRB-M5MM3F   | M5 Male by M3 Female Brass Reducer Bushing              |
| MRB-M6MM3F   | M6 Male by M3 Female Brass Reducer Bushing              |
| MRB-M8M10F   | M8 Male by 10-32 Female Brass Reducer Bushing           |
| MRB-M8MM3F   | M8 Male by M3 Female Brass Reducer Bushing              |
| MRB-M8MM5F   | M8 Male by M5 Female Brass Reducer Bushing              |
| MRB-2M1032F  | 1/8 inch Male by 10-32 Female Brass Reducer Bushing     |
| MRB-2M1F     | 1/8 inch Male by 1/16 inch Female Brass Reducer Bushing |
| MRB-4M1032F  | 1/4 inch Male by 10-32 Female Brass Reducer Bushing     |

| SKU         | Description   |
|-------------|---|
| MRB-4M1F    | 1/4 inch Male by 1/16 inch Female Brass Reducer Bushing |
| MRB-4M2F    | 1/4 inch Male by 1/8 inch Female Brass Reducer Bushing  |
| MRB-6M1032F | 3/8 inch Male by 10-32 Female Brass Reducer Bushing     |
| MRB-6M1F    | 3/8 inch Male by 1/16 inch Female Brass Reducer Bushing |
| MRB-6M2F    | 3/8 inch Male by 1/8 inch Female Brass Reducer Bushing  |
| MRB-6M4F    | 3/8 inch Male by 1/4 inch Female Brass Reducer Bushing  |
| MRB-8M1032F | 1/2 inch Male by 10-32 Female Brass Reducer Bushing     |
| MRB-8M1F    | 1/2 inch Male by 1/16 inch Female Brass Reducer Bushing |
| MRB-8M2F    | 1/2 inch Male by 1/8 inch Female Brass Reducer Bushing  |
| MRB-8M4F    | 1/2 inch Male by 1/4 inch Female Brass Reducer Bushing  |
| MRB-8M6F    | 1/2 inch Male by 3/8 inch Female Brass Reducer Bushing  |

MHN SERIES



The MHN Series a miniature Brass threaded hex nipple. Available sizes range from 1/8 inch to 8 MM in any configuration. Some sizes are available in Nickel-Plated Brass.

| SKU      | Description                       |
|----------|-----------------------------------|
| MHN-1032 | 10-32 by 10-32 Brass Hex Nipple   |
| MHN-1428 | 1/4-28 by 1/4-28 Brass Hex Nipple |
| MHN-1MM  | M1 by M1 Brass Hex Nipple         |
| MHN-2MM  | M2 by M2 Brass Hex Nipple         |
| MHN-3MM  | M3 by M3 Brass Hex Nipple         |
| MHN-5MM  | M5 by M5 Brass Hex Nipple         |
| MHN-6MM  | M6 by M6 Brass Hex Nipple         |

## MFA SERIES

The MFA Series are Brass female-to-male connectors with NPT, UNF, and BSPT threads.



| SKU          | Description   |
|--------------|---|
| MFA-1010     | 10-32 inch Female UNF by 10-32 inch Male UNF Pipe Connector |
| MFA-1010EL   | 10-32 inch Female UNF by 1/2 inch MNPT Pipe Connector       |
| MFA-1010S    | 10-32 inch Female UNF by 1/4 inch MNPT Pipe Connector       |
| MFA-10F5MM   | 10-32 inch Female UNF by 5 MM Male Pipe Connector           |
| MFA-1032-1M  | 10-32 inch Female UNF by 1/16 inch MNPT Pipe Connector      |
| MFA-1032-2M  | 10-32 inch Female UNF by 1/8 inch MNPT Pipe Connector       |
| MFA-1032-4M  | 10-32 inch Female UNF by 1/4 inch MNPT Pipe Connector       |
| MFA-18F10M   | 1/8 inch FNPT by 10-32 inch Male UNF Pipe Connector         |
| MFA-18F5MM   | 1/8 inch FNPT by 5 MM Male Pipe Connector                   |
| MFA-1F2M     | 1/16 inch FNPT by 1/8 inch MNPT Pipe Connector              |
| MFA-1F4M     | 1/16 inch FNPT by 1/4 inch MNPT Pipe Connector              |
| MFA-4F4M     | 1/8 inch FNPT by 1/8 inch MNPT Pipe Connector               |
| MFA-4F2M     | 1/4 inch FNPT by 1/8 inch MNPT Pipe Connector               |
| MFA-4F4M     | 1/4 inch FNPT by 1/4 inch MNPT Pipe Connector               |
| MFA-4F3MM    | 1/4 inch FNPT by 3 MM Male Pipe Connector                   |
| MFA-4F5MM    | 1/4 inch FNPT by 5 MM Male Pipe Connector                   |
| MFA-4F6MM    | 1/4 inch FNPT by 6 MM Male Pipe Connector                   |
| MFA-3M-1032M | 3 MM Female by 10-32 inch Male UNF Pipe Connector           |
| MFA-3M-1428M | 3 MM Female by 1/4-28 inch Male UNF Pipe Connector          |
| MFA-3M-1M    | 3 MM Female by 1/16 inch MNPT Pipe Connector                |
| MFA-3M-2M    | 3 MM Female by 1/8 inch MNPT Pipe Connector                 |
| MFA-3M-4M    | 3 MM Female by 1/4 inch MNPT Pipe Connector                 |
| MFA-3M-M3M   | 3 MM Female by 3 MM Male Pipe Connector                     |
| MFA-3M-M5M   | 3 MM Female by 5 MM Male Pipe Connector                     |
| MFA-3M-M6M   | 3 MM Female by 6 MM Male Pipe Connector                     |
| MFA-3M-M8M   | 3 MM Female by 8 MM Male Pipe Connector                     |
| MFA-5M-1032M | 5 MM Female by 10-32 inch Male UNF Pipe Connector           |
| MFA-5M-1428M | 5 MM Female by 1/4-28 inch Male UNF Pipe Connector          |
| MFA-5M-1M    | 5 MM Female by 1/16 inch MNPT Pipe Connector                |
| MFA-5M-2M    | 5 MM Female by 1/8 inch MNPT Pipe Connector                 |
| MFA-5M-4M    | 5 MM Female by 1/4 inch MNPT Pipe Connector                 |
| MFA-5M-M3M   | 5 MM Female by 3 MM Male Pipe Connector                     |
| MFA-5M-M5M   | 5 MM Female by 5 MM Male Pipe Connector                     |

| SKU             | Description  |
|-----------------|--|
| MFA-5M-M6M      | 5 MM Female by 6 MM Male Pipe Connector                    |
| MFA-6M-1032M    | 6 MM Female by 10-32 inch Male UNF Pipe Connector          |
| MFA-6M-1428M    | 6 MM Female by 1/4-28 inch Male UNF Pipe Connector         |
| MFA-6M-1M       | 6 MM Female by 1/16 inch MNPT Pipe Connector               |
| MFA-6M-4M       | 6 MM Female by 1/4 inch MNPT Pipe Connector                |
| MFA-6M-M3M      | 6 MM Female by 3 MM Male Pipe Connector                    |
| MFA-6M-M5M      | 6 MM Female by 5 MM Male Pipe Connector                    |
| MFA-6M-M6M      | 6 MM Female by 6 MM Male Pipe Connector                    |
| MFA-6M-M8M      | 6 MM Female by 8 MM Male Pipe Connector                    |
| MFA-8M-1032M    | 8 MM Female by 10-32 inch Male UNF Pipe Connector          |
| MFA-8M-1M       | 8 MM Female by 1/16 inch MNPT Pipe Connector               |
| MFA-8M-4M       | 8 MM Female by 1/4 inch MNPT Pipe Connector                |
| MFA-8M-M3M      | 9 MM Female by 3 MM Male Pipe Connector                    |
| MFA-2BSPT-1032M | 1/8 inch BSPT Female by 10-32 inch Male UNF Pipe Connector |
| MFA-2BSPT-4M    | 1/8 inch BSPT Female by 1/4 inch MNPT Pipe Connector       |
| MFA-2BSPT-M3M   | 1/8 inch BSPT Female by 3 MM Male Pipe Connector           |
| MFA-4BSPT-1032M | 1/4 inch BSPT Female by 10-32 inch Male UNF Pipe Connector |
| MFA-4BSPT-4M    | 1/4 inch BSPT Female by 1/4 inch MNPT Pipe Connector       |

MEF SERIES



The MEF Series is a Brass male or female-to-female elbow connector. 90° and 45° elbows are available.

| SKU             | Description  |
|-----------------|--|
| MEF-1032MX1428F | 10-32 inch Male UNF by 1/4-28 inch Female 90° Miniature Elbow      |
| MEF-1032MX1F    | 10-32 inch Male UNF by 1/16 inch FNPT 90° Miniature Elbow          |
| MEF-1032MX2F    | 10-32 inch Male UNF by 1/8 inch FNPT 90° Miniature Elbow           |
| MEF-1032MX4F    | 10-32 inch Male UNF by 1/4 inch FNPT 90° Miniature Elbow           |
| MEF-1032MX3MM   | 10-32 inch Male UNF by 3MM Female 90° Miniature Elbow              |
| MEF-1032MX5MM   | 10-32 inch Male UNF by 5MM Female 90° Miniature Elbow              |
| MEF-1032MX6MM   | 10-32 inch Male UNF by 6MM Female 90° Miniature Elbow              |
| MEF-1032MX8MM   | 10-32 inch Male UNF by 8MM Female 90° Miniature Elbow              |
| MEF-1428MX1032F | 1/4-28 inch Male UNF by 10-32 inch Female UNF 90° Miniature Elbow  |
| MEF-1428MF      | 1/4-28 inch Male UNF by 1/4-28 inch Female UNF 90° Miniature Elbow |

| SKU           | Description  |
|---------------|--|
| MEF-1428MX1F  | 1/4-28 inch Male UNF by 1/16 inch FNPT 90° Miniature Elbow   |
| MEF-1428MX2F  | 1/4-28 inch Male UNF by 1/8 inch FNPT 90° Miniature Elbow    |
| MEF-1428MX4F  | 1/4-28 inch Male UNF by 1/4 inch FNPT 90° Miniature Elbow    |
| MEF-1428MX3MM | 1/4-28 inch Male UNF by 3 MM Female 90° Miniature Elbow      |
| MEF-1428MX5MM | 1/4-28 inch Male UNF by 5 MM Female 90° Miniature Elbow      |
| MEF-1428MX6MM | 1/4-28 inch Male UNF by 6 MM Female 90° Miniature Elbow      |
| MEF-1428MX8MM | 1/4-28 inch Male UNF by 8 MM Female 90° Miniature Elbow      |
| MEF-1MX1032F  | 1/16 inch MNPT by 10-32 inch Female UNF 90° Miniature Elbow  |
| MEF-1MX1428F  | 1/16 inch MNPT by 1/4-28 inch Female UNF 90° Miniature Elbow |
| MEF-1MX1F     | 1/16 inch MNPT by 1/16 inch FNPT 90° Miniature Elbow         |
| MEF-1MX2F     | 1/16 inch MNPT by 1/8 inch FNPT 90° Miniature Elbow          |
| MEF-1MX4F     | 1/16 inch MNPT by 1/4 inch FNPT 90° Miniature Elbow          |
| MEF-1MX3MM    | 1/16 inch MNPT by 3 MM Female 90° Miniature Elbow            |
| MEF-1MX5MM    | 1/16 inch MNPT by 5 MM Female 90° Miniature Elbow            |
| MEF-1MX6MM    | 1/16 inch MNPT by 6 MM Female 90° Miniature Elbow            |
| MEF-1MX8MM    | 1/16 inch MNPT by 8 MM Female 90° Miniature Elbow            |
| MEF-2MX1032F  | 1/8 inch MNPT by 10-32 inch Female UNF 90° Miniature Elbow   |
| MEF-2MX1428F  | 1/8 inch MNPT by 1/4-28 inch Female UNF 90° Miniature Elbow  |
| MEF-2MX1F     | 1/8 inch MNPT by 1/16 inch FNPT 90° Miniature Elbow          |
| MEF-2MX2F     | 1/8 inch MNPT by 1/8 inch FNPT 90° Miniature Elbow           |
| MEF-2MX4F     | 1/8 inch MNPT by 1/4 inch FNPT 90° Miniature Elbow           |
| MEF-2MX3MM    | 1/8 inch MNPT by 3 MM Female 90° Miniature Elbow             |
| MEF-2MX5MM    | 1/8 inch MNPT by 5 MM Female 90° Miniature Elbow             |
| MEF-2MX6MM    | 1/8 inch MNPT by 6 MM Female 90° Miniature Elbow             |
| MEF-2MX8MM    | 1/8 inch MNPT by 8 MM Female 90° Miniature Elbow             |
| MEF-4MX1032F  | 1/4 inch MNPT by 10-32 inch Female UNF 90° Miniature Elbow   |
| MEF-4MX1428F  | 1/4 inch MNPT by 1/4-28 inch Female UNF 90° Miniature Elbow  |
| MEF-4MX1F     | 1/4 inch MNPT by 1/16 inch FNPT 90° Miniature Elbow          |
| MEF-4MX2F     | 1/4 inch MNPT by 1/8 inch FNPT 90° Miniature Elbow           |
| MEF-4MX4F     | 1/4 inch MNPT by 1/4 inch FNPT 90° Miniature Elbow           |
| MEF-4MX3MM    | 1/4 inch MNPT by 3 MM Female 90° Miniature Elbow             |
| MEF-4MX5MM    | 1/4 inch MNPT by 5 MM Female 90° Miniature Elbow             |
| MEF-4MX6MM    | 1/4 inch MNPT by 6 MM Female 90° Miniature Elbow             |
| MEF-4MX8MM    | 1/4 inch MNPT by 8 MM Female 90° Miniature Elbow             |
| MEF-6MM10F    | 6 M Male by 10-32 inch Female UNF 90° Miniature Elbow        |
| MEF-M3MX1032F | 3M Male by 10-32 Female UNF 90° Miniature Elbow              |
| MEF-M3MX1428F | 3M Male by 1/4-28 Female UNF 90° Miniature Elbow             |
| MEF-M3MX1F    | 3M Male by 1/16 inch FNPT 90° Miniature Elbow                |
| MEF-M3MX2F    | 3M Male by 1/8 inch FNPT 90° Miniature Elbow                 |
| MEF-M3MX4F    | 3M Male by 1/4 inch FNPT 90° Miniature Elbow                 |



| SKU           | Description  |
|---------------|--|
| MEF-M3MX3MM   | 3M Male by 3MM Female 90° Miniature Elbow              |
| MEF-M3MX5MM   | 3M Male by 5MM Female 90° Miniature Elbow              |
| MEF-M3MX6MM   | 3M Male by 6MM Female 90° Miniature Elbow              |
| MEF-M3MX8MM   | 3M Male by 8MM Female 90° Miniature Elbow              |
| MEF-M5MX1032F | 5M Male by 10-32 Female UNF 90° Miniature Elbow        |
| MEF-M5MX1428F | 5M Male by 1/4-28 Female UNF 90° Miniature Elbow       |
| MEF-M5MX1F    | 5M Male by 1/16 inch FNPT 90° Miniature Elbow          |
| MEF-M5MX2F    | 5M Male by 1/8 inch FNPT 90° Miniature Elbow           |
| MEF-M5MX4F    | 5M Male by 1/4 inch FNPT 90° Miniature Elbow           |
| MEF-M5MX3MM   | 5 M Male by 3 MM Female 90° Miniature Elbow            |
| MEF-M5MX5MM   | 5 M Male by 5 MM Female 90° Miniature Elbow            |
| MEF-M5MX6MM   | 5 M Male by 6 MM Female 90° Miniature Elbow            |
| MEF-M5MX8MM   | 5 M Male by 8 MM Female 90° Miniature Elbow            |
| MEF-M6MX1032F | 6 M Male by 10-32 inch Female UNF 90° Miniature Elbow  |
| MEF-M6MX1428F | 6 M Male by 1/4-28 inch Female UNF 90° Miniature Elbow |
| MEF-M6MX1F    | 6 M Male by 1/16 inch FNPT 90° Miniature Elbow         |
| MEF-M6MX2F    | 6 M Male by 1/8 inch FNPT 90° Miniature Elbow          |
| MEF-M6MX4F    | 6 M Male by 1/4 inch FNPT 90° Miniature Elbow          |
| MEF-M6MX3MM   | 6 M Male by 3 MM Female 90° Miniature Elbow            |
| MEF-M6MX5MM   | 6 M Male by 5 MM Female 90° Miniature Elbow            |
| MEF-M6MX6MM   | 6 M Male by 6 MM Female 90° Miniature Elbow            |
| MEF-M6MX8MM   | 6 M Male by 8 MM Female 90° Miniature Elbow            |
| MEF-M8MX1032F | 8 M Male by 10-32 Female UNF 90° Miniature Elbow       |
| MEF-M8MX1428F | 8 M Male by 1/4-28 Female UNF 90° Miniature Elbow      |
| MEF-M8MX1F    | 8 M Male by 1/16 inch FNPT 90° Miniature Elbow         |
| MEF-M8MX2F    | 8 M Male by 1/8 inch FNPT 90° Miniature Elbow          |
| MEF-M8MX4F    | 8 M Male by 1/4 inch FNPT 90° Miniature Elbow          |
| MEF-M8MX3MM   | 8 M Male by 3 MM Female 90° Miniature Elbow            |
| MEF-M8MX5MM   | 8 M Male by 5 MM Female 90° Miniature Elbow            |
| MEF-M8MX6MM   | 8 M Male by 6 MM Female 90° Miniature Elbow            |
| MEF-M8MX8MM   | 8 M Male by 8 MM Female 90° Miniature Elbow            |

MBT SERIES



The MBT Series is a Brass male branch tee. Available Male and Female NPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch. It is available for forged, bar-stock and nickel-plated (noted below).

---

| SKU        | Description                                 |
|------------|---|
| MBT-2M2F   | 1/8 MNPT by 1/8 FNPT Male Branch Tee B F NP |
| MBT-4M4F   | 1/4 MNPT by 1/4 FNPT Male Branch Tee B F NP |
| MBT-6M6F   | 3/8 MNPT by 3/8 FNPT Male Branch Tee B NP   |
| MBT-8M8F   | 1/2 MNPT by 1/2 FNPT Male Branch Tee B NP   |
| MBT-12M12F | 3/4 MNPT by 3/4 FNPT Male Branch Tee B      |

MBFC SERIES



Brass female-to-female connector with a central hex and equal threads on both ends. Available in Nickel Plate. Order example: MBFC-1428-4F

ILA SERIES



The ILA Series is a universal Nickel-Plated Brass connector with 10-32-inch male UNF threads and a 5/16 inch hex. This fitting has an operating pressure of 125 psi. 303 Stainless Steel is optional. Also available as a swivel.

| SKU    | Description   |
|--------|---|
| ILA-10 | 10-32 inch male UNF Adjustable Nickel-Plated Brass Swivel Connector |


FXF SERIES



The FXF Series is a Brass female-by-female union. The brass fittings are available in four sizes, the nickel plated in five sizes, as noted below. The maximum operating pressure is 1200 psi and the working temperature range is -65° F to 250° F.

| SKU    | Description  |
|--------|--|
| FXF-2  | 1/8 inch FNPT by 1/8 inch FNPT Brass Union         |
| FXF-4  | 1/4 inch FNPT by 1/4 inch FNPT Brass Union         |
| FXF-6  | 3/8 inch FNPT by 3/8 inch FNPT Brass Union         |
| FXF-8  | 1/2 inch FNPT by 1/2 inch FNPT Brass Union         |
| FXF-12 | 3/4 inch FNPT by 3/4 inch FNPT Nickel Plated Union |

## FEF SERIES



The FEF Series are Brass female-to-female elbow connectors. Shown is a 90° elbow but 45° elbows are available. For the Male version see our [MEF Series](#) line.

| SKU             | Description  |
|-----------------|--|
| FEF-1032MX1F    | 10-32 inch Female UNF by 1/16 inch Female 90° Miniature Elbow Adapter  |
| FEF-1032MX2F    | 10-32 inch Female UNF by 1/8 inch Female 90° Miniature Elbow Adapter   |
| FEF-1032MX4F    | 10-32 inch Female UNF by 1/4 inch Female 90° Miniature Elbow Adapter   |
| FEF-1032MX3MM   | 10-32 inch Female UNF by 3MM Female 90° Miniature Elbow Adapter        |
| FEF-1032MX5MM   | 10-32 inch Female UNF by 5MM Female 90° Miniature Elbow Adapter        |
| FEF-1032MX6MM   | 10-32 inch Female UNF by 6MM Female 90° Miniature Elbow Adapter        |
| FEF-1032MX8MM   | 10-32 inch Female UNF by 8MM Female 90° Miniature Elbow Adapter        |
| FEF-1428MX1032F | 1/4-28 inch Female UNF by 10-32 Female 90° Miniature Elbow Adapter     |
| FEF-1428MX1F    | 1/4-28 inch Female UNF by 1/16 inch Female 90° Miniature Elbow Adapter |
| FEF-1428MX2F    | 1/4-28 inch Female UNF by 1/8 inch Female 90° Miniature Elbow Adapter  |
| FEF-1428MX4F    | 1/4-28 inch Female UNF by 1/4 inch Female 90° Miniature Elbow Adapter  |
| FEF-1428MX3MM   | 1/4-28 inch Female UNF by 3MM Female 90° Miniature Elbow Adapter       |
| FEF-1428MX5MM   | 1/4-28 inch Female UNF by 5MM Female 90° Miniature Elbow Adapter       |
| FEF-1428MX6MM   | 1/4-28 inch Female UNF by 6MM Female 90° Miniature Elbow Adapter       |
| FEF-1428MX8MM   | 1/4-28 inch Female UNF by 8MM Female 90° Miniature Elbow Adapter       |
| FEF-1MX1032F    | 1/16 inch Female by 10-32 Female 90° Miniature Elbow Adapter           |
| FEF-1MX1428F    | 1/16 inch Female by 1/4-28 Female 90° Miniature Elbow Adapter          |
| FEF-1MX1F       | 1/16 inch Female by 1/16 inch Female 90° Miniature Elbow Adapter       |
| FEF-1MX2F       | 1/16 inch Female by 1/8 inch Female 90° Miniature Elbow Adapter        |
| FEF-1MX4F       | 1/16 inch Female by 1/4 inch Female 90° Miniature Elbow Adapter        |
| FEF-1MX3MM      | 1/16 inch Female by 3MM Female 90° Miniature Elbow Adapter             |
| FEF-1MX5MM      | 1/16 inch Female by 5MM Female 90° Miniature Elbow Adapter             |
| FEF-1MX6MM      | 1/16 inch Female by 6MM Female 90° Miniature Elbow Adapter             |
| FEF-1MX8MM      | 1/16 inch Female by 8MM Female 90° Miniature Elbow Adapter             |
| FEF-2MX1032F    | 1/8 inch Female by 10-32 Female 90° Miniature Elbow Adapter            |
| FEF-2MX1428F    | 1/8 inch Female by 1/4-28 Female 90° Miniature Elbow Adapter           |
| FEF-2MX1F       | 1/8 inch Female by 1/16 inch Female 90° Miniature Elbow Adapter        |
| FEF-2MX2F       | 1/8 inch Female by 1/8 inch Female 90° Miniature Elbow Adapter         |
| FEF-2MX4F       | 1/8 inch Female by 1/4 inch Female 90° Miniature Elbow Adapter         |
| FEF-2MX3MM      | 1/8 inch Female by 3MM Female 90° Miniature Elbow Adapter              |
| FEF-2MX5MM      | 1/8 inch Female by 5MM Female 90° Miniature Elbow Adapter              |
| FEF-2MX6MM      | 1/8 inch Female by 6MM Female 90° Miniature Elbow Adapter              |
| FEF-2MX8MM      | 1/8 inch Female by 8MM Female 90° Miniature Elbow Adapter              |
| FEF-4MX1032F    | 1/4 inch Female by 10-32 Female 90° Miniature Elbow Adapter            |

| SKU           | Description   |
|---------------|---|
| FEF-4MX1428F  | 1/4 inch Female by 1/4-28 Female 90° Miniature Elbow Adapter    |
| FEF-4MX1F     | 1/4 inch Female by 1/16 inch Female 90° Miniature Elbow Adapter |
| FEF-4MX2F     | 1/4 inch Female by 1/8 inch Female 90° Miniature Elbow Adapter  |
| FEF-4MX4F     | 1/4 inch Female by 1/4 inch Female 90° Miniature Elbow Adapter  |
| FEF-4MX3MM    | 1/4 inch Female by 3MM Female 90° Miniature Elbow Adapter       |
| FEF-4MX5MM    | 1/4 inch Female by 5MM Female 90° Miniature Elbow Adapter       |
| FEF-4MX6MM    | 1/4 inch Female by 6MM Female 90° Miniature Elbow Adapter       |
| FEF-4MX8MM    | 1/4 inch Female by 8MM Female 90° Miniature Elbow Adapter       |
| FEF-M3MX1032F | M3 Female by 10-32 Female 90° Miniature Elbow Adapter           |
| FEF-M3MX1428F | M3 Female by 1/4-28 Female 90° Miniature Elbow Adapter          |
| FEF-M3MX1F    | M3 Female by 1/16 inch Female 90° Miniature Elbow Adapter       |
| FEF-M3MX2F    | M3 Female by 1/8 inch Female 90° Miniature Elbow Adapter        |
| FEF-M3MX4F    | M3 Female by 1/4 inch Female 90° Miniature Elbow Adapter        |
| FEF-M3MX3MM   | M3 Female by 3MM Female 90° Miniature Elbow Adapter             |
| FEF-M3MX5MM   | M3 Female by 5MM Female 90° Miniature Elbow Adapter             |
| FEF-M3MX6MM   | M3 Female by 6MM Female 90° Miniature Elbow Adapter             |
| FEF-M3MX8MM   | M3 Female by 8MM Female 90° Miniature Elbow Adapter             |
| FEF-M5MX1032F | M5 Female by 10-32 Female 90° Miniature Elbow Adapter           |
| FEF-M5MX1428F | M5 Female by 1/4-28 Female 90° Miniature Elbow Adapter          |
| FEF-M5MX1F    | M5 Female by 1/16 inch Female 90° Miniature Elbow Adapter       |
| FEF-M5MX2F    | M5 Female by 1/8 inch Female 90° Miniature Elbow Adapter        |
| FEF-M5MX4F    | M5 Female by 1/4 inch Female 90° Miniature Elbow Adapter        |
| FEF-M5MX3MM   | M5 Female by 3MM Female 90° Miniature Elbow Adapter             |
| FEF-M5MX5MM   | M5 Female by 5MM Female 90° Miniature Elbow Adapter             |
| FEF-M5MX6MM   | M5 Female by 6MM Female 90° Miniature Elbow Adapter             |
| FEF-M5MX8MM   | M5 Female by 8MM Female 90° Miniature Elbow Adapter             |
| FEF-M6MX1032F | M6 Female by 10-32 Female 90° Miniature Elbow Adapter           |
| FEF-M6MX1428F | M6 Female by 1/4-28 Female 90° Miniature Elbow Adapter          |
| FEF-M6MX1F    | M6 Female by 1/16 inch Female 90° Miniature Elbow Adapter       |
| FEF-M6MX2F    | M6 Female by 1/8 inch Female 90° Miniature Elbow Adapter        |
| FEF-M6MX4F    | M6 Female by 1/4 inch Female 90° Miniature Elbow Adapter        |
| FEF-M6MX3MM   | M6 Female by 3MM Female 90° Miniature Elbow Adapter             |
| FEF-M6MX5MM   | M6 Female by 5MM Female 90° Miniature Elbow Adapter             |
| FEF-M6MX6MM   | M6 Female by 6MM Female 90° Miniature Elbow Adapter             |
| FEF-M6MX8MM   | M6 Female by 8MM Female 90° Miniature Elbow Adapter             |
| FEF-M8MX1032F | M8 Female by 10-32 Female 90° Miniature Elbow Adapter           |
| FEF-M8MX1428F | M8 Female by 1/4-28 Female 90° Miniature Elbow Adapter          |
| FEF-M8MX1F    | M8 Female by 1/16 inch Female 90° Miniature Elbow Adapter       |
| FEF-M8MX2F    | M8 Female by 1/8 inch Female 90° Miniature Elbow Adapter        |
| FEF-M8MX4F    | M8 Female by 1/4 inch Female 90° Miniature Elbow Adapter        |

| SKU         | Description   |
|-------------|---|
| FEF-M8MX3MM | M8 Female by 3MM Female 90° Miniature Elbow Adapter |
| FEF-M8MX5MM | M8 Female by 5MM Female 90° Miniature Elbow Adapter |
| FEF-M8MX6MM | M8 Female by 6MM Female 90° Miniature Elbow Adapter |
| FEF-M8MX8MM | M8 Female by 8MM Female 90° Miniature Elbow Adapter |

## BXU SERIES



The BXU Series is a Brass male Union. Available male NPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, and 1/2 inch. One end of this union is solid with hex nut, the other end can be removed.

| SKU   | Description               |
|-------|---------------------------|
| BXU-2 | 1/8 inch MNPT Brass Union |
| BXU-4 | 1/4 inch MNPT Brass Union |
| BXU-6 | 3/8 inch MNPT Brass Union |
| BXU-8 | 1/2 inch MNPT Brass Union |

## BSTE SERIES



The BSTE Series are 90° Brass Street Elbows, available as both forged and barstock. The barstock fitting is available in a short version. The forged is available as a reducer. Available MNPT and FNPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch. The temperature range is -65° F to 250° F. The operating pressure is 1200 psi. They can be used for grease, fuels, refrigeration and hydraulic applications. They meet ASA, ASME and SAE specifications.

| SKU         | Description                                       |
|-------------|---|
| BSTE-2-S-NP | 1/8 inch NPT Nickel Plated Short Street Elbow     |
| BSTE-2      | 1/8 inch MNPT by 1/8 inch FNPT Brass Street Elbow |
| BSTE-4      | 1/4 inch MNPT by 1/4 inch FNPT Brass Street Elbow |
| BSTE-6      | 3/8 inch MNPT by 3/8 inch FNPT Brass Street Elbow |
| BSTE-8      | 1/2 inch MNPT by 1/2 inch FNPT Brass Street Elbow |
| BSTE-12     | 3/4 inch MNPT by 3/4 inch FNPT Brass Street Elbow |
| BSTE-2M4F   | 1/8 inch MNPT by 1/4 inch FNPT Brass Street Elbow |

| SKU       | Description   |
|-----------|---|
| BSTE-4M6F | 1/4 inch MNPT by 3/8 inch FNPT Brass Street Elbow         |
| BSTE-4M2F | 1/4 inch MNPT by 1/8 inch FNPT Brass Street Elbow Reducer |




BSE45 SERIES

The BSE45 Series are 45° Brass Elbows available as both forged and barstock. The temperature range is -65° F to 250° F. The operating pressure is 1200 psi. They can be used for grease, fuels, refrigeration, and hydraulic applications. They meet ASA, ASME, and SAE specifications.

| SKU          | Description                              |
|--------------|--|
| BSE45-2M2F   | 1/8 MNPT by 1/8 FNPT Brass 45° Elbow B F |
| BSE45-4M4F   | 1/4 MNPT by 1/4 FNPT Brass 45° Elbow B F |
| BSE45-6M6F   | 3/8 MNPT by 3/8 FNPT Brass 45° Elbow B F |
| BSE45-8M8F   | 1/2 MNPT by 1/2 FNPT Brass 45° Elbow B   |
| BSE45-12M12F | 3/4 MNPT by 3/4 FNPT Brass 45° Elbow B   |

| SKU          | Description                              |
|--------------|--|
| BSE45-2M2F   | 1/8 MNPT by 1/8 FNPT Brass 45° Elbow B F |
| BSE45-4M4F   | 1/4 MNPT by 1/4 FNPT Brass 45° Elbow B F |
| BSE45-6M6F   | 3/8 MNPT by 3/8 FNPT Brass 45° Elbow B F |
| BSE45-8M8F   | 1/2 MNPT by 1/2 FNPT Brass 45° Elbow B   |
| BSE45-12M12F | 3/4 MNPT by 3/4 FNPT Brass 45° Elbow B   |



## BMT SERIES

The BMT Series is a male forged Brass Tee Connector. Available male NPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, and 1/2 inch. All sizes are also available in nickel-plate.

---

| SKU   | Description                              |
|-------|--|
| BMT-2 | 1/8 inch MNPT Brass Forged Tee Connector |
| BMT-4 | 1/4 inch MNPT Brass Forged Tee Connector |
| BMT-6 | 3/8 inch MNPT Brass Forged Tee Connector |
| BMT-8 | 1/2 inch MNPT Brass Forged Tee Connector |



## BME SERIES

The BME Series is a 90° Brass forged Elbow, available in both equal and reducing sizes. Available Male NPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, and 1/2 inch. The temperature range is -65° F to 250° F. The operating pressure is 1200 psi. They can be used for grease, fuels, refrigeration, and hydraulic applications. They meet ASA, ASME, and SAE specifications. Nickel-plated brass is available.

---

| SKU     | Description                               |
|---------|---|
| BME-2   | 1/8 MNPT Forged Brass Elbow NP            |
| BME-4   | 1/4 MNPT Forged Brass Elbow NP            |
| BME-6   | 3/8 MNPT Forged Brass Elbow NP            |
| BME-8   | 1/2 MNPT Forged Brass Elbow NP            |
| BME-8-4 | 1/2 MNPT by 1/4 MNPT Forged Elbow Reducer |
| BME-6-4 | 3/8 MNPT by 1/4 MNPT Forged Elbow Reducer |
| BME-8-6 | 3/8 MNPT by 1/4 MNPT Forged Elbow Reducer |




BI SERIES



The BI Series are Brass or 303 Stainless Steel bite-style barb inserts for manifold applications. Available in 1/16 inch, .078 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, and 3/8 inch.


| SKU     |                         | Description |
|---------|-------------------------|-------------|
| BI-78B  | 0.078 Barbed Insert     |             |
| BI-332B | 3/32 inch Barbed Insert |             |
| BI-1B   | 1/16 inch Barbed Insert |             |
| BI-532B | 5/32 inch Barbed Insert |             |
| BI-2B   | 1/8 inch Barbed Insert  |             |
| BI-3B   | 3/16 inch Barbed Insert |             |
| BI-4B   | 1/4 inch Barbed Insert  |             |
| BI-5B   | 5/16 inch Barbed Insert |             |
| BI-6B   | 3/8 inch Barbed Insert  |             |



BFT THREADED BRASS TEE

Brass Tee with female NPT threads. The operating pressure is 1200 psi and the temperature range is -65° F to 250° F. This tee is available as Forged or Barstock. Nickel Plate is also available in barstock.

| SKU    |                           | Description |
|--------|---------------------------|-------------|
| BFT-2  | 1/8 FNPT Brass Tee B F NP |             |
| BFT-4  | 1/4 FNPT Brass Tee B F NP |             |
| BFT-6  | 3/8 FNPT Brass Tee B F NP |             |
| BFT-8  | 1/2 FNPT Brass Tee B F NP |             |
| BFT-12 | 3/4 FNPT Brass Tee B F NP |             |
| BFT-16 | 1 inch FNPT Brass Tee F   |             |



**BFE45° BRASS BARSTOCK ELBOW**

45° female NPT Brass elbow. It is available in 4 sizes and Barstock only. The temperature range for this elbow is -65° F to 250° F. The operating pressure is 1200 psi.

| SKU     | DESCRIPTION                       |
|---------|-----------------------------------|
| BFE45-2 | 1/8 FNPT 90° Brass Elbow Barstock |
| BFE45-4 | 1/4 FNPT 90° Brass Elbow Barstock |
| BFE45-6 | 3/8 FNPT 90° Brass Elbow Barstock |
| BFE45-8 | 1/2 FNPT 90° Brass Elbow Barstock |



**BFE 90° THREADED BRASS ELBOW**

90° Brass Elbow with female NPT threads. It is available in equal and reduced sizes. It is also available in Forged and Barstock. (As noted below in size list.)  
Some sizes are also available in nickel plates.

| SKU     | Description                                    |
|---------|--|
| BFE-2   | 1/8 FNPT 90° Brass Elbow B F NP                |
| BFE-4   | 1/4 FNPT 90° Brass Elbow B F NP                |
| BFE-6   | 3/8 FNPT 90° Brass Elbow B F                   |
| BFE-8   | 1/2 FNPT 90° Brass Elbow B F                   |
| BFE-12  | 3/4 FNPT 90° Brass Elbow B F                   |
| BFE-1   | 1 inch FNPT 90° Brass Elbow F                  |
| BFE-4-2 | 1/4 FNPT by 1/8 FNPT 90° Brass Elbow Reducer F |
| BFE-6-4 | 3/8 FNPT by 1/4 FNPT 90° Brass Elbow Reducer F |
| BFE-8-6 | 1/2 FNPT by 3/8 FNPT 90° Brass Elbow Reducer F |



BFCR SERIES

Brass-reducing connector with some sizes available in Nickel Plate. It can be used with grease, fuels, hydraulic systems, and refrigeration. The temperature range is -65° F to 250° F with an operating pressure of 1200 psi.

| SKU       | DESCRIPTION                           |
|-----------|---------------------------------------|
| BFCR-4-2  | 1/4 FNPT by 1/8 FNPT Brass Reducer NP |
| BFCR-6-2  | 3/8 FNPT by 1/8 FNPT Brass Reducer NP |
| BFCR-6-4  | 3/8 FNPT by 1/4 FNPT Brass Reducer NP |
| BFCR-8-2  | 1/2 FNPT by 1/8 FNPT Brass Reducer    |
| BFCR-8-4  | 1/2 FNPT by 1/4 FNPT Brass Reducer    |
| BFCR-8-6  | 1/2 FNPT by 3/8 FNPT Brass Reducer NP |
| BFCR-12-6 | 3/4 FNPT by 3/8 FNPT Brass Reducer    |



BFCC THREADED BRASS CROSS (BARSTOCK OR FORGED AVAILABLE)

Brass Cross has female NPT threads. The operating pressure is 1200 psi and the temperature range is -65° F to 250° F. The cross is available as Forged or Barstock. (Availabilities are noted below.)

| SKU     | Description                |
|---------|----------------------------|
| BFCC-2  | 1/8 FNPT Brass Cross BF    |
| BFCC-4  | 1/4 FNPT Brass Cross<br>BF |
| BFCC-6  | 3/8 FNPT Brass Cross<br>BF |
| BFCC-8  | 1/2 FNPT Brass Cross<br>BF |
| BFCC-12 | 3/4 FNPT Brass Cross B     |


BFC SERIES



Brass connector with equal female NPT threads. The pressure rating for this connector is 1200 psi and the temperature range is -65° F to 250° F. It meets the specifications for ASA, ASMER, and SAE.

| SKU    | Description                              |
|--------|--|
| BFC-2  | 1/8 inch FNPT Brass Equal Pipe Connector |
| BFC-4  | 1/4 inch FNPT Brass Equal Pipe Connector |
| BFC-6  | 3/8 inch FNPT Brass Equal Pipe Connector |
| BFC-8  | 1/2 inch FNPT Brass Equal Pipe Connector |
| BFC-12 | 3/4 inch FNPT Brass Equal Pipe Connector |
| BFC-16 | 1 inch FNPT Brass Equal Pipe Connector   |

BFBT SERIES



The BFBT Series is a male by male by female forged Brass Tee. This series is available in two sizes: 1/8 inch and 1/4 inch. The 1/8-inch size is available in nickel-plated brass.

| SKU          | Description  |
|--------------|--|
| BFBT-2M2F    | 1/8 inch MNPT Run by 1/8 inch FNPT Leg               |
| BFBT-2M2F-NP | 1/8 inch MNPT Run by 1/8 inch FNPT Leg Nickel Plated |
| BFBT-4M4F    | 1/4 inch MNPT Run by 1/4 inch FNPT Leg               |



## BC BLOCK ELBOW FITTINGS

The BC Series are miniature Brass pipe fittings with various configurations of 10-32 inch UNF and 1/4-28 inch UNF male and female threads. These block fittings can be either female-to-female or male-to-female configurations of elbows, crosses, or tees.

| SKU       | Description   |
|-----------|---|
| BC-FE-10  | 10-32 inch Female UNF by 10-32 inch Female UNF Block Elbow Connector                          |
| BC-FT-10  | 10-32 inch Female UNF by 10-32 inch Female UNF Block Tee Connector                            |
| BC-FT-14  | 1/4-28 inch Female UNF by 1/4-28 inch Female UNF Block Tee Connector                          |
| BC-FX-10  | 10-32 inch Female UNF by 10-32 inch Female UNF by 10-32 inch Female UNF Block Cross Connector |
| BC-MFE-10 | 10-32 inch Male UNF by 10-32 inch Female UNF Block Elbow Connector                            |
| BC-MFT-10 | 10-32 inch Male UNF by 10-32 inch Female UNF Block Tee Connector                              |
| BC-MFT-14 | 1/4-28 inch Male UNF by 1/4-28 inch Female UNF Block Tee Connector                            |
| BC-MFX-10 | 10-32 inch Male UNF by 10-32 inch Female UNF Block Cross Connector                            |
| BC-MFEA   | 10-32 inch Male UNF by 10-32 inch Female UNF Block Straight Connector                         |



## BBFTR SERIES

The BBFTR Series is a forged Brass female reducing Tee. The operating pressure for this tee is 1200 psi with a temperature range of -65° F to 250° F. The threads are Female NPT.

| SKU           | Description  |
|---------------|--|
| BBFTR-2-2-4   | 1/8 inch FNPT by 1/8 inch FNPT by 1/4 inch FNPT Brass Reducing Tee |
| BBFTR-4-4-2   | 1/4 inch FNPT by 1/4 inch FNPT by 1/8 inch FNPT Brass Reducing Tee |
| BBFTR-4-4-6   | 1/4 inch FNPT by 1/4 inch FNPT by 3/8 inch FNPT Brass Reducing Tee |
| BBFTR-6-4-6   | 3/8 inch FNPT by 1/4 inch FNPT by 3/8 inch FNPT Brass Reducing Tee |
| BBFTR-6-6-4   | 3/8 inch FNPT by 3/8 inch FNPT by 1/4 inch FNPT Brass Reducing Tee |
| BBFTR-8-8-6   | 1/2 inch FNPT by 1/2 inch FNPT by 3/8 inch FNPT Brass Reducing Tee |
| BBFTR-12-8-12 | 3/4 inch FNPT by 1/2 inch FNPT by 3/4 inch FNPT Brass Reducing Tee |
| BBFTR-12-12-8 | 3/4 inch FNPT by 3/4 inch FNPT by 1/2 inch FNPT Brass Reducing Tee |

BAE-N NICKLE PLATED EXTENSION CONNECTOR



Nickel-plated brass long extension connectors are available as equal or reducing.

| SKU           | DESCRIPTION   |
|---------------|---|
| BAE-1032MF-N  | 10-32 M by 10-32 F Nickel-Plated Brass Long Extension   |
| BAE-1032M2F-N | 10-32 M by 1/8 FNPT Nickel-Plated Brass Long Extension  |
| BAE-2M2F-N    | 1/8 MNPT by 1/8 FNPT Nickel-Plated Brass Long Extension |
| BAE-2M4F-N    | 1/8 MNPT by 1/4 FNPT Nickel-Plated Brass Long Extension |
| BAE-2M6F-N    | 1/8 MNPT by 3/8 FNPT Nickel-Plated Brass Long Extension |
| BAE-4M4F-N    | 1/4 MNPT by 1/4 FNPT Nickel-Plated Brass Long Extension |
| BAE-4M6F-N    | 1/4 MNPT by 3/8 FNPT Nickel-Plated Brass Long Extension |
| BAE-4M8F-N    | 1/4 MNPT by 1/8 FNPT Nickel-Plated Brass Long Extension |
| BAE-6M6F-N    | 3/8 MNPT by 3/8 FNPT Nickel-Plated Brass Long Extension |
| BAE-6M8F-N    | 3/8 MNPT by 1/8 FNPT Nickel-Plated Brass Long Extension |
| BAE-8M8F-N    | 1/2 MNPT by 1/2 FNPT Nickel-Plated Brass Long Extension |

BAE BRASS EXTENSION CONNECTOR



Brass extension connectors are available as equal or reducing with NPT threads.

| SKU       | Description  |
|-----------|--|
| BAE-18MF  | 1/8 inch MNPT by 1/8 inch FNPT Brass Extension                   |
| BAE-38MF  | 3/8 inch MNPT by 3/8 inch FNPT Brass Extension                   |
| BAE-12MF  | 1/2 inch MNPT by 1/2 inch FNPT Brass Extension                   |
| BAE-34MF  | 3/4 inch MNPT by 3/4 inch FNPT Brass Extension                   |
| BAE-4M-2F | 1/4 inch MNPT by 1/8 inch FNPT Brass Reducing Reducing Extension |
| BAE-6M-2F | 3/8 inch MNPT by 1/8 inch FNPT Brass Reducing Reducing Extension |
| BAE-6M-4F | 3/8 inch MNPT by 1/4 inch FNPT Brass Reducing Reducing Extension |
| BAE-8M-4F | 1/2 inch MNPT by 1/4 inch FNPT Brass Reducing Reducing Extension |
| BAE-8M-6F | 1/2 inch MNPT by 3/8 inch FNPT Brass Reducing Reducing Extension |

# INDEX

## B

BAE BRASS EXTENSION CONNECTOR 22  
BAE-N NICKLE PLATED EXTENSION CONNECTOR 22  
BBFTR Series 21  
BC BLOCK ELBOW FITTINGS 21  
BFBT SERIES 20  
BFC Series 20  
BFCC THREADED BRASS CROSS (BARSTOCK OR FORGED AVAILABLE) 19  
BFCR SERIES 19  
BFE 90° THREADED BRASS ELBOW 18  
BFE45° BRASS BARSTOCK ELBOW 18  
BFT THREADED BRASS TEE 17  
BI Series 17  
BME Series 16  
BMT Series 16  
BSE45 Series 15  
BSTE Series 14  
BXU Series 14

## F

FEF Series 12  
FXF Series 11

## I

ILA Series 11

## M

MBFC SERIES 10  
MBT Series 10  
MEF Series 7  
MFA Series 6  
MHN Series 5  
MRB Series 4

## S

STF SERIES 3  
STM Series 3

## Y

Y-B BRASS WYE BLOCK 2