



## STAINLESS STEEL FITTINGS

# STAINLESS FITTINGS

Pneuline Supply offers several different stainless steel grades for many different applications. We offer 303, 304, and 316 stainless steel options.



303 STAINLESS STEEL

303 STAINLESS STEEL

Pneuline Supply offers several 303 stainless steel fitting options. We carry a wide selection of straight, 45 degree, and 90 degree fittings.

SSBT SERIES



303 Stainless Steel barbed Tee connector for beverage service.

SKU	Description
SSBT-4B	1/4 Barb by 1/4 Barb by 1/4 Barb 303 Stainless Tee
SSBT-6B	3/8 Barb by 3/8 Barb by 3/8 Barb 303 Stainless Tee



## SSBM SERIES

The SSBM Series Multi-Barbed Hose Splicer Fitting is made of 303 Stainless Steel and is available in straight barb sizes of 1/4 inch and 3/8 inch. The available reducing barb size is 3/8 inch by 1/4 inch.

SKU	Description
SSBM-4B4B	1/4 Barb by 1/4 Barb Stainless Steel Splicer
SSBM-6B6B	3/8 Barb by 3/8 Barb Stainless Steel Splicer
SSBM-6B4B	3/8 Barb by 1/4 Barb Stainless Steel Splicer Reducer



## SQSTE SERIES

303 Stainless Steel male NPT to female NPT 90° Elbow.

SKU	DESCRIPTION
SQSTE-1M1F	1/8 MNPT by 1/8 FNPT 90° Elbow
SQSTE-1M4F	1/8 MNPT by 1/4 FNPT 90° Elbow
SQSTE-4M1F	1/4 MNPT by 1/8 FNPT 90° Elbow
SQSTE-4M4F	1/4 MNPT by 1/4 FNPT 90° Elbow
SQSTE-6M4F	3/8 MNPT by 1/4 FNPT 90° Elbow
SQSTE-6M6F	3/8 MNPT by 3/8 FNPT 90° Elbow
SQSTE-8M6F	1/2 MNPT by 3/8 FNPT 90° Elbow
SQSTE-8M8F	1/2 MNPT by 1/2 FNPT 90° Elbow
SQSTE-12M12F	3/4 MNPT by 3/4 FNPT 90° Elbow



**SAMGM SERIES**

The SAMGM series is a Male Garden Hose by MNPT Adapter. It is machined 303 Stainless Steel and is available in 1/2 inch and 3/4 inch MNPT.

SKU	Description
SAMGM-12M	MGH by 3/4 NPT 316 Stainless Fitting
SAMGM-8M	MGH by 1/2 NPT 316 Stainless Fitting



304 STAINLESS STEEL

Pneuline Supply offers several 304 stainless steel fitting options. We carry a wide selection of straight, 45 degree, and 90 degree fittings.



SSTE 304 STAINLESS STEEL THREADED ELBOW

304 Stainless Steel male NPT to female NPT 90° Street Elbow. Also available in 316 Stainless.

SKU		DESCRIPTION
SSTE-2F	1/8 FNPT to MNPT 90° Elbow	
SSTE-4F	1/4 FNPT to MNPT 90° Elbow	
SSTE-6F	3/8 FNPT to MNPT 90° Elbow	
SSTE-8F	1/2 FNPT to MNPT 90° Elbow	
SSTE-12F	3/4 FNPT to MNPT 90° Elbow	
SSTE-16F	1 inch FNPT to MNPT 90° Elbow	
SSTE-20F	1-1/4 inch FNPT to MNPT 90° Elbow	
SSTE-24F	1-1/2 inch FNPT to MNPT 90° Elbow	
SSTE-32F	2 inch FNPT to MNPT 90° Elbow	



## SST SERIES

304 and 316 Stainless Steel female Tee with equal NPT threads.

SKU	DESCRIPTION
SST-2F	1/8 Female Tee
SST-4F	1/4 Female Tee
SST-6F	3/8 Female Tee
SST-8F	1/2 Female Tee
SST-12F	3/4 Female Tee
SST-16F	1 inch Female Tee
SST-20F	1-1/4 inch Female Tee
SST-24F	1-1/2 inch Female Tee
SST-32F	2 inch Female Tee



## SSRC SERIES

304 Stainless Steel NPT threaded connector and reducing connector. It is also available in 316 Stainless Steel.

SKU	DESCRIPTION
SSRC-8	1/2 FNPT Connector
SSRC-12	3/4 FNPT Connector
SSRC-16	1 inch FNPT Connector
SSRC-24	1-1/2 inch FNPT Connector
SSRC-32	2 inch FNPT Connector
SSRC-4-2	1/4 FNPT by 1/8 FNPT Reducer
SSRC-6-2	3/8 FNPT by 1/8 FNPT Reducer
SSRC-6-4	3/8 FNPT by 1/4 FNPT Reducer
SSRC-8-2	1/2 FNPT by 1/8 FNPT Reducer
SSRC-8-4	1/2 FNPT by 1/4 FNPT Reducer
SSRC-8-6	1/2 FNPT by 3/8 FNPT Reducer
SSRC-12-2	3/4 FNPT by 1/8 FNPT Reducer
SSRC-12-4	3/4 FNPT by 1/4 FNPT Reducer
SSRC-12-6	3/4 FNPT by 3/8 FNPT Reducer
SSRC-12-8	3/4 FNPT by 1/2 FNPT Reducer
SSRC-16-6	1 inch FNPT by 3/8 FNPT Reducer NA 304

SKU	DESCRIPTION
SSRC-16-8	1 inch FNPT by 1/2 FNPT Reducer
SSRC-16-12	1 inch FNPT by 3/4 FNPT Reducer
SSRC-20-12	1-1/4 inch FNPT by 3/4 FNPT Reducer
SSRC-20-16	1-1/4 inch FNPT by 1 inch FNPT Reducer
SSRC-24-8	1-1/2 inch FNPT by 1/2 FNPT Reducer
SSRC-24-12	1-1/2 inch FNPT by 3/4 FNPT Reducer
SSRC-24-16	1-1/2 inch FNPT by 1 inch FNPT Reducer
SSRC-24-20	1-1/2 inch FNPT by 1-1/4 inch FNPT Reducer
SSRC-32-16	2 inch FNPT by 1 inch FNPT Reducer
SSRC-32-20	2 inch FNPT by 1-1/4 inch FNPT Reducer
SSRC-32-24	2 inch FNPT by 1-1/2 inch FNPT Reducer

## SSFX STAINLESS STEEL UNION CONNECTOR



Stainless Steel union with female NPT threads. It is available in both 304 and 316.

SKU	DESCRIPTION
SSFX-2	1/8 FNPT Union
SSFX-4	1/4 FNPT Union
SSFX-6	3/8 FNPT Union
SSFX-8	1/2 FNPT Union
SSFX-12	3/4 FNPT Union
SSFX-16	1 inch FNPT Union
SSFX-20	1-1/4 inch FNPT Union
SSFX-24	1-1/2 inch FNPT Union
SSFX-32	2 inch FNPT Union

## SSS SERIES



The SSS Series are 304 Stainless Steel 90° elbow hose barb splicer fittings. These elbows are intended to be used with hose clamp or similar clamps. Working temperatures are from -40° F to +160° F. Maximum working pressure is 150 psi. Available in barb sizes of 1/4 inch and 3/8 inch.

SKU	Description
SSS-4B4B	1/4 Barb by 1/4 Barb 304 Stainless Steel 90° Elbow
SSS-6B6B	3/8 Barb by 3/8 Barb 304 Stainless Steel 90° Elbow

## SSCX SERIES



Stainless Steel Cross with equal female NPT threads. It is available in both 304 and 316.

SKU	DESCRIPTION
SSCX-2F	1/8 inch Female Cross 304 only
SSCX-4F	1/4 inch Female Cross
SSCX-6F	3/8 inch Female Cross
SSCX-8F	1/2 inch Female Cross
SSCX-12F	3/4 inch Female Cross
SSCX-16F	1 inch Female Cross
SSCX-20F	1-1/4 inch Female Cross
SSCX-24F	1-1/2 inch Female Cross
SSCX-32F	2 inch Female Cross





## SCHB THREADED BARB TO BARB ADAPTER (304 STAINLESS STEEL)

The SCHB Series is a cast 304 Stainless Steel Male NPT threads by barb adapter. Also available are barb to MNPT thread reducers. The available MNPT thread sizes are 1/4 inch, 3/8 inch, 1/2 inch, 1/8 inch, and 3/8 inch. The available barb sizes are 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch.

SKU	Description
SCHB-4M4B	1/4 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M6B	3/8 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M8B	1/2 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-2M4B	1/8 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-4B6B	1/4 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M8B	3/8 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M12B	1/2 inch MNPT by 3/4 inch Cast 304 Stainless Steel Barbed Adapter

## SBE45

304 Stainless Steel 45° female NPT Elbow. Also available in 316 Stainless.



SKU	DESCRIPTION
SBE45-2F	1/8 FNPT 45° Elbow
SBE45-4F	1/4 FNPT 45° Elbow
SBE45-6F	3/8 FNPT 45° Elbow
SBE45-8F	1/2 FNPT 45° Elbow
SBE45-12F	3/4 FNPT 45° Elbow
SBE45-16F	1 inch FNPT 45° Elbow
SBE45-20F	1-1/4 inch FNPT 45° Elbow
SBE45-24F	1-1/2 inch FNPT 45° Elbow

**SBE SERIES**

304 Stainless Steel 90° female NPT Elbow. Also available in 316 Stainless.

SKU	DESCRIPTION
SBE-2F	1/8 FNPT 90° Elbow
SBE-4F	1/4 FNPT 90° Elbow
SBE-6F	3/8 FNPT 90° Elbow
SBE-8F	1/2 FNPT 90° Elbow
SBE-12F	3/4 FNPT 90° Elbow
SBE-16F	1 inch FNPT 90° Elbow
SBE-20F	1-1/4 inch FNPT 90° Elbow
SBE-24F	1-1/2 inch FNPT 90° Elbow
SBE-32F	2 inch FNPT 90° Elbow
SBE-40F	2-1/2 inch FNPT 90° Elbow
SBE-48F	3 inch FNPT 90° Elbow

**RBSS 304 STAINLESS STEEL HEX BUSHING  
(316 ALSO AVAILABLE)**

304 Stainless Steel Hex Bushing. 316 Stainless is also available.

SKU	DESCRIPTION
RBSS-4M2F	1/4 MNPT by 1/8 FNPT Hex Bushing
RBSS-6M2F	3/8 MNPT by 1/8 FNPT Hex Bushing
RBSS-6M4F	3/8 MNPT by 1/4 FNPT Hex Bushing
RBSS-8M2F	1/2 MNPT by 1/8 FNPT Hex Bushing 304 only
RBSS-8M4F	1/2 MNPT by 1/4 FNPT Hex Bushing
RBSS-8M6F	1/2 MNPT by 3/8 FNPT Hex Bushing
RBSS-12M2F	3/4 MNPT by 1/8 FNPT Hex Bushing
RBSS-12M4F	3/4 MNPT by 1/4 FNPT Hex Bushing
RBSS-12M6F	3/4 MNPT by 3/8 FNPT Hex Bushing
RBSS-12M8F	3/4 MNPT by 1/2 FNPT Hex Bushing
RBSS-16M4F	1 inch MNPT by 1/4 FNPT Hex Bushing
RBSS-16M6F	1 inch MNPT by 3/8 FNPT Hex Bushing
RBSS-16M8F	1 inch MNPT by 1/2 FNPT Hex Bushing
RBSS-16M12F	1 inch MNPT by 3/4 FNPT Hex Bushing
RBSS-20M4F	1-1/4 inch MNPT by 1/4 FNPT Hex Bushing
RBSS-20M6F	1-1/4 inch MNPT by 3/8 FNPT Hex Bushing
RBSS-20M8F	1-1/4 inch MNPT by 1/2 FNPT Hex Bushing

SKU	DESCRIPTION
RBSS-20M12F	1-1/4 inch MNPT by 3/4 FNPT Hex Bushing
RBSS-20M16F	1-1/4 inch MNPT by 1 FNPT Hex Bushing
RBSS-24M4F	1-1/2 inch MNPT by 1/4 FNPT Hex Bushing
RBSS-24M6F	1-1/2 inch MNPT by 3/8 FNPT Hex Bushing
RBSS-24M8F	1-1/2 inch MNPT by 1/2 FNPT Hex Bushing
RBSS-24M12F	1-1/2 inch MNPT by 3/4 FNPT Hex Bushing
RBSS-24M16F	1-1/2 inch MNPT by 1 inch FNPT Hex Bushing
RBSS-24M20F	1-1/2 inch MNPT by 1-1/4 inch FNPT Hex Bushing
RBSS-32M8F	2 inch MNPT by 1/2 FNPT Hex Bushing
RBSS-32M12F	2 inch MNPT by 3/4 FNPT Hex Bushing
RBSS-32M16F	2 inch MNPT by 1 inch FNPT Hex Bushing
RBSS-32M20F	2 inch MNPT by 1-1/4 inch FNPT Hex Bushing
RBSS-32M24F	2 inch MNPT by 1-1/2 inch FNPT Hex Bushing
RBSS-40M16F	2-1/2 inch MNPT by 1 inch FNPT Hex Bushing
RBSS-40M20F	2-1/2 inch MNPT by 1-1/4 inch FNPT Hex Bushing
RBSS-40M24F	2-1/2 inch MNPT by 1-1/2 inch FNPT Hex Bushing
RBSS-40M32F	2-1/2 inch MNPT by 2 inch FNPT Hex Bushing
RBSS-48M16F	3 inch MNPT by 1 inch FNPT Hex Bushing
RBSS-48M20F	3 inch MNPT by 1-1/4 inch FNPT Hex Bushing
RBSS-48M24F	3 inch MNPT by 1-1/2 inch FNPT Hex Bushing
RBSS-48M32F	3 inch MNPT by 2 inch FNPT Hex Bushing 304 only
RBSS-48M40F	3 inch MNPT by 2-1/2 inch FNPT Hex Bushing



## HNS THREADED HEX NIPPLE (304 STAINLESS STEEL)

304 Stainless Steel hex Nipple with male NPT threads. Also available in 316 Stainless Steel.

SKU	DESCRIPTION
HNS-2M	1/8 MNPT 304 Stainless Steel Hex Nipple
HNS-4M	1/4 MNPT 304 Stainless Steel Hex Nipple
HNS-6M	3/8 MNPT 304 Stainless Steel Hex Nipple
HNS-8M	1/2 MNPT 304 Stainless Steel Hex Nipple
HNS-12M	3/4 MNPT 304 Stainless Steel Hex Nipple
HNS-16M	1 inch MNPT 304 Stainless Steel Hex Nipple
HNS-20M	1-1/4 inch MNPT 304 Stainless Steel Hex Nipple
HNS-24M	1-1/2 inch MNPT 304 Stainless Steel Hex Nipple
HNS-32M	2 inch MNPT 304 Stainless Steel Hex Nipple

## HCSS SERIES



Barstock Hex Socket Plug made of 304 or 316 Stainless Steel. It can be used with air, water, oil, natural gas or steam. The maximum pressure is 300 psi at 72° F or 150 psi at 366 ° F for steam.

SKU		DESCRIPTION
HCSS-1M	1/16 MNPT Socket Plug	
HCSS-2M	1/8 MNPT Socket Plug	
HCSS-4M	1/4 MNPT Socket Plug	
HCSS-6M	3/8 MNPT Socket Plug	
HCSS-8M	1/2 MNPT Socket Plug	



316 STAINLESS STEEL  
FITTINGS

316 STAINLESS STEEL

316 stainless steel is a popular choice for food safe applications due to its corrosion resistance.

SKHB SERIES



The SKHB Series is a cast 316 Stainless Steel adapter from male NPT threads to barb. The available MNPT thread sizes and barb sizes are: 1/4 inch, 3/8 inch, 1/2 inch, 3/4 inch, 1 inch, 1-1/4 inch, 1-1/2 inch, 2 inch, 2-1/2 inch, 3 inch, and 4 inch.

SKU	Description
SKHB-4M4B	1/4 MNPT by 1/4 Barb Cast 316 Stainless Steel Adapter
SKHB-6M6B	3/8 MNPT by 3/8 Barb Cast 316 Stainless Steel Adapter
SKHB-8M8B	1/2 MNPT by 1/2 Barb Cast 316 Stainless Steel Adapter
SKHB-12M12B	3/4 MNPT by 3/4 Barb Cast 316 Stainless Steel Adapter
SKHB-16M16B	1 inch MNPT by 1 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-20M20B	1-1/4 inch MNPT by 1-1/4 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-24M24B	1-1/2 inch MNPT by 1-1/2 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-32M32B	2 inch MNPT by 2 Inch Barb Cast 316 Stainless Steel Adapter

SKU	Description
SKHB-40M40B	2-1/2 inch MNPT by 2-1/2 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-48M48B	3 inch MNPT by 3 Inch Barb Cast 316 Stainless Steel Adapter

## SBHE SERIES



The SBHE Series is a 316 Stainless male NPT threads to barb 90° Elbow Adapter. Available MNPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, and 1/2 inch. Available barb sizes are 1/4 inch, 3/8 inch, and 1/2 inch.

SKU	Description
SBHE-2M4B	1/8 inch MNPT by 1/4 inch 316 Stainless Steel Barbed 90° Elbow
SBHE-4M4B	1/4 inch MNPT by 1/4 inch 316 Stainless Steel Barbed 90° Elbow
SBHE-4M6B	1/4 inch MNPT by 3/8 inch 316 Stainless Steel Barbed 90° Elbow
SBHE-6M6B	3/8 inch MNPT by 3/8 inch 316 Stainless Steel Barbed 90° Elbow
SBHE-8M8B	1/2 inch MNPT by 1/2 inch 316 Stainless Steel Barbed 90° Elbow

## LS-T & LS-TR SERIES



316 Stainless Steel Tee connector with equal and reducing barbs.

SKU	DESCRIPTION
LS-T-532B	5/32 Barb Tee 316 Stainless Steel
LS-T-3B	3/16 Barb Tee 316 Stainless Steel
LS-T-4B	1/4 Barb Tee 316 Stainless Steel
LS-T-5B	5/16 Barb Tee 316 Stainless Steel
LS-T-6B	3/8 Barb Tee 316 Stainless Steel
LS-T-8B	1/2 Barb Tee 316 Stainless Steel
LS-T-10B	5/8 Barb Tee 316 Stainless Steel
LS-T-12B	3/4 Barb Tee 316 Stainless Steel
LS-TR-6B5B	3/8 Barb by 5/16 Barb Reducing Tee 316 Stainless Steel
LS-TR-8B5B	1/2 Barb by 5/16 Barb Reducing Tee 316 Stainless Steel
LS-TR-10B5B	5/8 Barb by 5/16 Barb Reducing Tee 316 Stainless Steel


HCSS SERIES



Barstock Hex Socket Plug made of 304 or 316 Stainless Steel. It can be used with air, water, oil, natural gas or steam. The maximum pressure is 300 psi at 72° F or 150 psi at 366 ° F for steam.

SKU		DESCRIPTION
HCSS-1M		1/16 MNPT Socket Plug
HCSS-2M		1/8 MNPT Socket Plug
HCSS-4M		1/4 MNPT Socket Plug
HCSS-6M		3/8 MNPT Socket Plug
HCSS-8M		1/2 MNPT Socket Plug

FTRSS SERIES



316 Stainless Steel female run Tee with equal NPT threads.



316 STAINLESS ADAPTERS

SKB SERIES



The SKB Series are machined 316 Stainless Steel multi-barbed adapters. Comes in various combinations of sizes ranging from 1/8 inch to 3/4 inch. Some sizes are available in BSPT (listed). The maximum working pressure is 150 psi and the working temperature range is -40º F to 350º F.

SKU	Description
SKB-2M2B-316	1/8 inch MNPT by 1/8 inch Barbed 316 Stainless Steel Adapter
SKB-2M3B-316	1/8 inch MNPT by 3/16 inch Barbed 316 Stainless Steel Adapter
SKB-2M4B-316	1/8 inch MNPT by 1/4 inch Barbed 316 Stainless Steel Adapter (BSPT Available)
SKB-2M5B-316	1/8 inch MNPT by 5/16 inch Barbed 316 Stainless Steel Adapter
SKB-2M6B-316	1/8 inch MNPT by 3/8 inch Barbed 316 Stainless Steel Adapter
SKB-4M3B-316	1/4 inch MNPT by 1/8 inch Barbed 316 Stainless Steel Adapter
SKB-4M4B-316	1/4 inch MNPT by 1/4 inch Barbed 316 Stainless Steel Adapter (BSPT Available)
SKB-4M5B-316	1/4 inch MNPT by 5/16 inch Barbed 316 Stainless Steel Adapter
SKB-4M6B-316	1/4 inch MNPT by 3/8 inch Barbed 316 Stainless Steel Adapter (BSPT Available)
SKB-4M8B-316	1/4 inch MNPT by 1/2 inch Barbed 316 Stainless Steel Adapter



SKU	Description
SKB-6M4B-316	3/8 inch MNPT by 1/4 inch Barbed 316 Stainless Steel Adapter
SKB-6M5B-316	3/8 inch MNPT by 5/16 inch Barbed 316 Stainless Steel Adapter
SKB-6M6B-316	3/8 inch MNPT by 3/8 inch Barbed 316 Stainless Steel Adapter (BSPT Available)
SKB-6M8B-316	3/8 inch MNPT by 1/2 inch Barbed 316 Stainless Steel Adapter (BSPT Available)
SKB-6M10B-316	3/8 inch MNPT by 5/8 inch Barbed 316 Stainless Steel Adapter
SKB-8M6B-316	1/2 inch MNPT by 3/8 inch Barbed 316 Stainless Steel Adapter (BSPT Available)
SKB-8M8B-316	1/2 inch MNPT by 1/2 inch Barbed 316 Stainless Steel Adapter (BSPT Available)
SKB-8M10B-316	1/2 inch MNPT by 5/8 inch Barbed 316 Stainless Steel Adapter
SKB-8M12B-316	1/2 inch MNPT by 3/4 inch Barbed 316 Stainless Steel Adapter (BSPT Available)
SKB-12M8B-316	3/4 inch MNPT by 1/2 inch Barbed 316 Stainless Steel Adapter
SKB-12M10B-316	3/4 inch MNPT by 5/8 inch Barbed 316 Stainless Steel Adapter
SKB-12M12B-316	3/4 inch MNPT by 3/4 inch Barbed 316 Stainless Steel Adapter

# INDEX

## F

FTRSS SERIES 15

## H

HCSS Series 12, 15

HNS THREADED HEX NIPPLE (304 STAINLESS STEEL) 11

## L

LS-T & LS-TR Series 14

## R

RBSS 304 STAINLESS STEEL HEX BUSHING (316 ALSO AVAILABLE) 10

## S

SAMGM Series 4

SBE SERIES 10

SBE45 9

SBHE Series 14

SCHB THREADED BARB TO BARB ADAPTER (304 STAINLESS STEEL) 9

SKB Series 16

SKHB Series 13

SQSTE SERIES 3

SSBM Series 3

SSBT Series 2

SSCX SERIES 8

SSES Series 8

SSFX STAINLESS STEEL UNION CONNECTOR 7

SSRC SERIES 6

SST SERIES 6

SSTE 304 STAINLESS STEEL THREADED ELBOW 5