



# STAINLESS STEEL FITTINGS

## STAINLESS FITTINGS

Pneuline Supply offers several different stainless steel grades for many different applications. We offer 303, 304, and 316 stainless steel options.



## 303 STAINLESS STEEL

### 303 STAINLESS STEEL

Pneuline Supply offers several 303 stainless steel fitting options. We carry a wide selection of straight, 45 degree, and 90 degree fittings.



## MSSB SERIES

MSSB Series bulkhead range from 10-32 to 1/2 FNPT product selection is 303 Stainless Steel, 316 Stainless Steel, Aluminum, or Nickel Plated Brass. Can be used as a bushing as the external threads are UNF bolt threads. lock-nut and star-washer are included.

| SKU                | DESCRIPTION                                     |
|--------------------|-------------------------------------------------|
| MSSB-1032-303      | 10-32 UNF 303 Stainless Steel Bulkhead          |
| MSSB-2F-303        | 1/8-27 FNPT 303 Stainless Steel Bulkhead        |
| MSSB-4F-303        | 1/4-18 FNPT 303 Stainless Steel Bulkhead        |
| MSSB-6F-303        | 3/8-24 FNPT 303 Stainless Steel Bulkhead        |
| MSSB-8F-303        | 1/2-14 FNPT 303 Stainless Steel Bulkhead        |
| MSSB-2F-316        | 1/8-27 FNPT 316 Stainless Steel Bulkhead        |
| MSSB-4F-316        | 1/4-18 FNPT 316 Stainless Steel Bulkhead        |
| MSSB-6F-316        | 3/8-24 FNPT 316 Stainless Steel Bulkhead        |
| <b>MSSB-8F-316</b> | <b>1/2-14 FNPT 316 Stainless Steel Bulkhead</b> |

## SQSTE SERIES



The SQSTE Series is a 303 Stainless Steel male NPT to female NPT 90° Elbow.

| SKU          | DESCRIPTION                    |
|--------------|--------------------------------|
| SQSTE-1M1F   | 1/8 MNPT by 1/8 FNPT 90° Elbow |
| SQSTE-1M4F   | 1/8 MNPT by 1/4 FNPT 90° Elbow |
| SQSTE-4M1F   | 1/4 MNPT by 1/8 FNPT 90° Elbow |
| SQSTE-4M4F   | 1/4 MNPT by 1/4 FNPT 90° Elbow |
| SQSTE-6M4F   | 3/8 MNPT by 1/4 FNPT 90° Elbow |
| SQSTE-6M6F   | 3/8 MNPT by 3/8 FNPT 90° Elbow |
| SQSTE-8M6F   | 1/2 MNPT by 3/8 FNPT 90° Elbow |
| SQSTE-8M8F   | 1/2 MNPT by 1/2 FNPT 90° Elbow |
| SQSTE-12M12F | 3/4 MNPT by 3/4 FNPT 90° Elbow |



**SAMGM SERIES**

The SAMGM series is a Male Garden Hose by MNPT Adapter. It is machined 303 Stainless Steel and is available in 1/2 inch and 3/4 inch MNPT.

---

| SKU       | Description                          |
|-----------|--------------------------------------|
| SAMGM-12M | MGH by 3/4 NPT 316 Stainless Fitting |
| SAMGM-8M  | MGH by 1/2 NPT 316 Stainless Fitting |



**SSBT SERIES**

303 Stainless Steel barbed Tee connector for beverage service.

---

| SKU     | Description                                        |
|---------|----------------------------------------------------|
| SSBT-4B | 1/4 Barb by 1/4 Barb by 1/4 Barb 303 Stainless Tee |
| SSBT-6B | 3/8 Barb by 3/8 Barb by 3/8 Barb 303 Stainless Tee |



SSBM SERIES

The SSBM Series Multi-Barbed Hose Splicer Fitting is made of 303 Stainless Steel and is available in straight barb sizes of 1/4 inch and 3/8 inch. The available reducing barb size is 3/8 inch by 1/4 inch.

| SKU       | Description                                          |
|-----------|------------------------------------------------------|
| SSBM-4B4B | 1/4 Barb by 1/4 Barb Stainless Steel Splicer         |
| SSBM-6B6B | 3/8 Barb by 3/8 Barb Stainless Steel Splicer         |
| SSBM-6B4B | 3/8 Barb by 1/4 Barb Stainless Steel Splicer Reducer |



## 304 STAINLESS STEEL FITTINGS

### 304 STAINLESS STEEL

Pneuline Supply offers several 304 stainless steel fitting options. We carry a wide selection of straight, 45 degree, and 90 degree fittings.



## HCSS SERIES



HCSS Series is a Bar stock Hex Socket Plug made of 304 or 316 Stainless Steel. It can be used with air, water, oil, natural gas or steam. Also, the maximum pressure is 300 psi at 72° F or 150 psi at 366 ° F for steam.

---

| SKU     | DESCRIPTION           |
|---------|-----------------------|
| HCSS-1M | 1/16 MNPT Socket Plug |
| HCSS-2M | 1/8 MNPT Socket Plug  |
| HCSS-4M | 1/4 MNPT Socket Plug  |
| HCSS-6M | 3/8 MNPT Socket Plug  |
| HCSS-8M | 1/2 MNPT Socket Plug  |

## RBSS SERIES



The RBSS Series is a 304 Stainless Steel Hex Bushing.

---

| SKU         | DESCRIPTION                               |
|-------------|-------------------------------------------|
| RBSS-4M2F   | 1/4 MNPT by 1/8 FNPT Hex Bushing          |
| RBSS-6M2F   | 3/8 MNPT by 1/8 FNPT Hex Bushing          |
| RBSS-6M4F   | 3/8 MNPT by 1/4 FNPT Hex Bushing          |
| RBSS-8M2F   | 1/2 MNPT by 1/8 FNPT Hex Bushing 304 only |
| RBSS-8M4F   | 1/2 MNPT by 1/4 FNPT Hex Bushing          |
| RBSS-8M6F   | 1/2 MNPT by 3/8 FNPT Hex Bushing          |
| RBSS-12M2F  | 3/4 MNPT by 1/8 FNPT Hex Bushing          |
| RBSS-12M4F  | 3/4 MNPT by 1/4 FNPT Hex Bushing          |
| RBSS-12M6F  | 3/4 MNPT by 3/8 FNPT Hex Bushing          |
| RBSS-12M8F  | 3/4 MNPT by 1/2 FNPT Hex Bushing          |
| RBSS-16M4F  | 1 inch MNPT by 1/4 FNPT Hex Bushing       |
| RBSS-16M6F  | 1 inch MNPT by 3/8 FNPT Hex Bushing       |
| RBSS-16M8F  | 1 inch MNPT by 1/2 FNPT Hex Bushing       |
| RBSS-16M12F | 1 inch MNPT by 3/4 FNPT Hex Bushing       |
| RBSS-20M4F  | 1-1/4 inch MNPT by 1/4 FNPT Hex Bushing   |

| SKU         | DESCRIPTION                                     |
|-------------|-------------------------------------------------|
| RBSS-20M6F  | 1-1/4 inch MNPT by 3/8 FNPT Hex Bushing         |
| RBSS-20M8F  | 1-1/4 inch MNPT by 1/2 FNPT Hex Bushing         |
| RBSS-20M12F | 1-1/4 inch MNPT by 3/4 FNPT Hex Bushing         |
| RBSS-20M16F | 1-1/4 inch MNPT by 1 FNPT Hex Bushing           |
| RBSS-24M4F  | 1-1/2 inch MNPT by 1/4 FNPT Hex Bushing         |
| RBSS-24M6F  | 1-1/2 inch MNPT by 3/8 FNPT Hex Bushing         |
| RBSS-24M8F  | 1-1/2 inch MNPT by 1/2 FNPT Hex Bushing         |
| RBSS-24M12F | 1-1/2 inch MNPT by 3/4 FNPT Hex Bushing         |
| RBSS-24M16F | 1-1/2 inch MNPT by 1 inch FNPT Hex Bushing      |
| RBSS-24M20F | 1-1/2 inch MNPT by 1-1/4 inch FNPT Hex Bushing  |
| RBSS-32M8F  | 2 inch MNPT by 1/2 FNPT Hex Bushing             |
| RBSS-32M12F | 2 inch MNPT by 3/4 FNPT Hex Bushing             |
| RBSS-32M16F | 2 inch MNPT by 1 inch FNPT Hex Bushing          |
| RBSS-32M20F | 2 inch MNPT by 1-1/4 inch FNPT Hex Bushing      |
| RBSS-32M24F | 2 inch MNPT by 1-1/2 inch FNPT Hex Bushing      |
| RBSS-40M16F | 2-1/2 inch MNPT by 1 inch FNPT Hex Bushing      |
| RBSS-40M20F | 2-1/2 inch MNPT by 1-1/4 inch FNPT Hex Bushing  |
| RBSS-40M24F | 2-1/2 inch MNPT by 1-1/2 inch FNPT Hex Bushing  |
| RBSS-40M32F | 2-1/2 inch MNPT by 2 inch FNPT Hex Bushing      |
| RBSS-48M16F | 3 inch MNPT by 1 inch FNPT Hex Bushing          |
| RBSS-48M20F | 3 inch MNPT by 1-1/4 inch FNPT Hex Bushing      |
| RBSS-48M24F | 3 inch MNPT by 1-1/2 inch FNPT Hex Bushing      |
| RBSS-48M32F | 3 inch MNPT by 2 inch FNPT Hex Bushing 304 only |
| RBSS-48M40F | 3 inch MNPT by 2-1/2 inch FNPT Hex Bushing      |





## SSCX SERIES

SSCX Series is a Stainless Steel Cross with equal female NPT threads. It is available in both 304 and 316.

---

| SKU      | DESCRIPTION                    |
|----------|--------------------------------|
| SSCX-2F  | 1/8 inch Female Cross 304 only |
| SSCX-4F  | 1/4 inch Female Cross          |
| SSCX-6F  | 3/8 inch Female Cross          |
| SSCX-8F  | 1/2 inch Female Cross          |
| SSCX-12F | 3/4 inch Female Cross          |
| SSCX-16F | 1 inch Female Cross            |
| SSCX-20F | 1-1/4 inch Female Cross        |
| SSCX-24F | 1-1/2 inch Female Cross        |
| SSCX-32F | 2 inch Female Cross            |



## SST SERIES

The SST Series is a 304 and 316 Stainless Steel female Tee with equal NPT threads.

---

| SKU     | DESCRIPTION           |
|---------|-----------------------|
| SST-2F  | 1/8 Female Tee        |
| SST-4F  | 1/4 Female Tee        |
| SST-6F  | 3/8 Female Tee        |
| SST-8F  | 1/2 Female Tee        |
| SST-12F | 3/4 Female Tee        |
| SST-16F | 1 inch Female Tee     |
| SST-20F | 1-1/4 inch Female Tee |
| SST-24F | 1-1/2 inch Female Tee |
| SST-32F | 2 inch Female Tee     |



## SSFX SERIES

The SSFX Series is a Stainless Steel union with female NPT threads. It is available in both 304 and 316.

---

| SKU     | DESCRIPTION           |
|---------|-----------------------|
| SSFX-2  | 1/8 FNPT Union        |
| SSFX-4  | 1/4 FNPT Union        |
| SSFX-6  | 3/8 FNPT Union        |
| SSFX-8  | 1/2 FNPT Union        |
| SSFX-12 | 3/4 FNPT Union        |
| SSFX-16 | 1 inch FNPT Union     |
| SSFX-20 | 1-1/4 inch FNPT Union |
| SSFX-24 | 1-1/2 inch FNPT Union |
| SSFX-32 | 2 inch FNPT Union     |



## SBE45 SERIES

304 Stainless Steel 45° female NPT Elbow. Also available in 316 Stainless.

---

| SKU       | DESCRIPTION               |
|-----------|---------------------------|
| SBE45-2F  | 1/8 FNPT 45° Elbow        |
| SBE45-4F  | 1/4 FNPT 45° Elbow        |
| SBE45-6F  | 3/8 FNPT 45° Elbow        |
| SBE45-8F  | 1/2 FNPT 45° Elbow        |
| SBE45-12F | 3/4 FNPT 45° Elbow        |
| SBE45-16F | 1 inch FNPT 45° Elbow     |
| SBE45-20F | 1-1/4 inch FNPT 45° Elbow |
| SBE45-24F | 1-1/2 inch FNPT 45° Elbow |



## SSTE SERIES

The SSTE Series is a 304 Stainless Steel male NPT to female NPT 90° Street Elbow. Also available in 316 Stainless.

---

| SKU      | DESCRIPTION                       |
|----------|-----------------------------------|
| SSTE-2F  | 1/8 FNPT to MNPT 90° Elbow        |
| SSTE-4F  | 1/4 FNPT to MNPT 90° Elbow        |
| SSTE-6F  | 3/8 FNPT to MNPT 90° Elbow        |
| SSTE-8F  | 1/2 FNPT to MNPT 90° Elbow        |
| SSTE-12F | 3/4 FNPT to MNPT 90° Elbow        |
| SSTE-16F | 1 inch FNPT to MNPT 90° Elbow     |
| SSTE-20F | 1-1/4 inch FNPT to MNPT 90° Elbow |
| SSTE-24F | 1-1/2 inch FNPT to MNPT 90° Elbow |
| SSTE-32F | 2 inch FNPT to MNPT 90° Elbow     |



## SSRC SERIES

The SSRC Series is a 304 Stainless Steel NPT threaded connector and reducing connector. It is also available in 316 Stainless Steel.

---

| SKU       | DESCRIPTION                  |
|-----------|------------------------------|
| SSRC-8    | 1/2 FNPT Connector           |
| SSRC-12   | 3/4 FNPT Connector           |
| SSRC-16   | 1 inch FNPT Connector        |
| SSRC-24   | 1-1/2 inch FNPT Connector    |
| SSRC-32   | 2 inch FNPT Connector        |
| SSRC-4-2  | 1/4 FNPT by 1/8 FNPT Reducer |
| SSRC-6-2  | 3/8 FNPT by 1/8 FNPT Reducer |
| SSRC-6-4  | 3/8 FNPT by 1/4 FNPT Reducer |
| SSRC-8-2  | 1/2 FNPT by 1/8 FNPT Reducer |
| SSRC-8-4  | 1/2 FNPT by 1/4 FNPT Reducer |
| SSRC-8-6  | 1/2 FNPT by 3/8 FNPT Reducer |
| SSRC-12-2 | 3/4 FNPT by 1/8 FNPT Reducer |

| SKU        | DESCRIPTION                                |
|------------|--------------------------------------------|
| SSRC-12-4  | 3/4 FNPT by 1/4 FNPT Reducer               |
| SSRC-12-6  | 3/4 FNPT by 3/8 FNPT Reducer               |
| SSRC-12-8  | 3/4 FNPT by 1/2 FNPT Reducer               |
| SSRC-16-6  | 1 inch FNPT by 3/8 FNPT Reducer NA 304     |
| SSRC-16-8  | 1 inch FNPT by 1/2 FNPT Reducer            |
| SSRC-16-12 | 1 inch FNPT by 3/4 FNPT Reducer            |
| SSRC-20-12 | 1-1/4 inch FNPT by 3/4 FNPT Reducer        |
| SSRC-20-16 | 1-1/4 inch FNPT by 1 inch FNPT Reducer     |
| SSRC-24-8  | 1-1/2 inch FNPT by 1/2 FNPT Reducer        |
| SSRC-24-12 | 1-1/2 inch FNPT by 3/4 FNPT Reducer        |
| SSRC-24-16 | 1-1/2 inch FNPT by 1 inch FNPT Reducer     |
| SSRC-24-20 | 1-1/2 inch FNPT by 1-1/4 inch FNPT Reducer |
| SSRC-32-16 | 2 inch FNPT by 1 inch FNPT Reducer         |
| SSRC-32-20 | 2 inch FNPT by 1-1/4 inch FNPT Reducer     |
| SSRC-32-24 | 2 inch FNPT by 1-1/2 inch FNPT Reducer     |



## SBE SERIES

304 Stainless Steel 90° female NPT Elbow. Also available in 316 Stainless.

| SKU     | DESCRIPTION               |
|---------|---------------------------|
| SBE-2F  | 1/8 FNPT 90° Elbow        |
| SBE-4F  | 1/4 FNPT 90° Elbow        |
| SBE-6F  | 3/8 FNPT 90° Elbow        |
| SBE-8F  | 1/2 FNPT 90° Elbow        |
| SBE-12F | 3/4 FNPT 90° Elbow        |
| SBE-16F | 1 inch FNPT 90° Elbow     |
| SBE-20F | 1-1/4 inch FNPT 90° Elbow |
| SBE-24F | 1-1/2 inch FNPT 90° Elbow |
| SBE-32F | 2 inch FNPT 90° Elbow     |
| SBE-40F | 2-1/2 inch FNPT 90° Elbow |
| SBE-48F | 3 inch FNPT 90° Elbow     |



**HNS SERIES- HEX NIPPLE**

The 304 Stainless Steel Hex Nipple with male NPT threads is a versatile fitting known for its corrosion resistance and durability. It is also available in 316 Stainless Steel, which offers even greater corrosion resistance, This makes it an excellent choice for industries where exposure to corrosive substances is common.

| SKU     | DESCRIPTION                                    |
|---------|------------------------------------------------|
| HNS-2M  | 1/8 MNPT 304 Stainless Steel Hex Nipple        |
| HNS-4M  | 1/4 MNPT 304 Stainless Steel Hex Nipple        |
| HNS-6M  | 3/8 MNPT 304 Stainless Steel Hex Nipple        |
| HNS-8M  | 1/2 MNPT 304 Stainless Steel Hex Nipple        |
| HNS-12M | 3/4 MNPT 304 Stainless Steel Hex Nipple        |
| HNS-16M | 1 inch MNPT 304 Stainless Steel Hex Nipple     |
| HNS-20M | 1-1/4 inch MNPT 304 Stainless Steel Hex Nipple |
| HNS-24M | 1-1/2 inch MNPT 304 Stainless Steel Hex Nipple |
| HNS-32M | 2 inch MNPT 304 Stainless Steel Hex Nipple     |



**SCHB SERIES**

The SCHB Series is a cast 304 Stainless Steel Male NPT threads by barb adapter. Also available are barb to MNPT thread reducers. The available MNPT thread sizes are 1/4 inch, 3/8 inch, 1/2 inch, 1/8 inch, and 3/8 inch. The available barb sizes are 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch.

| SKU        | Description                                                       |
|------------|-------------------------------------------------------------------|
| SCHB-4M4B  | 1/4 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter |
| SCHB-6M6B  | 3/8 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter |
| SCHB-8M8B  | 1/2 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter |
| SCHB-2M4B  | 1/8 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter |
| SCHB-4B6B  | 1/4 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter |
| SCHB-6M8B  | 3/8 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter |
| SCHB-8M12B | 1/2 inch MNPT by 3/4 inch Cast 304 Stainless Steel Barbed Adapter |



**SSES SERIES**

The SSES Series are 304 Stainless Steel 90° elbow hose barb splicer fittings. These elbows are intended to be used with hose clamps or similar clamps. Working temperatures are from -40° F to +160° F. Maximum working pressure is 150 psi. Available in barb sizes of 1/4 inch and 3/8 inch.

---

| SKU       | Description                                        |
|-----------|----------------------------------------------------|
| SSES-4B4B | 1/4 Barb by 1/4 Barb 304 Stainless Steel 90° Elbow |
| SSES-6B6B | 3/8 Barb by 3/8 Barb 304 Stainless Steel 90° Elbow |



## 316 STAINLESS STEEL FITTINGS

### **316 STAINLESS STEEL**

316 stainless steel is a popular choice for food safe applications due to its corrosion resistance.





# 316 STAINLESS ADAPTERS

## 316 STAINLESS ADAPTERS



## SKB SERIES

The SKB Series are machined 316 Stainless Steel multi-barbed adapters. Comes in various combinations of sizes ranging from 1/8 inch to 3/4 inch. Some sizes are available in BSPT (listed). The maximum working pressure is 150 psi and the working temperature range is -40° F to 350° F.

| SKU            | Description                                                                      |
|----------------|----------------------------------------------------------------------------------|
| SKB-2M2B-316   | 1/8 inch MNPT by 1/8 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-2M3B-316   | 1/8 inch MNPT by 3/16 inch Barbed 316 Stainless Steel Adapter                    |
| SKB-2M4B-316   | 1/8 inch MNPT by 1/4 inch Barbed 316 Stainless Steel Adapter<br>(BSPT Available) |
| SKB-2M5B-316   | 1/8 inch MNPT by 5/16 inch Barbed 316 Stainless Steel Adapter                    |
| SKB-2M6B-316   | 1/8 inch MNPT by 3/8 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-4M3B-316   | 1/4 inch MNPT by 1/8 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-4M4B-316   | 1/4 inch MNPT by 1/4 inch Barbed 316 Stainless Steel Adapter<br>(BSPT Available) |
| SKB-4M5B-316   | 1/4 inch MNPT by 5/16 inch Barbed 316 Stainless Steel Adapter                    |
| SKB-4M6B-316   | 1/4 inch MNPT by 3/8 inch Barbed 316 Stainless Steel Adapter<br>(BSPT Available) |
| SKB-4M8B-316   | 1/4 inch MNPT by 1/2 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-6M4B-316   | 3/8 inch MNPT by 1/4 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-6M5B-316   | 3/8 inch MNPT by 5/16 inch Barbed 316 Stainless Steel Adapter                    |
| SKB-6M6B-316   | 3/8 inch MNPT by 3/8 inch Barbed 316 Stainless Steel Adapter<br>(BSPT Available) |
| SKB-6M8B-316   | 3/8 inch MNPT by 1/2 inch Barbed 316 Stainless Steel Adapter<br>(BSPT Available) |
| SKB-6M10B-316  | 3/8 inch MNPT by 5/8 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-8M6B-316   | 1/2 inch MNPT by 3/8 inch Barbed 316 Stainless Steel Adapter<br>(BSPT Available) |
| SKB-8M8B-316   | 1/2 inch MNPT by 1/2 inch Barbed 316 Stainless Steel Adapter<br>(BSPT Available) |
| SKB-8M10B-316  | 1/2 inch MNPT by 5/8 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-8M12B-316  | 1/2 inch MNPT by 3/4 inch Barbed 316 Stainless Steel Adapter<br>(BSPT Available) |
| SKB-12M8B-316  | 3/4 inch MNPT by 1/2 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-12M10B-316 | 3/4 inch MNPT by 5/8 inch Barbed 316 Stainless Steel Adapter                     |
| SKB-12M12B-316 | 3/4 inch MNPT by 3/4 inch Barbed 316 Stainless Steel Adapter                     |