

PLASTIC BARBED FITTINGS

Find the right orifice for the job, here at Pneuline Supply! Request a Quote Today!



PLASTIC SINGLE BARB



Y-U SERIES

The Y-U Series is an ultimate Wye tube fitting. This series has equal single barbs and is designed to work with a wide range of tubing types and sizes. It is available in Nylon or Polypropylene. Barb sizes are 3/8 inch, 1/2 inch, 3/4 inch, and 1 inch. These Wyes are used in medical and laboratory environments.

| SKU | Description |
|-------------|------------------------------------------------------------|
| Y-U-6B-NN | 3/8 inch Natural Nylon Single Barbed Wye Connector |
| Y-U-6B-NPP | 3/8 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-U-8B-NN | 1/2 inch Natural Nylon Single Barbed Wye Connector |
| Y-U-8B-NPP | 1/2 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-U-12B-NN | 3/4 inch Natural Nylon Single Barbed Wye Connector |
| Y-U-12B-NPP | 3/4 inch Natural Polypropylene Single Barbed Wye Connector |
| Y-U-16B-NN | 1 inch Natural Nylon Single Barbed Wye Connector |
| Y-U-16B-NPP | 1 inch Natural Polypropylene Single Barbed Wye Connector |

VC-TB SERIES



Single barb, triple-leg vacuum connector. It is made of natural Nylon and has 5 equal barbs of 3/16".

| SKU | DESCRIPTION |
|----------|---------------------------------------|
| VC-TB-3B | 3/16 Barb Triple Leg Vacuum Connector |



USTA SERIES - UNF BARB ADAPTER

Male UNF straight thread Adapter with 5/32" barbs. It is made of Acetal.

| SKU | DESCRIPTION |
|----------------|----------------------------------------|
| USTA-1220-POM | 1/2-20 UNF Thread by 5/32 Barb Acetal |
| USTA-3824-POM | 3/8-24 UNF Thread by 5/32 Barb Acetal |
| USTA-71624-POM | 7/16-24 UNF Thread by 5/32 Barb Acetal |
| USTA-91618-POM | 9/16-18 UNF Thread by 5/32 Barb Acetal |

T-W SERIES



The T-W Series is a precision, equal single barbed tee connector. These tees are made of White Nylon or Polypropylene. Barb sizes are: 1/16 inch, 3/32 inch, and 1/8 inch.

| SKU | Description |
|-------------|-----------------------------------------------------------------------|
| T-W-18NPP | 1/8 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-18-WN | 1/8 inch White Nylon Single Barbed Precision Tee Connector |
| T-W-1B-NPP | 1/16 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-1B-WN | 1/16 inch White Nylon Single Barbed Precision Tee Connector |
| T-W-332-NPP | 3/32 inch Natural Polypropylene Single Barbed Precision Tee Connector |
| T-W-332-WN | 3/32 inch White Nylon Single Barbed Precision Tee Connector |

GEN1 SERIES BARBED FITTINGS



GEN1 Series, manufactured by Pneuline, are single barbed plastic fittings without a parting line on the barb. Can be molded from Natural Nylon, White Nylon, Black Nylon, Glass-Filled Black Nylon, USP Class 6 PVDF, USP Class 6 Polypropylene, High Density Polyethylene, Acetal NSF 51/61, USP Class 6 Polycarbonate, and Radiation Stable Polycarbonate. Other materials and variations of style are available to comply to customer specifications and requirements. Available in Tees, Elbows and straight connections.

Some materials have specific characteristics such as:

- Black Nylon is UV resistant, making it good for outdoor use.
- Glass-Filled Nylon is stronger than regular nylon and doesn't absorb liquids, making
 it good for use where water is prevalent. Glass-Filled Nylon is also good for outdoor
 motor vehicles, such as motorcycles, boats, and cars.
- PVDF, Polypropylene, and Polycarbonate are all Class 6 USP and are good for medical and biopharmaceutical applications. These materials are bovine free and are nonleachable
- Acetal is NSF 51/61 listed and can be used for potable water and food applications.

The GEN1 Series is available in Elbow, Tee, and Straight configurations with barb sizes of 3/16 inch, 5/16 inch, 1/4 inch, 3/8 inch, and 1/2 inch. All configurations have a single barb with no parting line, giving it a leak-proof seal.

View our Flyer Here

| SKU | Description |
|-----------|-------------------------------------|
| GEN1-T-3B | 3/16 inch Single Barb Tee Connector |
| GEN1-T-4B | 1/4 inch Single Barb Tee Connector |
| GEN1-T-5B | 5/16 inch Single Barb Tee Connector |

| SKU | Description |
|-----------|------------------------------------------|
| GEN1-T-6B | 3/8 inch Single Barb Tee Connector |
| GEN1-T-8B | 1/2 inch Single Barb Tee Connector |
| GEN1-L-3B | 3/16 inch Single Barb Elbow Connector |
| GEN1-L-5B | 5/16 inch Single Barb Elbow Connector |
| GEN1-L-6B | 3/8 inch Single Barb Elbow Connector |
| GEN1-L-4B | 1/4 inch Single Barb Elbow Connector |
| GEN1-L-8B | 1/2 inch Single Barb Elbow Connector |
| GEN1-S-3B | 3/16 inch Single Barb Straight Connector |
| GEN1-S-5B | 5/16 inch Single Barb Straight Connector |
| GEN1-S-6B | 3/8 inch Single Barb Straight Connector |
| GEN1-S-4B | 1/4 inch Single Barb Straight Connector |
| GEN1-S-8B | 1/2 inch Single Barb Straight Connector |

Request A Quote Today!

AT-S SERIES



This Adapter Tee is available in black and white Nylon, black Polypropylene and PVDF. There are straight male 10-32 UNF threads, male 1/8" NPT threads and tapered 10-32 UNF threads. The barb sizes 1/16" 3/32", 1/8", 3/16", and 1/4".

| SKU | DESCRIPTION |
|--------------|---------------------------------------------|
| AT-S-101B | 10-32 Male UNF by 1/16 Barb Adapter Tee |
| AT-S-102B | 10-32 Male UNF by 1/8 Barb Adapter Tee |
| AT-S-10T1B | 10-32 Taper by 1/16 Adapter Tee |
| AT-S-10T2B | 10-32 Taper by 1/8 Barb Adapter Tee |
| AT-S-10T332B | 10-32 Taper by 3/32 Barb Adapter Tee |
| AT-S-102B | 10-32 Male UNF by 1/8 inch Barb Adapter Tee |
| AT-S-2M3B | 1/8 MNPT by 3/16 Barb Adapter Tee |

INDEX

| | _ |
|-----|---|
| | |
| - / | , |
| | |

AT-S Series 5

G

GEN1 Series Barbed Fittings 4

Т

T-W Series 4

U

USTA Series - UNF Barb Adapter 3

V

VC-TB Series 3

Y

Y-U Series 2