



304 STAINLESS STEEL FITTINGS

304 STAINLESS STEEL

Pneuline Supply offers several 304 stainless steel fitting options. We carry a wide selection of straight, 45 degree, and 90 degree fittings.

HCSS SERIES



HCSS Series is a Bar stock Hex Socket Plug made of 304 or 316 Stainless Steel. It can be used with air, water, oil, natural gas or steam. Also, the maximum pressure is 300 psi at 72° F or 150 psi at 366 ° F for steam.

SKU	DESCRIPTION
HCSS-1M	1/16 MNPT Socket Plug
HCSS-2M	1/8 MNPT Socket Plug
HCSS-4M	1/4 MNPT Socket Plug
HCSS-6M	3/8 MNPT Socket Plug
HCSS-8M	1/2 MNPT Socket Plug

RBSS SERIES



The RBSS Series is a 304 Stainless Steel Hex Bushing.

SKU	DESCRIPTION
RBSS-4M2F	1/4 MNPT by 1/8 FNPT Hex Bushing
RBSS-6M2F	3/8 MNPT by 1/8 FNPT Hex Bushing
RBSS-6M4F	3/8 MNPT by 1/4 FNPT Hex Bushing
RBSS-8M2F	1/2 MNPT by 1/8 FNPT Hex Bushing 304 only
RBSS-8M4F	1/2 MNPT by 1/4 FNPT Hex Bushing
RBSS-8M6F	1/2 MNPT by 3/8 FNPT Hex Bushing
RBSS-12M2F	3/4 MNPT by 1/8 FNPT Hex Bushing
RBSS-12M4F	3/4 MNPT by 1/4 FNPT Hex Bushing
RBSS-12M6F	3/4 MNPT by 3/8 FNPT Hex Bushing
RBSS-12M8F	3/4 MNPT by 1/2 FNPT Hex Bushing
RBSS-16M4F	1 inch MNPT by 1/4 FNPT Hex Bushing
RBSS-16M6F	1 inch MNPT by 3/8 FNPT Hex Bushing
RBSS-16M8F	1 inch MNPT by 1/2 FNPT Hex Bushing
RBSS-16M12F	1 inch MNPT by 3/4 FNPT Hex Bushing
RBSS-20M4F	1-1/4 inch MNPT by 1/4 FNPT Hex Bushing

SKU	DESCRIPTION
RBSS-20M6F	1-1/4 inch MNPT by 3/8 FNPT Hex Bushing
RBSS-20M8F	1-1/4 inch MNPT by 1/2 FNPT Hex Bushing
RBSS-20M12F	1-1/4 inch MNPT by 3/4 FNPT Hex Bushing
RBSS-20M16F	1-1/4 inch MNPT by 1 FNPT Hex Bushing
RBSS-24M4F	1-1/2 inch MNPT by 1/4 FNPT Hex Bushing
RBSS-24M6F	1-1/2 inch MNPT by 3/8 FNPT Hex Bushing
RBSS-24M8F	1-1/2 inch MNPT by 1/2 FNPT Hex Bushing
RBSS-24M12F	1-1/2 inch MNPT by 3/4 FNPT Hex Bushing
RBSS-24M16F	1-1/2 inch MNPT by 1 inch FNPT Hex Bushing
RBSS-24M20F	1-1/2 inch MNPT by 1-1/4 inch FNPT Hex Bushing
RBSS-32M8F	2 inch MNPT by 1/2 FNPT Hex Bushing
RBSS-32M12F	2 inch MNPT by 3/4 FNPT Hex Bushing
RBSS-32M16F	2 inch MNPT by 1 inch FNPT Hex Bushing
RBSS-32M20F	2 inch MNPT by 1-1/4 inch FNPT Hex Bushing
RBSS-32M24F	2 inch MNPT by 1-1/2 inch FNPT Hex Bushing
RBSS-40M16F	2-1/2 inch MNPT by 1 inch FNPT Hex Bushing
RBSS-40M20F	2-1/2 inch MNPT by 1-1/4 inch FNPT Hex Bushing
RBSS-40M24F	2-1/2 inch MNPT by 1-1/2 inch FNPT Hex Bushing
RBSS-40M32F	2-1/2 inch MNPT by 2 inch FNPT Hex Bushing
RBSS-48M16F	3 inch MNPT by 1 inch FNPT Hex Bushing
RBSS-48M20F	3 inch MNPT by 1-1/4 inch FNPT Hex Bushing
RBSS-48M24F	3 inch MNPT by 1-1/2 inch FNPT Hex Bushing
RBSS-48M32F	3 inch MNPT by 2 inch FNPT Hex Bushing 304 only
RBSS-48M40F	3 inch MNPT by 2-1/2 inch FNPT Hex Bushing



SSCX SERIES

SSCX Series is a Stainless Steel Cross with equal female NPT threads. It is available in both 304 and 316.

SKU	DESCRIPTION
SSCX-2F	1/8 inch Female Cross 304 only
SSCX-4F	1/4 inch Female Cross
SSCX-6F	3/8 inch Female Cross
SSCX-8F	1/2 inch Female Cross
SSCX-12F	3/4 inch Female Cross
SSCX-16F	1 inch Female Cross

SKU	DESCRIPTION
SSCX-20F	1-1/4 inch Female Cross
SSCX-24F	1-1/2 inch Female Cross
SSCX-32F	2 inch Female Cross



SST SERIES

The SST Series is a 304 and 316 Stainless Steel female Tee with equal NPT threads.

SKU	DESCRIPTION
SST-2F	1/8 Female Tee
SST-4F	1/4 Female Tee
SST-6F	3/8 Female Tee
SST-8F	1/2 Female Tee
SST-12F	3/4 Female Tee
SST-16F	1 inch Female Tee
SST-20F	1-1/4 inch Female Tee
SST-24F	1-1/2 inch Female Tee
SST-32F	2 inch Female Tee

SSFX SERIES

The SSFX Series is a Stainless Steel union with female NPT threads. It is available in both 304 and 316.



SKU	DESCRIPTION
SSFX-2	1/8 FNPT Union
SSFX-4	1/4 FNPT Union
SSFX-6	3/8 FNPT Union
SSFX-8	1/2 FNPT Union
SSFX-12	3/4 FNPT Union
SSFX-16	1 inch FNPT Union

SKU	DESCRIPTION
SSFx-20	1-1/4 inch FNPT Union
SSFx-24	1-1/2 inch FNPT Union
SSFx-32	2 inch FNPT Union



SBE45 SERIES

304 Stainless Steel 45° female NPT Elbow. Also available in 316 Stainless.

SKU	DESCRIPTION
SBE45-2F	1/8 FNPT 45° Elbow
SBE45-4F	1/4 FNPT 45° Elbow
SBE45-6F	3/8 FNPT 45° Elbow
SBE45-8F	1/2 FNPT 45° Elbow
SBE45-12F	3/4 FNPT 45° Elbow
SBE45-16F	1 inch FNPT 45° Elbow
SBE45-20F	1-1/4 inch FNPT 45° Elbow
SBE45-24F	1-1/2 inch FNPT 45° Elbow

SSTE SERIES



The SSTE Series is a 304 Stainless Steel male NPT to female NPT 90° Street Elbow. Also available in 316 Stainless.

SKU	DESCRIPTION
SSTE-2F	1/8 FNPT to MNPT 90° Elbow
SSTE-4F	1/4 FNPT to MNPT 90° Elbow
SSTE-6F	3/8 FNPT to MNPT 90° Elbow
SSTE-8F	1/2 FNPT to MNPT 90° Elbow
SSTE-12F	3/4 FNPT to MNPT 90° Elbow
SSTE-16F	1 inch FNPT to MNPT 90° Elbow
SSTE-20F	1-1/4 inch FNPT to MNPT 90° Elbow
SSTE-24F	1-1/2 inch FNPT to MNPT 90° Elbow
SSTE-32F	2 inch FNPT to MNPT 90° Elbow

SSRC SERIES



The SSRC Series is a 304 Stainless Steel NPT threaded connector and reducing connector. It is also available in 316 Stainless Steel.

SKU	DESCRIPTION
SSRC-8	1/2 FNPT Connector
SSRC-12	3/4 FNPT Connector
SSRC-16	1 inch FNPT Connector
SSRC-24	1-1/2 inch FNPT Connector
SSRC-32	2 inch FNPT Connector
SSRC-4-2	1/4 FNPT by 1/8 FNPT Reducer
SSRC-6-2	3/8 FNPT by 1/8 FNPT Reducer
SSRC-6-4	3/8 FNPT by 1/4 FNPT Reducer
SSRC-8-2	1/2 FNPT by 1/8 FNPT Reducer
SSRC-8-4	1/2 FNPT by 1/4 FNPT Reducer
SSRC-8-6	1/2 FNPT by 3/8 FNPT Reducer
SSRC-12-2	3/4 FNPT by 1/8 FNPT Reducer

SKU	DESCRIPTION
SSRC-12-4	3/4 FNPT by 1/4 FNPT Reducer
SSRC-12-6	3/4 FNPT by 3/8 FNPT Reducer
SSRC-12-8	3/4 FNPT by 1/2 FNPT Reducer
SSRC-16-6	1 inch FNPT by 3/8 FNPT Reducer NA 304
SSRC-16-8	1 inch FNPT by 1/2 FNPT Reducer
SSRC-16-12	1 inch FNPT by 3/4 FNPT Reducer
SSRC-20-12	1-1/4 inch FNPT by 3/4 FNPT Reducer
SSRC-20-16	1-1/4 inch FNPT by 1 inch FNPT Reducer
SSRC-24-8	1-1/2 inch FNPT by 1/2 FNPT Reducer
SSRC-24-12	1-1/2 inch FNPT by 3/4 FNPT Reducer
SSRC-24-16	1-1/2 inch FNPT by 1 inch FNPT Reducer
SSRC-24-20	1-1/2 inch FNPT by 1-1/4 inch FNPT Reducer
SSRC-32-16	2 inch FNPT by 1 inch FNPT Reducer
SSRC-32-20	2 inch FNPT by 1-1/4 inch FNPT Reducer
SSRC-32-24	2 inch FNPT by 1-1/2 inch FNPT Reducer



SBE SERIES

304 Stainless Steel 90° female NPT Elbow. Also available in 316 Stainless.

SKU	DESCRIPTION
SBE-2F	1/8 FNPT 90° Elbow
SBE-4F	1/4 FNPT 90° Elbow
SBE-6F	3/8 FNPT 90° Elbow
SBE-8F	1/2 FNPT 90° Elbow
SBE-12F	3/4 FNPT 90° Elbow
SBE-16F	1 inch FNPT 90° Elbow
SBE-20F	1-1/4 inch FNPT 90° Elbow
SBE-24F	1-1/2 inch FNPT 90° Elbow
SBE-32F	2 inch FNPT 90° Elbow
SBE-40F	2-1/2 inch FNPT 90° Elbow
SBE-48F	3 inch FNPT 90° Elbow



HNS SERIES- HEX NIPPLE

The 304 Stainless Steel Hex Nipple with male NPT threads is a versatile fitting known for its corrosion resistance and durability. It is also available in 316 Stainless Steel, which offers even greater corrosion resistance, This makes it an excellent choice for industries where exposure to corrosive substances is common.

SKU	DESCRIPTION
HNS-2M	1/8 MNPT 304 Stainless Steel Hex Nipple
HNS-4M	1/4 MNPT 304 Stainless Steel Hex Nipple
HNS-6M	3/8 MNPT 304 Stainless Steel Hex Nipple
HNS-8M	1/2 MNPT 304 Stainless Steel Hex Nipple
HNS-12M	3/4 MNPT 304 Stainless Steel Hex Nipple
HNS-16M	1 inch MNPT 304 Stainless Steel Hex Nipple
HNS-20M	1-1/4 inch MNPT 304 Stainless Steel Hex Nipple
HNS-24M	1-1/2 inch MNPT 304 Stainless Steel Hex Nipple
HNS-32M	2 inch MNPT 304 Stainless Steel Hex Nipple



SCHB SERIES

The SCHB Series is a cast 304 Stainless Steel Male NPT threads by barb adapter. Also available are barb to MNPT thread reducers. The available MNPT thread sizes are 1/4 inch, 3/8 inch, 1/2 inch, 1/8 inch, and 3/8 inch. The available barb sizes are 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch.

SKU	Description
SCHB-4M4B	1/4 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M6B	3/8 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M8B	1/2 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-2M4B	1/8 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-4B6B	1/4 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M8B	3/8 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M12B	1/2 inch MNPT by 3/4 inch Cast 304 Stainless Steel Barbed Adapter



SSES SERIES

The SSES Series are 304 Stainless Steel 90° elbow hose barb splicer fittings. These elbows are intended to be used with hose clamps or similar clamps. Working temperatures are from -40° F to +160° F. Maximum working pressure is 150 psi. Available in barb sizes of 1/4 inch and 3/8 inch.

SKU	Description
SSES-4B4B	1/4 Barb by 1/4 Barb 304 Stainless Steel 90° Elbow
SSES-6B6B	3/8 Barb by 3/8 Barb 304 Stainless Steel 90° Elbow