BARB



SSBM SERIES

The SSBM Series Multi-Barbed Hose Splicer Fitting is made of 303 Stainless Steel and is available in straight barb sizes of 1/4 inch and 3/8 inch. The available reducing barb size is 3/8 inch by 1/4 inch.

SKU	Description
SSBM-4B4B	1/4 Barb by 1/4 Barb Stainless Steel Splicer
SSBM-6B6B	3/8 Barb by 3/8 Barb Stainless Steel Splicer
SSBM-6B4B	3/8 Barb by 1/4 Barb Stainless Steel Splicer Reducer

SMRI BARB BRASS COUPLER INSERT



The SMRI Series Barbed Nickel-Plated Brass Quick Connect Plugs resist corrosion, have a maximum input pressure of 500 psi, temperature range of -4° F to 210° F, and are designed to fit with the <u>SMRC Series</u> Quick Coupler bodies.

SKU	Description
SMRI-3B	3/16 inch Barbed Brass Plug
SMRI-532B	5/32 inch Barbed Brass Plug
SMRI-1032F	10-32 inch Female Brass Plug
SMRI-1032M	10-32 inch Male Brass Plug
SMRI-18B	1/8 inch Barbed Brass Plug



SCHB THREADED BARB TO BARB ADAPTER (304 STAINLESS STEEL)

The SCHB Series is a cast 304 Stainless Steel Male NPT threads by barb adapter. Also available are barb to MNPT thread reducers. The available MNPT thread sizes are 1/4 inch, 3/8 inch, 1/2 inch, 1/8 inch, and 3/8 inch. The available barb sizes are 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch.

SKU	Description
SCHB-4M4B	1/4 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M6B	3/8 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M8B	1/2 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-2M4B	1/8 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-4B6B	1/4 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M8B	3/8 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M12B	1/2 inch MNPT by 3/4 inch Cast 304 Stainless Steel Barbed Adapter

MT SERIES

The MT Series are Brass male Tee adapters with bite-style barbs. Available male NPT thread sizes range from 1/16 inch to 1/4 inch and the available barb sizes range from 1/16 inch to 1/2 inch.

SKU	Description
MT-1M078B	1/16 inch MNPT by .078 inch Barb Adapter Tee
MT-1M170B	1/16 inch MNPT by .170 Barb Adapter Tee
MT-1M1B	1/16 inch MNPT by 1/16 inch Barb Adapter Tee
MT-1M2B	1/16 inch MNPT by 1/8 inch Barb Adapter Tee
MT-1M332B	1/16 inch MNPT by 3/32 inch Barb Adapter Tee
MT-1M3B	1/16 inch MNPT by to 3/16 inch Barb Adapter Tee
MT-1M564B	1/16 inch MNPT by 5/64 inch Barb Adapter Tee
MT-1M732B	1/16 inch MNPT by 7/32 inch Barb Adapter Tee
MT-2M078B	1/8 inch MNPT by .078 inch Barb Adapter Tee
MT-2M078B-120	1/8 inch MNPT by .078 inch Barb 120° Adapter Tee
MT-2M078B-60	1/8 inch MNPT by .078 inch Barb 60 Degree Adapter Tee
MT-2M170B	1/8 inch MNPT by .170 inch Barb Adapter Tee
MT-2M1B	1/8 inch MNPT by 1/16 inch Barb Adapter Tee
MT-2M1B-60	1/8 inch MNPT by 1/16 inch Barb 60 Degree Adapter Tee
MT-2M2B	1/8 inch MNPT by 1/8 inch Barb Adapter Tee
MT-2M332B	1/8 inch MNPT by 3/32 inch Barb Adapter Tee



SKU	Description
MT-2M3B	1/8 inch MNPT by 3/16 inch Barb Adapter Tee
MT-2M564B	1/8 inch MNPT by 5/64 inch Barb Adapter Tee
MT-2M5B	1/8 inch MNPT by 5/16 inch Barb Adapter Tee
MT-2M6B	1/8 inch MNPT by 3/8 inch Barb Adapter Tee
MT-4M078B	1/4 inch MNPT by .078 inch Barb Adapter Tee
MT-4M170B	1/4 inch MNPT by 7/32 inch Barb Adapter Tee
MT-4M1B	1/4 inch MNPT by 1/16 inch Barb Adapter Tee
MT-4M2B	1/4 inch MNPT by 1/8 inch Barb Adapter Tee
MT-4M2B-60	1/4 inch MNPT by 1/8 inch Barb 60 Degree Adapter Tee
MT-4M332B	1/4 inch MNPT by 3/32 inch Barb Adapter Tee
MT-4M3B	1/4 inch MNPT by 3/16 inch Barb Adapter Tee
MT-4M4B	1/4 inch MNPT by 1/4 inch Barb Adapter Tee
MT-4M532B	1/4 inch MNPT by 5/32 inch Barb Adapter Tee
MT-4M564B	1/4 inch MNPT by 5/64 inch Barb Adapter Tee
MT-4M6B	1/4 inch MNPT by 3/8 inch Barb Adapter Tee
MT-4M732B	1/4 inch MNPT by 7/32 inch Barb Adapter Tee
MT-4M732B-90	1/4 inch MNPT by 7/32 inch Barb 90 Degree Adapter Tee

ME & MA SERIES

ME Series Brass male Elbow adapters with bite-style barbs ranging from 1/16 inch to 1/2 inch in 90° and 45° angles.

SKU	Description
ME-10MM516B	10 by 1 MM by 5/16 inch Barb Brass Elbow Brass
ME-1M078B	1/16 inch Male Brass Elbow by .078 Barb
ME-1M170B	1/16 inch Male Brass Elbow by .170 Barb
ME-1M1B	1/16 inch Male Brass Elbow by 1/16 inch Barb
ME-1M2B	1/16 inch Male Brass Elbow by 1/8 inch Barb
ME-1M332B	1/16 inch Male Brass Elbow to 3/32 inch Barb
ME-1M3B	1/16 inch Male Brass Elbow by 3/16 inch Barb
ME-1M4B	1/16 inch Male Brass Elbow by 1/4 inch Barb
ME-1M532B	1/16 inch Male Brass Elbow by 5/32 inch Barb
ME-1M564B	1/16 inch Male Brass Elbow by 5/64 inch Barb
ME-1M5B	1/16 inch Male Brass Elbow by 5/16 inch Barb
ME-1M6B	1/16 inch Male Brass Elbow by 3/8 inch Barb
ME-1M732B	1/16 inch Male Brass Elbow by 7/32 inch Barb
ME-2M078B	1/8 inch Male Brass Elbow by .078 Barb



SKU	Description
ME-2M170B	1/8 inch Male Brass Elbow to .170 Barb
ME-2M1B	1/8 inch Male Brass Elbow by 1/16 inch Barb
ME-2M2B	1/8 inch Male Brass Elbow by 1/8 inch Barb
ME-2M2B-Short	1/8 inch Male Brass Elbow by 1/8 inch Barb Short Threads
ME-2M332B	1/8 inch Male Brass Elbow by 3/32 inch Barb
ME-2M3B	1/8 inch Male Brass Elbow to 3/16 inch Barb
ME-2M4B	1/8 inch Male Brass Elbow by 1/4 inch Barb
ME-2M4BSH	1/8 inch Male Brass Elbow to 1/4 inch Barb Short
ME-2M532B	1/8 inch Male Brass Elbow by 5/32 inch Barb
ME-2M564B	1/8 inch Male Brass Elbow by 5/64 inch Barb
ME-2M5B	1/8 inch Male Brass Elbow to 5/16 inch Barb
ME-2M6B	1/8 inch Male Brass Elbow to 3/8 inch Barb
ME-2M732B	1/8 inch Male Brass Elbow by 7/32 inch Barb
ME3-078B	M3 Metric Brass Elbow .078
ME3-1B	M3 Metric Brass Elbow 1/16 inch
ME3-2B	M3 Metric Brass Elbow 1/8 inch
ME3-332B	M3 Metric Brass Elbow 3/32 inch
ME-4M078B	1/4 inch Male Brass Elbow to .078 Barb
ME-4M170B	1/4 inch Male Brass Elbow to .170 Barb
ME-4M1B	1/4 inch Male Brass Elbow to 1/16 inch Barb
ME-4M2B	1/4 inch Male Brass Elbow to 1/8 inch Barb
ME-4M2B-Short	1/4 inch Male Brass Elbow to 1/8 inch Barb Short Threads
ME-4M2B-SW	1/4 inch Male Brass Elbow to 1/8 inch Barb Swivel
ME-4M332B	1/4 inch Male Brass Elbow to 3/32 inch Barb
ME-4M3B	1/4 inch Male Brass Elbow to 3/16 inch Barb
ME-4M4B	1/4 inch Male Brass Elbow to 1/4 inch Barb
ME-4M532B	1/4 inch Male Brass Elbow by 5/32 inch Barb
ME-4M564B	1/4 inch Male Brass Elbow by 5/64 inch Barb
ME-4M5B	1/4 inch Male Brass Elbow to 5/16 inch Barb
ME-4M6B	1/4 inch Male Brass Elbow to 3/8 inch Barb
ME-4M732B	1/4 inch Male Brass Elbow by 7/32 inch Barb
ME-4M8B	1/4 inch Male Brass Elbow to 1/2 inch Barb
ME-6M170B	3/8 inch Male Brass Elbow by .170 Barb
ME-6M1B	3/8 inch Male Brass Elbow by 1/16 inch Barb
ME-6M2B	3/8 inch Male Brass Elbow by 1/8 inch Barb
ME-6M2B-SH	3/8 inch Male Brass Elbow to 1/8 inch Barb Short
ME-6M332B	3/8 inch Male Brass Elbow by 3/32 inch Barb
ME-6M3B	3/8 inch Male Brass Elbow by 3/16 inch Barb
ME-6M4B	3/8 inch Male Brass Elbow by 1/4 inch Barb
ME-6M532B	3/8 inch Male Brass Elbow by 5/32 inch Barb

SKU	Description
ME-6M564B	3/8 inch Male Brass Elbow by 5/64 inch Barb
ME-6M5B	3/8 inch Male Brass Elbow by 5/16 inch Barb
ME-6M6B	3/8 inch Male Brass Elbow by 3/8 inch Barb
ME-6M732B	3/8 inch Male Brass Elbow by 7/32 inch Barb
ME-8M170B	1/2 inch Male Brass Elbow by .170 Barb
ME-8M1B	1/2 inch Male Brass Elbow by 1/16 inch Barb
ME-8M2B	1/2 inch Male Brass Elbow by 1/8 inch Barb
ME-8M332B	1/2 inch Male Brass Elbow by 3/32 inch Barb
ME-8M3B	1/2 inch Male Brass Elbow by 3/16 inch Barb
ME-8M4B	1/2 inch Male Brass Elbow by 1/4 inch Barb
ME-8M532B	1/2 inch Male Brass Elbow by 5/32 inch Barb
ME-8M564B	1/2 inch Male Brass Elbow by 5/64 inch Barb
ME-8M5B	1/2 inch Male Brass Elbow by 5/16 inch Barb
ME-8M6B	1/2 inch Male Brass Elbow by 3/8 inch Barb
ME-8M732B	1/2 inch Male Brass Elbow by 7/32 inch Barb
ME45-10M1B	10-32 by 1/16 inch Barb 45° Brass Elbow
ME45-10M332B	10-32 by 3/32 inch Barb 45° Brass Elbow
ME45-10M564B	10-32 by 5/64 inch Barb 45° Brass Elbow
ME45-14M170B	1/4-28 by .170 Barb 45° Brass Elbow
ME45-14M1B	1/4-28 by 1/16 inch Barb 45° Brass Elbow
ME45-14M2B	1/4-28 by 1/8 inch Barb 45° Brass Elbow
ME45-14M332B	1/4-28 by 3/32 inch Barb 45° Brass Elbow
ME45-14M3B	1/4-28 by 3/16 inch Barb 45° Brass Elbow
ME45-14M4B	1/4-28 by 1/4 inch Barb 45° Brass Elbow
ME45-14M532B	1/4-28 by 5/32 inch Barb 45° Brass Elbow
ME45-14M564B	1/4-28 by 5/64 inch Barb 45° Brass Elbow
ME45-14M732B	1/4-28 by 7/32 inch Barb 45° Brass Elbow
ME45-1M170B	1/16 inch by .170 Barb 45° Brass Elbow
ME45-1M1B	1/16 inch by 1/16 inch Barb 45° Brass Elbow
ME45-1M2B	1/16 inch by 1/8 inch Barb 45° Brass Elbow
ME45-1M332B	1/16 inch by 3/32 inch Barb 45° Brass Elbow
ME45-1M3B	1/16 inch by 3/16 inch Barb 45° Brass Elbow
ME45-1M4B	1/16 inch by 1/4 inch Barb 45° Brass Elbow
ME45-1M532B	1/16 inch by 5/32 inch Barb 45° Brass Elbow
ME45-1M564B	1/16 inch by 5/64 inch Barb 45° Brass Elbow
ME45-1M732B	1/16 inch by 7/32 inch Barb 45° Brass Elbow
ME45-2M170B	1/8 inch by .170 Barb 45° Brass Elbow
ME45-2M1B	1/8 inch by 1/16 inch Barb 45° Brass Elbow
ME45-2M2B	1/8 inch by 1/8 inch Barb 45° Brass Elbow
ME45-2M332B	1/8 inch by 3/32 inch Barb 45° Brass Elbow

SKU	Description
ME45-2M3B	1/8 inch by 3/16 inch Barb 45° Brass Elbow
ME45-2M4B	1/8 inch by 1/4 inch Barb 45° Brass Elbow
ME45-2M532B	1/8 inch by 5/32 inch Barb 45° Brass Elbow
ME45-2M564B	1/8 inch by 5/64 inch Barb 45° Brass Elbow
ME45-2M5B	1/8 inch by 5/16 inch Barb 45° Brass Elbow
ME45-2M6B	1/8 inch by 3/8 inch Barb 45° Brass Elbow
ME45-2M732B	1/8 inch by 7/32 inch Barb 45° Brass Elbow
ME45-2M8B	1/8 inch by 1/2 inch Barb 45° Brass Elbow
ME45-4M170B	1/4 inch by .170 Barb 45° Brass Elbow
ME45-4M1B	1/4 inch by 1/16 inch Barb 45° Brass Elbow
ME45-4M2B	1/4 inch by 1/8 inch Barb 45° Brass Elbow
ME45-4M332B	1/4 inch by 3/32 inch Barb 45° Brass Elbow
ME45-4M3B	1/4 inch by 3/16 inch Barb 45° Brass Elbow
ME45-4M4B	1/4 inch by 1/4 inch Barb 45° Brass Elbow
ME45-4M532B	1/4 inch by 5/32 inch Barb 45° Brass Elbow
ME45-4M564B	1/4 inch by 5/64 inch Barb 45° Brass Elbow
ME45-4M5B	1/4 inch by 5/16 inch Barb 45° Brass Elbow
ME45-4M6B	1/4 inch by 3/8 inch Barb 45° Brass Elbow
ME45-4M732B	1/4 inch by 7/32 inch Barb 45° Brass Elbow
ME45-4M8B	1/4 inch by 1/2 inch Barb 45° Brass Elbow
ME45-6M170B	3/8 inch by .170 Barb 45° Brass Elbow
ME45-6M1B	3/8 inch by 1/16 inch Barb 45° Brass Elbow
ME45-6M2B	3/8 inch by 1/8 inch Barb 45° Brass Elbow
ME45-6M332B	3/8 inch by 3/32 inch Barb 45° Brass Elbow
ME45-6M3B	3/8 inch by 3/16 inch Barb 45° Brass Elbow
ME45-6M4B	3/8 inch by 1/4 inch Barb 45° Brass Elbow
ME45-6M532B	3/8 inch by 5/32 inch Barb 45° Brass Elbow
ME45-6M564B	3/8 inch by 5/64 inch Barb 45° Brass Elbow
ME45-6M5B	3/8 inch by 5/16 inch Barb 45° Brass Elbow
ME45-6M6B	3/8 inch by 3/8 inch Barb 45° Brass Elbow
ME45-6M732B	3/8 inch by 7/32 inch Barb 45° Brass Elbow
ME45-6M8B	3/8 inch by 1/2 inch Barb 45° Brass Elbow



MAT SERIES

MAT Series are Brass male Tee adapters with bite-style barb sizes ranging from 1/16 inch to 1/4 inch. Any different barb size can fit on any different hex.

SKU	Description
MAT-2M078B	1/8 inch MNPT by .078 inch Barb Brass Tee Adapter
MAT-2M1B	1/8 inch MNPT by 1/16 inch Barb Brass Tee Adapter
MAT-2M2B	1/8 inch MNPT by 1/8 inch Barb Brass Tee Adapter
MAT-2M332B	1/8 inch MNPT by 3/32 inch Barb Brass Tee Adapter
MAT-2M3B	1/8 inch MNPT by 3/16 inch Barb Brass Tee Adapter
MAT-2M564B	1/8 inch MNPT by 5/64 inch Barb Brass Tee Adapter
MAT-4M078B	1/4 inch MNPT by .078 inch Barb Brass Tee Adapter
MAT-4M1B	1/4 inch MNPT by 1/16 inch Barb Brass Tee Adapter
MAT-4M1B2B2B	1/4 inch MNPT by 1/16 inch by 1/8 inch by 1/8 inch Barb Brass Tee Adapter
MAT-4M2B	1/4 inch MNPT by 1/8 inch Barb Brass Tee Adapter
MAT-4M332B	1/4 inch MNPT by 3/32 inch Barb Brass Tee Adapter
MAT-4M3B	1/4 inch MNPT by 3/16 inch Barb Brass Tee Adapter
MAT-4M532B	1/4 inch MNPT by 5/32 inch Barb Brass Tee Adapter
MAT-4M564B	1/4 inch MNPT by 5/64 inch Barb Brass Tee Adapter
MAT-4M732B	1/4 inch MNPT by 7/32 inch Barb Brass Tee Adapter



MAE SERIES

MAE Series Brass Male Elbow Adapters Barb sizes ranging from 1/16 inch to 1/4 inch.

SKU	Description
MAE-1M1B	1/16 inch MNPT by 1/16 inch Barbed Adapter
MAE-1M2B	1/16 inch MNPT by 1/8 inch Barbed Adapter
MAE-1M3B	1/16 inch MNPT by 3/16 inch Barbed Adapter
MAE-1M564B	1/16 inch MNPT by 5/64 inch Barbed Adapter
MAE-2M1B	1/8 inch MNPT by 1/16 inch Barbed Adapter
MAE-2M2B	1/8 inch MNPT by 1/8 inch Barbed Adapter
MAE-2M2B-N	1/8 inch MNPT by 1/8 inch Barbed Adapter
MAE-2M3B	1/8 inch MNPT by 3/16 inch Barbed Adapter
MAE-2M4B-2B	1/8 inch MNPT by 1/4 inch Barb by 1/8 inch Barbed Adapter
MAE-2M4B-2B-NP	1/8 inch MNPT by 1/4 inch Barb by 1/8 inch Barbed Adapter
MAE-2M564B	1/8 inch MNPT by 5/64 inch Barbed Adapter

SKU	Description
MAE-4M1B	1/4 inch MNPT by 1/16 inch Barbed Adapter
MAE-4M1B2B	1/4 inch MNPT by 1/16 inch Barb by 1/8 inch Barbed Adapter
MAE-4M2B	1/4 inch MNPT by 1/8 inch Barbed Adapter
MAE-4M2B1B	1/4 inch MNPT by 1/8 inch Barb by 1/16 inch Barbed Adapter
MAE-4M332B	1/4 inch MNPT by 3/32 inch Barbed Adapter
MAE-4M3B	1/4 inch MNPT by 3/16 inch Barbed Adapter
MAE-4M564B	1/4 inch MNPT by 5/64 inch Barbed Adapter

HLB SERIES

The HLB Series are Brass hexless Connectors with bite-style barbs. The available sizes are 10-32 inch UNF thread by .170 inch, 1/16 inch, or 1/8 inch barbs.

SKU	Description
HLB-170	10-32 inch UNF by .170 inch Hexless Barb Brass Connector
HLB-16	10-32 inch UNF by 1/16 inch Hexless Barb Brass Connector
HLB-18	10-32 inch UNF by 1/8 inch Hexless Barb Brass Connector





FV INLINE FILTER

The FV Series single barbed Inline Filter is used for compressed air or vacuum. These units have a Polypropylene housing with a porous Polyethylene filter. They can be used to protect vacuum pump switches and valves from contamination. Units are available with a 1/8 inch barb or with a male luer fitting on each end, measuring 2.4 inches in length and .75 inch in diameter. Filters are available with 10 or 25-micron filters. The recommended working pressure is 65 psi.

SKU	Description
FV-2B-10	1/8 inch Barb 10 Micron Vacuum Filter
FV-2B-25	1/8 inch Barb 25 Micron Vacuum Filter
FV-ML-10	Male Luer 10 Micron Vacuum Filter
FV-ML-25	Male Luer 25 Micron Vacuum Filter

FTM SERIES

The FTM Series are Brass female adapter tees in 1/8 inch or 1/4 inch threads and 1/16 inch to 3/8 inch bite-style barbs.



SKU




Description

	•
FTM-2F732B	1/8 inch FNPT by 7/32 inch Bite Style Barbed Adapter Tee
FTM-2F078B	1/8 inch FNPT by .078 inch Bite Style Barbed Adapter Tee
FTM-2F332B	1/8 inch FNPT by 3/32 inch Bite Style Barbed Adapter Tee
FTM-2F170B	1/8 inch FNPT by .170 inch Bite Style Barbed Adapter Tee
FTM-2F1B	1/8 inch FNPT by 1/16 inch Bite Style Barbed Adapter Tee
FTM-2F2B	1/8 inch FNPT by 1/8 inch Bite Style Barbed Adapter Tee
FTM-2F3B	1/8 inch FNPT by 3/16 inch Bite Style Barbed Adapter Tee
FTM-2F4B	1/8 inch FNPT by 1/4 inch Bite Style Barbed Adapter Tee
FTM-2F564B	1/8 inch FNPT by 5/64 inch Bite Style Barbed Adapter Tee
FTM-4F170B	1/4 inch FNPT by 7/32 inch Bite Style Barbed Adapter Tee
FTM-4F1B	1/4 inch FNPT by 1/16 inch Bite Style Barbed Adapter Tee
FTM-4F2B	1/4 inch FNPT by 1/8 inch Bite Style Barbed Adapter Tee
FTM-4F332B	1/4 inch FNPT by 3/32 inch Bite Style Barbed Adapter Tee

SKU	Description
FTM-4F3B	1/4 inch FNPT by 3/16 inch Bite Style Barbed Adapter Tee
FTM-4F4B	1/4 inch FNPT by 1/4 inch Bite Style Barbed Adapter Tee
FTM-4F564B	1/4 inch FNPT by 5/64 inch Bite Style Barbed Adapter Tee
FTM-4F6B	1/4 inch FNPT by 3/8 inch Bite Style Barbed Adapter Tee

FPN FEMALE NPT NUT



	SKU		Description
FPN		3/4 FNPT Pipe Nut	

fpn-series plastic nut. 3/4" NPT nut for use with hose barb stems.

FEU SERIES

The FEU Series is a Brass female UNF thread to bite-style barb elbow. The bite-style barb holds the tubing securely so it will not pull off. Also available in nickel-plated Brass and 303 Stainless Steel.

SKU	Description
FEU-10X078B	10-32 inch Female UNF by .078 inch Brass Adapter
FEU-10X170B	10-32 inch Female UNF by .170 inch Brass Adapter
FEU-10X1B	10-32 inch Female UNF by 1/16 inch Brass Adapter
FEU-10X2B	10-32 inch Female UNF by 1/8 inch Brass Adapter
FEU-10X332B	10-32 inch Female UNF by 3/32 inch Brass Adapter
FEU-10X532B	10-32 inch Female UNF by 5/32 inch Brass Adapter
FEU-10X564BB	10-32 inch Female UNF by 5/64 inch Brass Adapter





FE SERIES

The FE Series are Brass female by bite-style barb adapter elbows at 90° and 45° angles. Female NPT thread sizes available are 1/16 inch, 1/8 inch, 3/8 inch, and 1/4 inch. Barbs come in a wide range of sizes, which are listed below. Also available in 303 Stainless Steel.

SKU	Description
FE-2F078B	1/8 inch FNPT by .078 inch Barb Brass Elbow Adapter
FE-2F332B	1/8 inch FNPT by 3/32 inch Barb Brass Elbow Adapter
FE-2F170B	1/8 inch FNPT by .170 inch Barb Brass Elbow Adapter
FE-2F1B	1/8 inch FNPT by 1/16 inch Barb Brass Elbow Adapter
FE-2F532B	1/8 inch FNPT by 5/32 inch Barb Brass Elbow Adapter
FE-2F2B	1/8 inch FNPT by 1/8 inch Barb Brass Elbow Adapter
FE-2F3B	1/8 inch FNPT by 3/16 inch Barb Brass Elbow Adapter
FE-2F4B	1/8 inch FNPT by 1/4 inch Barb Brass Elbow Adapter
FE-2F564B	1/8 inch FNPT by 5/64 inch Barb Brass Elbow Adapter
FE-2F5B	1/8 inch FNPT by 5/16 inch Barb Brass Elbow Adapter
FE-2F6B	1/8 inch FNPT by 3/8 inch Barb Brass Elbow Adapter
FE-4F1B	1/4 inch FNPT by 1/16 inch Barb Brass Elbow Adapter
FE-4F2B	1/4 inch FNPT by 1/8 inch Barb Brass Elbow Adapter
FE-4F3B	1/4 inch FNPT by 3/16 inch Barb Brass Elbow Adapter
FE-4F4B	1/4 inch FNPT by 1/4 inch Barb Brass Elbow Adapter
FE-4F564B	1/4 inch FNPT by 5/64 inch Barb Brass Elbow Adapter
FE-4F6B	1/4 inch FNPT by 3/8 inch Barb Brass Elbow Adapter
FE-4F732B	1/4 inch FNPT by 7/32 inch Barb Brass Elbow Adapter
FE-4F170B	1/4 inch FNPT by .170 inch Barb Brass Elbow Adapter
FE-6F170B	3/8 inch FNPT by .170 inch Barb Brass Elbow Adapter
FE-6F1B	3/8 inch FNPT by 1/16 inch Barb Brass Elbow Adapter
FE-6F2B	3/8 inch FNPT by 1/8 inch Barb Brass Elbow Adapter
FE-6F332B	3/8 inch FNPT by 3/32 inch Barb Brass Elbow Adapter
FE-6F3B	3/8 inch FNPT by 3/16 inch Barb Brass Elbow Adapter
FE-6F4B	3/8 inch FNPT by 1/4 inch Barb Brass Elbow Adapter
FE-6F532B	3/8 inch FNPT by 5/32 inch Barb Brass Elbow Adapter
FE-6F564B	3/8 inch FNPT by 5/64 inch Barb Brass Elbow Adapter
FE-6F5B	3/8 inch FNPT by 5/16 inch Barb Brass Elbow Adapter
FE-6F6B	3/8 inch FNPT by 3/8 inch Barb Brass Elbow Adapter
FE45-1F170B	1/16 inch FNPT by .170 inch Barb Brass 45° Elbow Adapter

SKU	Description
FE45-1F1B	1/16 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-1F2B	1/16 inch FNPT by 1/8 inch Barb Brass 45° Elbow Adapter
FE45-1F332B	1/16 inch FNPT by 3/32 inch Barb Brass 45° Elbow Adapter
FE45-1F3B	1/16 inch FNPT by 3/16 inch Barb Brass 45° Elbow Adapter
FE45-1F4B	1/16 inch FNPT by 1/4 inch Barb Brass 45° Elbow Adapter
FE45-1F532B	1/16 inch FNPT by 5/32 inch Barb Brass 45° Elbow Adapter
FE45-1F564B	1/16 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-1F5B	1/16 inch FNPT by 5/16 inch Barb Brass 45° Elbow Adapter
FE45-1F6B	1/16 inch FNPT by 3/8 inch Barb Brass 45° Elbow Adapter
FE45-1F732B	1/16 inch FNPT by 7/32 inch Barb Brass 45° Elbow Adapter
FE45-1F8B	1/16 inch FNPT by 1/2 inch Barb Brass 45° Elbow Adapter
FE45-2F170B	1/8 inc FNPT by .170 inch Barb Brass 45° Elbow Adapter
FE45-2F1B	1/8 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-2F2B	1/8 inch FNPT by 1/8 inch Barb Brass 45° Elbow Adapter
FE45-2F332B	1/8 inch FNPT by 3/32 inch Barb Brass 45° Elbow Adapter
FE45-2F3B	1/8 inch FNPT by 3/16 inch Barb Brass 45° Elbow Adapter
FE45-2F4B	$1/8$ inch FNPT by $1/4$ inch Barb Brass 45° Elbow Adapter
FE45-2F532B	1/8 inch FNPT by 5/32 inch Barb Brass 45° Elbow Adapter
FE45-2F564B	1/8 inch FNPT by 5/64 inch Barb Brass 45° Elbow Adapter
FE45-2F5B	1/8 inch FNPT by 5/16 inch Barb Brass 45° Elbow Adapter
FE45-2F6B	1/8 inch FNPT by 3/8 inch Barb Brass 45° Elbow Adapter
FE45-2F732B	1/8 inch FNPT by 7/32 inch Barb Brass 45° Elbow Adapter
FE45-2F8B	1/8 inch FNPT by 1/2 inch Barb Brass 45° Elbow Adapter
FE45-4F170B	1/4 inch FNPT by .170 inch Barb Brass 45° Elbow Adapter
FE45-4F1B	1/4 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-4F2B	1/4 inch FNPT by 1/8 inch Barb Brass 45° Elbow Adapter
FE45-4F332B	1/4 inch FNPT by 3/32 inch Barb Brass 45° Elbow Adapter
FE45-4F3B	1/4 inch FNPT by 3/16 inch Barb Brass 45° Elbow Adapter
FE45-4F4B	1/4 inch FNPT by 1/4 inch Barb Brass 45° Elbow Adapter
FE45-4F532B	1/4 inch FNPT by 5/32 inch Barb Brass 45° Elbow Adapter
FE45-4F564B	1/4 inch FNPT by 5/64 inch Barb Brass 45° Elbow Adapter
FE45-4F5B	1/4 inch FNPT by 5/16 inch Barb Brass 45° Elbow Adapter
FE45-4F6B	1/4 inch FNPT by 3/8 inch Barb Brass 45° Elbow Adapter
FE45-4F732B	1/4 inch FNPT by 7/32 inch Barb Brass 45° Elbow Adapter
FE45-4F8B	1/4 inch FNPT by 1/2 inch Barb Brass 45° Elbow Adapter
FE45-6F170B	3/8 inch FNPT by .170 inch Barb Brass 45° Elbow Adapter
FE45-6F1B	3/8 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-6F2B	3/8 inch FNPT by 1/8 inch Barb Brass 45° Elbow Adapter
FE45-6F332B	3/8 inch FNPT by 3/32 inch Barb Brass 45° Elbow Adapter
FE45-6F3B	3/8 inch FNPT by 3/16 inch Barb Brass 45° Elbow Adapter

SKU	Description
FE45-6F4B	3/8 inch FNPT by 1/4 inch Barb Brass 45° Elbow Adapter
FE45-6F532B	3/8 inch FNPT by 5/32 inch Barb Brass 45° Elbow Adapter
FE45-6F564B	3/8 inch FNPT by 5/64 inch Barb Brass 45° Elbow Adapter
FE45-6F5B	3/8 inch FNPT by 5/16 inch Barb Brass 45° Elbow Adapter
FE45-6F6B	3/8 inch FNPT by 3/8 inch Barb Brass 45° Elbow Adapter
FE45-6F732B	3/8 inch FNPT by 7/32 inch Barb Brass 45° Elbow Adapter
FE45-6F8B	3/8 inch FNPT by 1/2 inch Barb Brass 45° Elbow Adapter



FAT SERIES

The FAT Series are Brass female adapters with bite-style barbs. Any different Barb size can be placed on any hex. FNPT thread sizes available for this series are 1/8 inch and 1/4 inch. Barb sizes range from 5/64 inch to 3/8 inch.

SKU	Description
FAT-2F1B	1/8 inch FNPT by 1/16 inch Brass Barbed Tee Adapter
FAT-2F564B	1/8 inch FNPT by 5/64 inch Brass Barbed Tee Adapter
FAT-2F2B	1/8 inch FNPT by 1/8 inch Brass Barbed Tee Adapter
FAT-2F170B	1/8 inch FNPT by .170 inch Brass Barbed Tee Adapter
FAT-2F6B	1/8 inch FNPT by 3/8 inch Brass Barbed Tee Adapter
FAT-4F1B	1/4 inch FNPT by 1/16 inch Brass Barbed Tee Adapter
FAT-4F564B	1/4 inch FNPT by 5/64 inch Brass Barbed Tee Adapter
FAT-4F2B	1/4 inch FNPT by 1/8 inch Brass Barbed Tee Adapter
FAT-4F170B	1/4 inch FNPT by .170 inch Brass Barbed Tee Adapter
FAT-4F6B	1/4 inch FNPT by 3/8 inch Brass Barbed Tee Adapter



FA SERIES

The FA Series is Brass Female NPT by bite-style barb, in sizes ranging from 1/16 inch to 3/8 inch FNPT threads and 3/64 inch to 3/8 inch Barbs. Also available in Nickel Plate, 303 Stainless Steel, and 316 Stainless Steel.

For UNF and SAE Female Threads see FAU Series.

Description	SKU	SKU	SKU	SKU	Description
Female National Pipe Thread by Barb, Brass	FNPT by Barb Brass	Female National Pipe Thread by Barb, Nickel plated Brass	Female National Pipe Thread by Barb, 303 SS	Female National Pipe Thread by Barb, 316 SS	Female National Pipe Thread by Barb, Nickel plated
1/16 FNPT by 3/64 Barb	FA-1F364B	FA-1F364B-NP	FA-1F364B-303	FA-1F364B-SS	1/16 FNPT by 3/64 Barb
1/16 FNPT by 1/16 Barb	FA-1F1B	FA-1F1B-NP	FA-1F1B-303	FA-1F1B-SS	1/16 FNPT by 1/16 Barb
1/16 FNPT by 5/52 Barb, 2MM	FA-1F564B	FA-1F564B-NP	FA-1F564B-303	FA-1F564B-SS	1/16 FNPT by 5/52 Barb, 2MM
1/16 FNPT by 3/32 Barb	FA-1F332B	FA-1F332B-NP	FA-1F332B	FA-1F332B-SS	1/16 FNPT by 3/32 Barb
1/16 FNPT by 1/8 Barb	FA-1F2B	FA-1F2B-NP	FA-1F2B	FA-1F2B-SS	1/16 FNPT by 1/8 Barb
1/16 FNPT by 5/32 Barb, 4MM	FA-1F532B	FA-1F532B-NP	FA-1F532B	FA-1F532B-SS	1/16 FNPT by 5/32 Barb, 4MM
1/16 FNPT by .170 Barb	FA-1F170B	FA-1F170B-NP	FA-1F170B	FA-1F170B-SS	1/16 FNPT by .170 Barb
1/16 FNPT by 3/16 Barb	FA-1F3B	FA-1F3B-NP	FA-1F3B	FA-1F3B-SS	1/16 FNPT by 3/16 Barb
1/16 FNPT by 7/32 Barb	FA-1F732B	FA-1F732B-NP	FA-1F732B	FA-1F732B-SS	1/16 FNPT by 7/32 Barb
1/16 FNPT by 15/64 Barb, 6MM	FA-1F1564B	FA-1F1564B-NP	FA-1F1564B	FA-1F1564B-SS	1/16 FNPT by 15/64 Barb, 6MM
1/16 FNPT by 1/4 Barb	FA-1F4B	FA-1F4B-NP	FA-1F4B	FA-1F4B-SS	1/16 FNPT by 1/4 Barb

Descripti	on SKU	SKU	SKU	SKU	Description
1/16 FNPT 5/16 Barb, 8MM	by FA-1F516B	FA-1F516B-NP	FA-1F516B	FA-1F516B	1/16 FNPT by 5/16 Barb, 8MM
1/16 FNPT 3/8 Barb	by FA-1F6B	FA-1F6B-NP	FA-1F6B	FA-1F6B	1/16 FNPT by 3/8 Barb
1/8 inch FN by .Barb	IPT FA-2F078B	FA-2F078B	FA-2F078B	FA-2F078B	1/8 inch FNPT by .Barb
1/8 FNPT b 3/64 Barb	y FA-2F364B	FA-2F364B	FA-2F364B	FA-2F364B	1/8 FNPT by 3/64 Barb
1/8 inch FN by 1/16 Ba	FA-2F1B	FA-2F1B	FA-2F1B	FA-2F1B	1/8 inch FNPT by 1/16 Barb
1/8 FNPT b 5/64 Barb, 2MM	y FA-2F564B	FA-2F564B	FA-2F564B	FA-2F564B	1/8 FNPT by 5/64 Barb <i>,</i> 2MM
1/8 inch FN by 3/32 inc Barb		FA-2F332B	FA-2F332B	FA-2F332B	1/8 inch FNPT by 3/32 inch Barb
1/8 inch FN by 1/8 Barb	FA-2F2B	FA-2F2B	FA-2F2B	FA-2F2B	1/8 inch FNPT by 1/8 Barb
1/8 inch FN by 5/32 inc Barb, 4MM	h FA-2F532B	FA-2F532B	FA-2F532B	FA-2F532B	1/8 inch FNPT by 5/32 inch Barb, 4MM
1/8 inch FN by .170 Bar	FA-2F170B	FA-2F170B	FA-2F170B	FA-2F170B	1/8 inch FNPT by .170 Barb
1/8 inch FN by 3/16 inc Barb Brass		FA-2F3B	FA-2F3B	FA-2F3B	1/8 inch FNPT by 3/16 inch Barb Brass
1/8 inch FN by 7/32 Ba	FA-2F/32B	FA-2F732B	FA-2F732B	FA-2F732B	1/8 inch FNPT by 7/32 Barb
1/8 FNPT b 15/64 Barb 6MM		FA-2F1564B	FA-2F1564B	FA-2F1564B	1/8 FNPT by 15/64 Barb, 6MM
1/8 inch FN by 1/4 Barb	FA-2F4B	FA-2F4B	FA-2F4B	FA-2F4B	1/8 inch FNPT by 1/4 Barb
1/8 inch FN by 5/16 Bai 8MM		FA-2F5B	FA-2F5B	FA-2F5B	1/8 inch FNPT by 5/16 Barb, 8MM
1/8 inch FN by 3/8 Barb	FA-2F6B	FA-2F6B	FA-2F6B	FA-2F6B	1/8 inch FNPT by 3/8 Barb
1/4 FNPT b 3/64 Barb	y FA-4F364B	FA-4F364B	FA-4F364B	FA-4F364B	1/4 FNPT by 3/64 Barb
1/4 inch FN by 1/16 Ba	FA-4F1B	FA-4F1B	FA-4F1B	FA-4F1B	1/4 inch FNPT by 1/16 Barb

D	escription	SKU	SKU	SKU	SKU	Description
	inch FNPT 5/64 Barb, M	FA-4F564B	FA-4F564B	FA-4F564B	FA-4F564B	1/4 inch FNPT by 5/64 Barb, 2MM
	inch FNPT 1/8 Barb	FA-4F2B	FA-4F2B	FA-4F2B	FA-4F2B	1/4 inch FNPT by 1/8 Barb
	FNPT by 2 Barb, M	FA-4F532B	FA-4F532B	FA-4F532B	FA-4F532B	1/4 FNPT by 5/32 Barb, 4MM
	inch FNPT by .170 b	FA-4F170B	FA-4F170B	FA-4F170B	FA-4F170B	1/4 inch FNPT by by .170 Barb
	inch FNPT 3/16 Barb	FA-4F3B	FA-4F3B	FA-4F3B	FA-4F3B	1/4 inch FNPT by 3/16 Barb
	inch FNPT 7/32 Barb	FA-4F732B	FA-4F732B	FA-4F732B	FA-4F732B	1/4 inch FNPT by 7/32 Barb
	FNPT by 64 Barb, M	FA-4F1564B	FA-4F1564B	FA-4F1564B	FA-4F1564B	1/4 FNPT by 15/64 Barb, 6MM
	inch FNPT 1/4 Barb	FA-4F4B	FA-4F4B	FA-4F4B	FA-4F4B	1/4 inch FNPT by 1/4 Barb
	FNPT by 6 Barb, M	FA-4F5B	FA-4F5B	FA-4F5B	FA-4F5B	1/4 FNPT by 5/16 Barb, 8MM
	inch FNPT 3/8 Barb	FA-4F6B	FA-4F6B	FA-4F6B	FA-4F6B	1/4 inch FNPT by 3/8 Barb
	FNPT by 4 Barb	FA-6F364B	FA-6F364B	FA-6F364B	FA-6F364B	3/8 FNPT by 3/64 Barb
	inch FNPT 1/16 Barb	FA-6F1B	FA-6F1B	FA-6F1B	FA-6F1B	3/8 inch FNPT by 1/16 Barb
	inch FNPT 5/64 Barb, M	FA-6F564B	FA-6F564B	FA-6F564B	FA-6F564B	3/8 inch FNPT by 5/64 Barb, 2MM
	inch FNPT 3/32 Barb	FA-6F332B	FA-6F332B	FA-6F332B	FA-6F332B	3/8 inch FNPT by 3/32 Barb
	inch FNPT 1/8 Barb	FA-6F2B	FA-6F2B	FA-6F2B	FA-6F2B	3/8 inch FNPT by 1/8 Barb
	inch FNPT 5/32 Barb, M	FA-6F532B	FA-6F532B	FA-6F532B	FA-6F532B	3/8 inch FNPT by 5/32 Barb, 4MM
	inch FNPT .170 Barb	FA-6F170B	FA-6F170B	FA-6F170B	FA-6F170B	3/8 inch FNPT by .170 Barb
	inch FNPT 3/16 Barb	FA-6F3B	FA-6F3B	FA-6F3B	FA-6F3B	3/8 inch FNPT by 3/16 Barb

Description	SKU	SKU	SKU	SKU	Description
3/8 FNPT by 7/32 Barb	FA-6F732B	FA-6F732B	FA-6F732B	FA-6F732B	3/8 FNPT by 7/32 Barb
3/8 FNPT by 15/64 Barb, 6MM	FA-6F1564B	FA-6F1564B	FA-6F1564B	FA-6F1564B	3/8 FNPT by 15/64 Barb, 6MM
3/8 inch FNPT by 1/4 Barb	FA-6F4B	FA-6F4B	FA-6F4B	FA-6F4B	3/8 inch FNPT by 1/4 Barb
3/8 inch FNPT by 5/16 Barb, 8MM	FA-6F5B	FA-6F5B	FA-6F5B	FA-6F5B	3/8 inch FNPT by 5/16 Barb, 8MM
3/8 FNPT by 3/8 Barb	FA-6F6B	FA-6F6B	FA-6F6B	FA-6F6B	3/8 FNPT by 3/8 Barb

CMKV SERIES

The CMKV Series Plastic Check Valves are 1/8 inch Male NPT by Barb sizes of 1/8 inch, 3/16 inch, 1/4 inch, and 3/8 inch. The flow is from thread to barb. Material / Disc combinations are available in PVDF with FKM, Polypropylene with FKM, Polycarbonate with Neoprene, Polycarbonate with Silicone, Nylon with Silicone, and Nylon with Neoprene.

SKU	Description
CMKV-18B	1/8 MNPT by 1/8 Barb PVDF/FKM Check Valve
CMKV-14B-NS	1/8 MNPT by 1/4 Barb Nylon/Silicone Check Valve
CMKV-316B	1/8 MNPT by 3/16 Barb PVDF/FKM Check Valve





BI SERIES

The BI Series are Brass or 303 Stainless Steel bite-style barb inserts for manifold applications. Available in 1/16 inch, .078 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, and 3/8 inch.

Description

	SKU	
BI-78B		0.078 Barbed Insert
BI-332B		3/32 inch Barbed Insert
BI-1B		1/16 inch Barbed Insert
BI-532B		5/32 inch Barbed Insert
BI-2B		1/8 inch Barbed Insert
BI-3B		3/16 inch Barbed Insert
BI-4B		1/4 inch Barbed Insert
BI-5B		5/16 inch Barbed Insert
BI-6B		3/8 inch Barbed Insert

BCX SERIES

The BCX and the BCXR Series are bite-style cross fittings. The BCXR Series is the reduced version of the BCX Series. These crosses have single sharp barbs to securely hold the tubing from slipping or pulling off. They are excellent fittings for use with Polyurethane or Polyethylene tubing. Made in Brass, Nickel-Plated Brass, or 303 Stainless Steel. Available barb sizes range from 1/16 inch to 3/8 inch.

SKU	De	escription
BCX-078B	.078 inch Barbed Brass Cross	
BCX-1.25B	.078 inch Barbed Brass Cross	
BCX-170B	.170 inch Barbed Brass Cross	
BCX-1B	1/16 inch Barbed Brass Cross	
BCX-2B	1/8 inch Barbed Brass Cross	
BCX-332B	3/32 inch Barbed Brass Cross	
BCX-3B	3/16 inch Barbed Brass Cross	
BCX-4B	1/4 inch Barbed Brass Cross	
BCX-532B	5/32 inch Barbed Brass Cross	
BCX-6B	3/8 inch Barbed Brass Cross	

SKU	Description
BCXR-3X170B078B	.170 inch by .078 inch Barbed Reducing Brass Cross
BCXR-3X170B1.25B	.170 inch by .078 inch Barbed Reducing Brass Cross
BCXR-3X1B2B	1/16 inch by 1/8 inch Barbed Reducing Brass Cross



BBM SERIES

The BBM Series multi-barbed Brass Bulkheads were a special order made for Pnueline Supply Inc. These bulkheads have 7/16-24 UNS threads for mounting. The multi-barb sizes are 1/4 inch by 1/4 inch, 1/4 inch by 3/8 inch, and 3/8 inch by 3/8 inch.

SKU	Description
BBM-4B	1/4 inch 7/16-24 Multi-Barbed Brass Bulkhead
BBM-4B6B	1/4 inch 7/16-24 3/8 inch Multi-Barbed Brass Bulkhead
BBM-6B	3/8 inch 7/16-24 Multi-Barbed Brass Bulkhead



AFH SERIES

The AFH Series Plastic Female NPT to Multi-Barbed Adapter Fittings are available in Nylon, Black Polypropylene, or PTFE materials in sizes ranging from 1/4 inch to 3/4 inch Barbs.

SKU	Description
AFH-12F10B-BPP	3/4 inch FNPT to 5/8 inch Barbed Adapter Black Polypropylene
AFH-12F10B-NN	3/4 inch FNPT to 5/8 inch Barbed Adapter Natural Nylon
AFH-12F10B-PTFE	3/4 inch FNPT to 5/8 inch Barbed Adapter Polytetrafluoroethylene
AFH-12F12B-BPP	3/4 inch FNPT to 3/4 inch Barbed Adapter Black Polypropylene
AFH-12F12B-NN	3/4 inch FNPT to 3/4 inch Barbed Adapter Natural Nylon
AFH-12F12B-PTFE	3/4 inch FNPT to 3/4 inch Barbed Adapter Polytetrafluoroethylene
AFH-12F4B-BPP	3/4 inch FNPT to 1/4 inch Barbed Adapter Black Polypropylene
AFH-12F4B-NN	3/4 inch FNPT to 1/4 inch Barbed Adapter Natural Nylon

SKU	Description
AFH-12F4B-PTFE	3/4 inch FNPT to 1/4 inch Barbed Adapter Polytetrafluoroethylene
AFH-12F6B-BKPP	3/4 inch FNPT to 3/8 inch Barbed Adapter Black Polypropylene
AFH-12F6B-NN	3/4 inch FNPT to 3/8 inch Barbed Adapter Natural Nylon
AFH-12F6B-PTFE	3/4 inch FNPT to 3/8 inch Barbed Adapter Polytetrafluoroethylene
AFH-12F8B-BPP	3/4 inch FNPT to 1/2 inch Barbed Adapter Black Polypropylene
AFH-12F8B-NN	3/4 inch FNPT to 1/2 inch Barbed Adapter Natural Nylon
AFH-12F8B-PTFE	3/4 inch FNPT to 1/2 inch Barbed Adapter Polytetrafluoroethylene
AFH-2F4B-BPP	1/8 inch FNPT to 1/4 inch Barbed Adapter Black Polypropylene
AFH-2F4B-NN	1/8 inch FNPT to 1/4 inch Barbed Adapter Natural Nylon
AFH-2F4B-PTFE	1/8 inch FNPT to 1/4 inch Barbed Adapter Polytetrafluoroethylene
AFH-2F6B-BPP	1/8 inch FNPT to 3/8 inch Barbed Adapter Black Polypropylene
AFH-2F6B-NN	1/8 inch FNPT to 3/8 inch Barbed Adapter Natural Nylon
AFH-2F6B-PTFE	1/8 inch FNPT to 3/8 inch Barbed Adapter Polytetrafluoroethylene
AFH-4F4B-BPP	1/4 inch FNPT to 1/4 inch Barbed Adapter Black Polypropylene
AFH-4F4B-NN	1/4 inch FNPT to 1/4 inch Barbed Adapter Natural Nylon
AFH-4F4B-PTFE	1/4 inch FNPT to 1/4 inch Barbed Adapter Polytetrafluoroethylene
AFH-4F6B-BPP	1/4 inch FNPT to 3/8 inch Barbed Adapter Black Polypropylene
AFH-4F6B-NN	1/4 inch FNPT to 3/8 inch Barbed Adapter Natural Nylon
AFH-4F6B-PTFE	1/4 inch FNPT to 3/8 inch Barbed Adapter Polytetrafluoroethylene
AFH-4F8B-BPP	1/4 inch FNPT to 1/2 inch Barbed Adapter Black Polypropylene
AFH-4F8B-NN	1/4 inch FNPT to 1/2 inch Barbed Adapter Natural Nylon
AFH-4F8B-PTFE	1/4 inch FNPT to 1/2 inch Barbed Adapter Polytetrafluoroethylene
AFH-6F10B-BPP	3/8 inch FNPT to 5/8 inch Barbed Adapter Black Polypropylene
AFH-6F10B-NN	3/8 inch FNPT to 5/8 inch Barbed Adapter Natural Nylon
AFH-6F10B-PTFE	3/8 inch FNPT to 5/8 inch Barbed Adapter Polytetrafluoroethylene
AFH-6F12B-BPP	3/8 inch FNPT to 3/4 inch Barbed Adapter Black Polypropylene
AFH-6F12B-NN	3/8 inch FNPT to 3/4 inch Barbed Adapter Natural Nylon
AFH-6F12B-PTFE	3/8 inch FNPT to 3/4 inch Barbed Adapter Polytetrafluoroethylene
AFH-6F4B-BPP	3/8 inch FNPT to 1/4 inch Barbed Adapter Black Polypropylene
AFH-6F4B-NN	3/8 inch FNPT to 1/4 inch Barbed Adapter Natural Nylon
AFH-6F4B-PTFE	3/8 inch FNPT to 1/4 inch Barbed Adapter Polytetrafluoroethylene
AFH-6F6B-BPP	3/8 inch FNPT to 3/8 inch Barbed Adapter Black Polypropylene
AFH-6F6B-NN	3/8 inch FNPT to 3/8 inch Barbed Adapter Natural Nylon
AFH-6F6B-PTFE	3/8 inch FNPT to 3/8 inch Barbed Adapter Polytetrafluoroethylene
AFH-6F8B-BPP	3/8 inch FNPT to 1/2 inch Barbed Adapter Black Polypropylene
AFH-6F8B-NN	3/8 inch FNPT to 1/2 inch Barbed Adapter Natural Nylon
AFH-6F8B-PTFE	3/8 inch FNPT to 1/2 inch Barbed Adapter Polytetrafluoroethylene
AFH-8F10F-BPP	1/2 inch FNPT to 5/8 inch Barbed Adapter Black Polypropylene
AFH-8F10F-NN	1/2 inch FNPT to 5/8 inch Barbed Adapter Natural Nylon
AFH-8F10F-PTFE	1/2 inch FNPT to 5/8 inch Barbed Adapter Polytetrafluoroethylene

SKU	Description
AFH-8F12B-BPP	1/2 inch FNPT to 3/4 inch Barbed Adapter Black Polypropylene
AFH-8F12B-NN	1/2 inch FNPT to 3/4 inch Barbed Adapter Natural Nylon
AFH-8F12B-PTFE	1/2 inch FNPT to 3/4 inch Barbed Adapter Polytetrafluoroethylene
AFH-8F4B-BPP	1/2 inch FNPT to 1/4 inch Barbed Adapter Black Polypropylene
AFH-8F4B-NN	1/2 inch FNPT to 1/4 inch Barbed Adapter Natural Nylon
AFH-8F4B-PTFE	1/2 inch FNPT to 1/4 inch Barbed Adapter Polytetrafluoroethylene
AFH-8F6B-BPP	1/2 inch FNPT to 3/8 inch Barbed Adapter Black Polypropylene
AFH-8F6B-NN	1/2 inch FNPT to 3/8 inch Barbed Adapter Natural Nylon
AFH-8F6B-PTFE	1/2 inch FNPT to 3/8 inch Barbed Adapter Polytetrafluoroethylene
AFH-8F8B-BPP	1/2 inch FNPT to 1/2 inch Barbed Adapter Black Polypropylene
AFH-8F8B-NN	1/2 inch FNPT to 1/2 inch Barbed Adapter Natural Nylon
AFH-8F8B-PTFE	1/2 inch FNPT to 1/2 inch Barbed Adapter Polytetrafluoroethylene



AF-IG SERIES

The AF-IG Series Polysulfone Filters are 10-32 by 1/16 or 1/8 inch Barbs with 5, 25, 43, or 73 micron and 316 Stainless Steel Filter.

SKU	Description
AF-IG-101B-43	10-32 by 1/16 inch Barb 43 Micron Stainless Steel
AF-IG-102B-5	10-32 by 1/8 inch Barb 5 Micron 316 Stainless Steel
AF-IG-1B-5	10-32 by 1/16 inch Barb 5 Micron
AF-IG-1B-25	10-32 by 1/16 inch Barb 25 Micron
AF-IG-1B-43	10-32 by 1/16 inch Barb 43 Micron
AF-IG-1B-73	10-32 by 1/16 inch Barb 73 Micron
AF-IG-2B-5	10-32 by 1/8 inch Barb 5 Micron
AF-IG-2B-25	10-32 by 1/8 inch Barb 25 Micron
AF-IG-2B-43	10-32 by 1/8 inch Barb 43 Micron
AF-IG-2B-73	10-32 by 1/8 inch Barb 73 Micron



AEM SERIES

The AEM (formerly NAE) Series are adjustable Brass adapters with bite-style barbs.

SKU	Description
AEM-10-078B	10-32 inch Male UNF by .078 Adjustable Elbow
AEM-10-1B	10-32 inch Male UNF by 1/16 inch Adjustable Elbow
AEM-10-1B-OS	10-32 inch Male UNF by 1/16 inch Adjustable Elbow O-Ring Slotted
AEM-10-2B	10-32 inch Male UNF by 1/8 inch Adjustable Elbow
AEM-10-2B-OS	10-32 inch Male UNF by 1/8 inch Adjustable Elbow O-Ring Slot
AEM-10-332B	10-32 inch Male UNF by 3/32 inch Adjustable Elbow
AEM-10-332B-732 Hex Hgt	10-32 inch Male UNF by 3/32 inch Adjustable Elbow 7/32 inch Hex
AEM-10-332B-170 Hex Hgt	10-32 inch Male UNF by 3/32 inch Adjustable Elbow .170 inch Hex
AEM-10-364B	10-32 inch Male UNF by 3/64 inch Adjustable Elbow
AEM-10-3B	10-32 inch Male UNF by 3/16 inch Adjustable Elbow
AEM-10-532B	10-32 inch Male UNF by 5/32 inch Adjustable Elbow
AEM-10-564B	10-32 inch Male UNF by 5/64 inch Adjustable Elbow
AEM-10-732	10-32 inch Male UNF by 7/32 inch Adjustable Elbow
AEM-1428-170B	1/4-28 inch Male UNF by .170 inch Adjustable Elbow
AEM-1428-170B-45	1/4-28 inch Male UNF by .170 inch Barb Elbow Adjustable 45°
AEM-1428-1B	1/4-28 inch Male UNF by 1/16 inch Adjustable Elbow
AEM-1428-2B	1/4-28 inch Male UNF by 1/8 inch Adjustable Elbow
AEM-1428-332B	1/4-28 inch Male UNF by 3/32 inch Adjustable Elbow
AEM-1428-364B	1/4-28 inch Male UNF by 3/64 inch Adjustable Elbow
AEM-1428-3B	1/4-28 inch Male UNF by 3/16 inch Adjustable Elbow
AEM-1428-4B	1/4-28 inch Male UNF by 1/4 inch Adjustable Elbow
AEM-1428-4B-O	1/4-28 inch Male UNF by 1/4 inch Adjustable Elbow with O-Ring
AEM-1428-532B	1/4-28 inch Male UNF by 5/32 inch Adjustable Elbow
NAE-1428-564B	1/4-28 inch Male UNF by 5/64 inch Adjustable Elbow
AEM-1428-732B	1/4-28 inch Male UNF by 7/32 inch Adjustable Elbow
AEM-3M170B	3mm Male Adjustable Elbow by .170 Barb
AEM-3M1B	3mm Male Adjustable Elbow by 1/16 inch Barb
AEM-3M2B	3mm Male Adjustable Elbow by 1/8 inch Barb
AEM-3M332B	3mm Male Adjustable Elbow by 3/32 inch Barb
AEM-3M364B	3mm Male Adjustable Elbow by 3/64 inch Barb
AEM-3M532B	3mm Male Adjustable Elbow by 5/32 inch Barb
AEM-3M564B	3mm Male Adjustable Elbow by 5/64 inch Barb
AEM-4M170B	4mm Male Adjustable Elbow by .170 Barb

SKU	Description
AEM-4M1B	4mm Male Adjustable Elbow by 1/16 inch Barb
AEM-4M2B	4mm Male Adjustable Elbow by 1/8 inch Barb
AEM-4M332B	4mm Male Adjustable Elbow by 3/32 inch Barb
AEM-4M3B	4mm Male Adjustable Elbow by 3/16 inch Barb
AEM-4M4B	4mm Male Adjustable Elbow by 1/4 inch Barb
AEM-4M532B	4mm Male Adjustable Elbow by 5/32 inch Barb
AEM-4M564B	4mm Male Adjustable Elbow by 5/64 inch Barb
AEM-4M732B	4mm Male Adjustable Elbow by 7/32 inch Barb
AEM-5M170B	5mm Male Adjustable Elbow by .170 Barb
AEM-5M1B	5mm Male Adjustable Elbow by 1/16 inch Barb
AEM-5M2B	5mm Male Adjustable Elbow by 1/8 inch Barb
AEM-5M332B	5mm Male Adjustable Elbow by 3/32 inch Barb
AEM-5M364B	5mm Male Adjustable Elbow by 3/64 inch Barb
AEM-5M3B	5mm Male Adjustable Elbow by 3/16 inch Barb
AEM-5M532B	5mm Male Adjustable Elbow by 5/32 inch Barb
AEM-5M564B	5mm Male Adjustable Elbow by 5/64 inch Barb
AEM-5M732B	5mm Male Adjustable Elbow by 7/32 inch Barb



AED SERIES

The AED Series are Adjustable 10-32 inch male UNF to barb Brass elbows in 1/16 inch or 1/8 inch single barbs.

SKU	Description
AED-1018	10-32 inch Male UNF by 1/8 inch Barbed Adjustable Elbow
AED-10X1B	10-32 inch Male UNF by 1/16 inch Barbed Adjustable Elbow
AED-10X2B	10-32 inch Male UNF by 1/8 inch Barbed Adjustable Elbow

186-2 SERIES

The 186-2 Series Brass Barb Fittings are designed to fit .073 hole using a Loctite adhesive.



SKU Description 186-2 1/16 inch Barbed Brass Bondable Insert

INDEX

1

186-2 Series 24

Α

AED Series 23 AEM Series 22 AF-IG Series 21 AFH Series 19

В

BBM Series 19 BCX Series 18 BI Series 18

С

CMKV Series 17

F

FA Series 14 FAT Series 13 FE Series 11 FEU Series 10 FPN FEMALE NPT NUT 10 FTM Series 9 FV INLINE FILTER 9

Η

HLB Series 8

Μ

MAE Series 7 MAT Series 7 ME & MA SERIES 3 MT Series 2

S

SCHB THREADED BARB TO BARB ADAPTER (304 STAINLESS STEEL) 2 SMRI BARB BRASS COUPLER INSERT 1 SSBM Series 1