

BITE-STYLE ELBOW ADAPTER



DME BITE-STYLE THREAD TO BARB ELBOW ADAPTER

The DME Series Brass male NPT thread by ID bite-style barb elbow adapter works well with Polyethylene tubing. Available in a MNPT size range from 1/16 inch to 3/8 inch, and a ID size range from .170 inch to .375 inch. This fitting has excellent vibration resistance and requires no clamp. The maximum working pressure is 150 psi and the temperature range is -65° F to 90° F. This fitting can be used in climate control, pneumatic systems, and filters.

SKU	Description
DME-14250	1/4 inch MNPT by .250 inch ID Brass Multi-Barbed Elbow Adapter
DME-14375	1/4 inch MNPT by .375 inch ID Brass Multi-Barbed Elbow Adapter
DME-16170	1/16 inch MNPT by .170 inch ID Brass Multi-Barbed Elbow Adapter
DME-18170	1/8 inch MNPT by .170 inch ID Brass Multi-Barbed Elbow Adapter
DME-18250	1/8 inch MNPT by .250 inch ID Brass Multi-Barbed Elbow Adapter
DME-183332	1/8 inch MNPT by 3/32 inch ID Brass Multi-Barbed Elbow Adapter
DME-38375	3/8 inch MNPT by .375 inch ID Brass Multi-Barbed Elbow Adapter

DFE SERIES



The DFE Series is a Brass female NPT thread-to-bite-style barb elbow adapter. Available in sizes 1/4 inch by .250 inch or 1/8 inch by .170 inch. This fitting has excellent vibration resistance and requires no clamp. The maximum working pressure is 150 psi and the temperature range is -65° F to 90° F. This fitting can be used in humidifiers, pneumatic systems, and filters.

SKU	Description
DFE-14250	1/4 inch FNPT by .250 inch ID Brass Elbow Adapter
DFE-18170	1/8 inch FNPT by .170 inch ID Brass Elbow Adapter

INDEX

D

DFE Series 2

DME BITE-STYLE THREAD TO BARB ELBOW ADAPTER 1