

BLACK NYLON

Y-S SERIES



The Y-S Series Wye tube fitting has equal single barbs and works well with flexible tubing. The barbs can expand tubing up to 50% above its normal size. This allows higher pressure capabilities. Available materials are White and Black Nylon, Natural Polypropylene, Polycarbonate, and PVDF. Barb sizes are 1/16 inch, 3/32 inch, 1/18 inch, 5/32 inch, 3/16 inch, and 1/4 inch. These Wyes are used primarily in laboratory and medical environments.

SKU	Description
Y-S-1B-WN	1/16 inch White Nylon Single Barbed Wye Connector
Y-S-1B-BN	1/16 inch Black Nylon Single Barbed Wye Connector
Y-S-1B-NPP	1/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-1B-PC	1/16 inch Polycarbonate Single Barbed Wye Connector
Y-S-1B-PVDF	1/16 inch PVDF Single Barbed Wye Connector
Y-S-332B-WN	3/32 inch White Nylon Single Barbed Wye Connector
Y-S-332B-BN	3/32 inch Black Nylon Single Barbed Wye Connector
Y-S-332B-NPP	3/32 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-332B-PC	3/32 inch Polycarbonate Single Barbed Wye Connector
Y-S-332B-PVDF	3/32 inch PVDF Single Barbed Wye Connector
Y-S-2B-WN	1/8 inch White Nylon Single Barbed Wye Connector
Y-S-2B-BN	1/8 inch Black Nylon Single Barbed Wye Connector
Y-S-2B-NPP	1/8 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-2B-PC	1/8 inch Polycarbonate Single Barbed Wye Connector
Y-S-2B-PVDF	1/8 inch PVDF Single Barbed Wye Connector
Y-S-532-WN	5/32 inch White Nylon Single Barbed Wye Connector
Y-S-532-BN	5/32 inch Black Nylon Single Barbed Wye Connector
Y-S-532-NPP	5/32 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-532-PC	5/32 inch Polycarbonate Single Barbed Wye Connector
Y-S-532-PVDF	5/32 inch PVDF Single Barbed Wye Connector
Y-S-3B-WN	3/16 inch White Nylon Single Barbed Wye Connector
Y-S-3B-BN	3/16 inch Black Nylon Single Barbed Wye Connector
Y-S-3B-NPP	3/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-3B-PC	3/16 inch Polycarbonate Single Barbed Wye Connector
Y-S-3B-PVDF	3/16 inch PVDF Single Barbed Wye Connector
Y-S-4B-WN	1/4 inch White Nylon Single Barbed Wye Connector
Y-S-4-BN	1/4 inch Black Nylon Single Barbed Wye Connector

SKU	Description
Y-S-4-NPP	1/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-4B-PC	1/4 inch Polycarbonate Single Barbed Wye Connector
Y-S-4B-PVDF	1/4 inch PVDF Single Barbed Wye Connector



Y-R SERIES

The Y-R Series are single barbed equal and enlarging Wye tube fittings. The equal Wye barb sizes are: 1/8 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, and 3/4 inch. The enlarging Wye barb sizes are: 1/8 inch by 1/4 inch; 3/16 inch by 5/16 inch; 1/4 inch by 3/8 inch; 3/8 inch by 1/2 inch; 5/8 inch by 3/4 inch, and 3/4 inch by 1 inch. Available materials are Natural and Black Nylon, Glass-Filled Black Nylon, Natural and White High-Density Polyethylene, Polypropylene, and Natural and Gray PVDF.

The flow is from the bottom of the Wye and through the two smaller barbs.

SKU	Description
Y-R-2B-NN	1/8 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-2B-BN	1/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-2B-GFBN	1/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-2B-NPP	1/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-2B-WPP	1/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-2B-PVDF	1/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-2B-GPVDF	1/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-2B-HDPE	1/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-3B-NN	3/16 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-3B-BN	3/16 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-3B-GFBN	3/16 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-3B-NPP	3/16 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-3B-WPP	3/16 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-3B-PVDF	3/16 inch PVDF Equal Single Barbed Wye Connector
Y-R-3B-GPVDF	3/16 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-3B-HDPE	3/16 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-4B-NN	1/4 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-4B-BN	1/4 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-4B-GFBN	1/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-4B-NPP	1/4 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-4B-WPP	1/4 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-4B-PVDF	1/4 inch PVDF Equal Single Barbed Wye Connector
Y-R-4B-GPVDF	1/4 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-4B-HDPE	1/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-6B-NN	3/8 inch Natural Nylon Equal Single Barbed Wye Connector

SKU	Description
Y-R-6B-BN	3/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-6B-GFBN	3/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-6B-NPP	3/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-6B-WPP	3/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-6B-PVDF	3/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-6B-GPVDF	3/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-6B-HDPE	3/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-8B-NN	1/2 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-8B-BN	1/2 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-8B-GFBN	1/2 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-8B-NPP	1/2 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-8B-WPP	1/2 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-8B-PVDF	1/2 inch PVDF Equal Single Barbed Wye Connector
Y-R-8B-GPVDF	1/2 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-8B-HDPE	1/2 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-10B-NN	5/8 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-10B-BN	5/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-10B-GFBN	5/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-10B-NPP	5/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-10B-WPP	5/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-10B-PVDF	5/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-10B-GPVDF	5/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-10B-HDPE	5/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-12B-NN	3/4 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-12B-BN	3/4 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-12B-GFBN	3/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-12B-NPP	3/4 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-12B-WPP	3/4 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-12B-PVDF	3/4 inch PVDF Equal Single Barbed Wye Connector
Y-R-12B-GPVDF	3/4 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-12B-HDPE	3/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-2B4B-NN	1/8 inch by 1/4 inch Natural Nylon Single Barbed Wye Connector
Y-R-2B4B-BN	1/8 inch by 1/4 inch Black Nylon Single Barbed Wye Connector
Y-R-2B4B-GFBN	1/8 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-2B4B-NPP	1/8 inch by 1/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-2B4B-WPP	1/8 inch by 1/4 inch White Polypropylene Single Barbed Wye Connector
Y-R-2B4B-PVDF	1/8 inch by 1/4 inch PVDF Single Barbed Wye Connector
Y-R-2B4B-GPVDF	1/8 inch by 1/4 inch Gray PVDF Single Barbed Wye Connector
Y-R-2B4B-HDPE	1/8 inch by 1/4 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-3B5B-NN	3/16 inch by 5/16 inch Natural Nylon Single Barbed Wye Connector

SKU	Description
Y-R-3B5B-BN	3/16 inch by 5/16 inch Black Nylon Single Barbed Wye Connector
Y-R-3B5B-GFBN	3/16 inch by 5/16 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-3B5B-NPP	3/16 inch by 5/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-3B5B-WPP	3/16 inch by 5/16 inch White Polypropylene Single Barbed Wye Connector
Y-R-3B5B-PVDF	3/16 inch by 5/16 inch PVDF Single Barbed Wye Connector
Y-R-3B5B-GPVDF	3/16 inch by 5/16 inch Gray PVDF Single Barbed Wye Connector
Y-R-3B5B-HDPE	3/16 inch by 5/16 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-4B6B-NN	1/4 inch by 3/8 inch Natural Nylon Single Barbed Wye Connector
Y-R-4B6B-BN	1/4 inch by 3/8 inch Black Nylon Single Barbed Wye Connector
Y-R-4B6B-GFBN	1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-4B6B-NPP	1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-4B6B-WPP	1/4 inch by 3/8 inch White Polypropylene Single Barbed Wye Connector
Y-R-4B6B-PVDF	1/4 inch by 3/8 inch PVDF Single Barbed Wye Connector
Y-R-4B6B-GPVDF	1/4 inch by 3/8 inch Gray PVDF Single Barbed Wye Connector
Y-R-4B6B-HDPE	1/4 inch by 3/8 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-6B8B-NN	3/8 inch by 1/2 inch Natural Nylon Single Barbed Wye Connector
Y-R-6B8B-BN	3/8 inch by 1/2 inch Black Nylon Single Barbed Wye Connector
Y-R-6B8B-GFBN	3/8 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-6B8B-NPP	3/8 inch by 1/2 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-6B8B-WPP	3/8 inch by 1/2 inch White Polypropylene Single Barbed Wye Connector
Y-R-6B8B-PVDF	3/8 inch by 1/2 inch PVDF Single Barbed Wye Connector
Y-R-6B8B-GPVDF	3/8 inch by 1/2 inch Gray PVDF Single Barbed Wye Connector
Y-R-6B8B-HDPE	3/8 inch by 1/2 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-10B12B-NN	5/8 inch by 3/4 inch Natural Nylon Single Barbed Wye Connector
Y-R-10B12B-BN	5/8 inch by 3/4 inch Black Nylon Single Barbed Wye Connector
Y-R-10B12B-GFBN	5/8 inch by 3/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-10B12B-NPP	5/8 inch by 3/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-10B12B-WPP	5/8 inch by 3/4 inch White Polypropylene Single Barbed Wye Connector
Y-R-10B12B-PVDF	5/8 inch by 3/4 inch PVDF Single Barbed Wye Connector
Y-R-10B12B-GPVDF	5/8 inch by 3/4 inch Gray PVDF Single Barbed Wye Connector
Y-R-10B12B-HDPE	5/8 inch by 3/4 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-12B16B-NN	3/4 inch by 1 inch Natural Nylon Single Barbed Wye Connector
Y-R-12B16B-BN	3/4 inch by 1 inch Black Nylon Single Barbed Wye Connector
Y-R-12B16B-GFBN	3/4 inch by 1 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-12B16B-NPP	3/4 inch by 1 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-12B16B-WPP	3/4 inch by 1 inch White Polypropylene Single Barbed Wye Connector
Y-R-12B16B-PVDF	3/4 inch by 1 inch PVDF Single Barbed Wye Connector
Y-R-12B16B-GPVDF	3/4 inch by 1 inch Gray PVDF Single Barbed Wye Connector
Y-R-12B16B-HDPE	3/4 inch by 1 inch High-Density Polyethylene Single Barbed Wye Connector



VC-Y SERIES

The VC-Y Series are vacuum style Wye fittings. Available in Natural or Black Nylon 6/6. The equal barb sizes for this wye are 3/16 inch, 1/4 inch, and 3/8 inch. The available reducing barb size is 1/4 inch by 3/16 inch. The working temperature range is from -20° F to 212° F. This wye is recommended for air, liquid, and vapor applications.

SKU	Description
VC-Y-3B-NN	3/16 inch Natural Nylon Vacuum Wye Connector
VC-Y-3B-BN	3/16 inch Black Nylon Vacuum Wye Connector
VC-Y-4B-NN	1/4 inch Natural Nylon Vacuum Wye Connector
VC-Y-4B-BN	1/4 inch Black Nylon Vacuum Wye Connector
VC-Y-6B-NN	3/8 inch Natural Nylon Vacuum Wye Connector
VC-Y-6B-BN	3/8 inch Black Nylon Vacuum Wye Connector
VC-Y-4B3B-O-NN	1/4 inch by 3/16 inch Natural Nylon Vacuum Wye Connector
VC-Y-4B3B-O-BN	1/4 inch by 3/16 inch Black Nylon Vacuum Wye Connector



VC-T SINGLE BARB VACUUM REDUCING TEES

The VC-T Series is a series of single barbed vacuum Tees, available materials are Natural Nylon and Red Nylon. Reducing Tees (VC-TR) are available in Natural, White, and Black Nylon 6/6. The temperature range for these tees is -20° F to 212° F. They can be used for air, liquid, and vapor.

Limited quantities.

SKU	Description
VC-T-3B4B	3/16 by 1/4 Vacuum Reducing Tee
VC-T-6B4B	3/8 by 1/4 Vacuum Reducing Tee
VC-TR-2B3B	1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B3B	3/16 by 1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B	3/16 by 1/8 Vacuum Reducing Tee
VC-TR-4B3B	1/4 by 3/16 Vacuum Reducing Tee
VC-TR-6B3B6B	3/8 by 3/16 by 3/8 Vacuum Reducing Tee

VC-S STRAIGHT VACUUM CONNECTOR



The VC-S Series are straight vacuum connectors, available in both equal and reducing styles. It is made of Natural or Black Nylon 6/6. Equal barb sizes are: 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, and 5/8 inch. Reducing barb sizes are: 3/16 inch by 5/32 inch, 1/4 inch by 1/8 inch, 1/4 inch by 3/16 inch, 5/16 inch by 1/4 inch, and 3/8 inch by 1/4 inch. The working temperature range is -20° F to 212° F. These connectors are used for air, liquid, and vapor applications.

SKU	Description
VC-S-2B	1/8 Barb Vacuum Connector
VC-S-3B	3/16 Barb Vacuum Connector
VC-S-4B	1/4 Barb Vacuum Connector
VC-S-5B	5/16 Barb Vacuum Connector
VC-S-6B	3/8 Barb Vacuum Connector
VC-S-8B	1/2 Barb Vacuum Connector
VC-S-10B	5/8 Barb Vacuum Connector
VC-S-3B532BB	3/16 Barb by 5/32 Barb Vacuum Reducer
VC-S-4B2B	1/4 Barb by 1/8 Barb Vacuum Reducer
VC-S-4B3B	1/4 Barb by 3/16 Barb Vacuum Reducer
VC-S-5B4B	5/16 Barb by 1/4 Barb Vacuum Reducer
VC-S-6B4B	3/8 Barb by 1/4 Barb Vacuum Reducer



TR-R SERIES

The TR-R Series are standard single barbed reducing and enlarging tee connectors. Materials available are: Natural and Black Nylon, Natural and Gray PVDF, Natural and White Polypropylene, Glass-Filled Black Nylon and Polyethylene that is NSF 51/61 certified.

SKU	Description
TR-R-532B6B-NN	5/32 inch by 3/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-532B6B-BN	5/32 inch by 3/8 inch Black Nylon Single Barbed Tee Connector
TR-R-532B6B-PVDF	5/32 inch by 3/8 inch PVDF Single Barbed Tee Connector
TR-R-532B6B-GPVDF	5/32 inch by 3/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-532B6B-NPP	5/32 inch by 3/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-532B6B-WPP	5/32 inch by 3/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-532B6B-GFBN	5/32 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-532B6B-PE-NSF	5/32 inch by 3/8 inch NSF Polyethylene Single Barbed Tee Connector
TR-R-4B10B-NN	1/4 inch by 5/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-4B10B-BN	1/4 inch by 5/8 inch Black Nylon Single Barbed Tee Connector
TR-R-4B10B-PVDF	1/4 inch by 5/8 inch PVDF Single Barbed Tee Connector

SKU	Description
TR-R-4B10B-GPVDF	1/4 inch by 5/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-4B10B-NPP	1/4 inch by 5/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-4B10B-WPP	1/4 inch by 5/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-4B10B-GFBN	1/4 inch by 5/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-4B10B-PE-NSF	1/4 inch by 5/8 inch NSF Polyethylene Single Barbed Tee Connector
TR-R-4B6B-NN	1/4 inch by 3/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-4B6B-BN	1/4 inch by 3/8 inch Black Nylon Single Barbed Tee Connector
TR-R-4B6B-PVDF	1/4 inch by 3/8 inch PVDF Single Barbed Tee Connector
TR-R-4B6B-GPVDF	1/4 inch by 3/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-4B6B-NPP	1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-4B6B-WPP	1/4 inch by 3/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-4B6B-GFBN	1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-4B6B-PE-NSF	1/4 inch by 3/8 inch NSF Polyethylene Single Barbed Tee Connector
TR-R-4B3B-NN	1/4 inch by 3/16 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-BN	1/4 inch by 3/16 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-PVDF	1/4 inch by 3/16 inch PVDF Single Barbed Reducing Tee Connector
TR-R-4B3B-GPVDF	1/4 inch by 3/16 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-4B3B-NPP	1/4 inch by 3/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-4B3B-WPP	1/4 inch by 3/16 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-4B3B-GFBN	1/4 inch by 3/16 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-PE-NSF	1/4 inch by 3/16 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-8B4B-NN	1/2 inch by 1/4 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-8B4B-BN	1/2 inch by 1/4 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B4B-PVDF	1/2 inch by 1/4 inch PVDF Single Barbed Reducing Tee Connector
TR-R-8B4B-GPVDF	1/2 inch by 1/4 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-8B4B-NPP	1/2 inch by 1/4 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B4B-WPP	1/2 inch by 1/4 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B4B-GFBN	1/2 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B4B-PE-NSF	1/2 inch by 1/4 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-8B6B-NN	1/2 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-BN	1/2 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-PVDF	1/2 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-8B6B-GPVDF	1/2 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-8B6B-NPP	1/2 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector

SKU	Description
TR-R-8B6B-WPP	1/2 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B6B-GFBN	1/2 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-PE-NSF	1/2 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-10B6B-NN	5/8 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-PVDF	5/8 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-10B6B-GPVDF	5/8 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-10B6B-NPP	5/8 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-10B6B-WPP	5/8 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-10B6B-GFBN	5/8 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-PE-NSF	5/8 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-12B6B-NN	3/4 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-12B6B-BN	3/4 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B6B-PVDF	3/4 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-12B6B-GPVDF	3/4 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-12B6B-NPP	3/4 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B6B-WPP	3/4 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B6B-GFBN	3/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B6B-PE-NSF	3/4 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-12B8B-NN	3/4 inch by 1/2 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-BN	3/4 inch by 1/2 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-PVDF	3/4 inch by 1/2 inch PVDF Single Barbed Reducing Tee Connector
TR-R-12B8B-GPVDF	3/4 inch by 1/2 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-12B8B-NPP	3/4 inch by 1/2 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B8B-WPP	3/4 inch by 1/2 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B8B-GFBN	3/4 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-PE-NSF	3/4 inch by 1/2 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-16B10B-NN	1 inch by 5/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-BN	1 inch by 5/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-PVDF	1 inch by 5/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-16B10B-GPVDF	1 inch by 5/8 inch Gray PVDF Single Barbed Reducing Tee Connector

SKU	Description
TR-R-16B10B-NPP	1 inch by 5/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-16B10B-WPP	1 inch by 5/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-16B10B-GFBN	1 inch by 5/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-PE-NSF	1 inch by 5/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector

TP-O TUBE PLUG



The TP-O Series is a standard single barbed Tube Plug with no parting line on the barb. Tubing can be started on the barb before any expansion begins and it will expand the tubing up to 43% when completely inserted. It is available in Black and White Nylon, Polypropylene or PVDF. This series is also available with an orifice. Barb sizes for this tube plug are: 1/16 inch, 1/8 inch, 3/32 inch, 3/16 inch, 1/4 inch, 5/32 inch, 3/8 inch, 1/2 inch, 5/8 inch, and 1 inch. Materials vary with barb sizes (see list below).

SKU	Description
TP-O-1B	1/16 Barb Tube Plug
TP-O-2B	1/8 Barb Tube Plug
TP-O-332B	3/32 Barb Tube Plug
TP-O-3B	3/16 Barb Tube Plug
TP-O-4B	1/4 Barb Tube Plug
TP-O-532B	5/32 Barb Tube Plug
TP-O-6B	3/8 Barb Tube Plug
TP-O-8B	1/2 Barb Tube Plug
TP-O-10B	5/8 Barb Tube Plug
TP-S-1B	1/16 Standard Single Barb Tube Plug
TP-S-2B	1/8 Standard Single Barb Tube Plug
TP-S-332B	3/32 Standard Single Barb Tube Plug
TP-S-532B	5/32 Standard Single Barb Tube Plug



T-R SERIES

The T-R Series is a standard industrial grade, single barbed Tee connector. There is a rib behind the barb to prevent the tubing from rotating. There is no parting line on the barb. This Tee is available in Natural and Black Nylon, Natural and Gray PVDF, Polyethylene certified NSF 51/61, Natural and White Polypropylene, HDPE, and Glass-Filled Black Nylon. Equal barb connectors come in a range of sizes from 3/32 inch to 1 inch (see list below). The reducing barb sizes available for this series is 5/8 inch by 3/8 inch.

SKU	Description
T-R-10B6B-NN	5/8 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
T-R-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
T-R-10B6B-PVDF	5/8 inch by 3/8 inch PVDF Single Barbed Reducing Connector
T-R-10B6B-GPVDF	5/8 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
T-R-10B6B-PE-NSF	5/8 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Connector
T-R-10B6B-HDPE	5/8 inch by 3/8 inch High-Density Polyethylene Single Barbed Reducing Tee Connector
T-R-10B6B-NPP	5/8 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
T-R-10B6B-WPP	5/8 inch by 3/8 inch White Polypropylene Single Barbed Reducing Connector
T-R-10B6B-GFBN	5/8 inch by 3/8 inch Glass Filled Black Nylon Single Barbed Reducing Tee Connector
T-R-2B-NN	1/8 inch Natural Nylon Single Barbed Tee Connector
T-R-2B-BN	1/8 inch Black Nylon Single Barbed Tee Connector
T-R-2B-PVDF	1/8 inch PVDF Single Barbed Tee Connector
T-R-2B-GPVDF	1/8 inch Gray PVDF Single Barbed Tee Connector
T-R-2B-PE-NSF	1/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-2B-HDPE	1/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-2B-NPP	1/8 inch Natural Polypropylene Single Barbed Tee Connector
T-R-2B-WPP	1/8 inch White Polypropylene Single Barbed Tee Connector
T-R-2B-GFBN	1/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-332B-NN	3/32 inch Natural Nylon Single Barbed Tee Connector
T-R-332B-BN	3/32 inch Black Nylon Single Barbed Tee Connector
T-R-332B-PVDF	3/32 inch PVDF Single Barbed Tee Connector
T-R-332B-GPVDF	3/32 inch Gray PVDF Single Barbed Tee Connector
T-R-332B-PE-NSF	3/32 inch NSF Polyethylene Singly Barbed Tee Connector
T-R-332B-HDPE	3/32 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-332B-NPP	3/32 inch Natural Polypropylene Single Barbed Tee Connector
T-R-332B-WPP	3/32 inch White Polypropylene Single Barbed Tee Connector
T-R-332B-GFBN	3/32 inch Glass Filled Black Nylon Single Barbed Tee Connector
T-R-3B-NN	3/16 inch Natural Nylon Single Barbed Tee Connector
T-R-3B-BN	3/16 inch Black Nylon Single Barbed Tee Connector
T-R-3B-PVDF	3/16 inch PVDF Single Barbed Tee Connector

SKU	Description
T-R-3B-GPVDF	3/16 inch Gray PVDF Single Barbed Tee Connector
T-R-3B-PE-NSF	3/16 inch NSF Polyethylene Single Barbed Tee Connector
T-R-3B-HDPE	3/16 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-3B-NPP	3/16 inch Natural Polypropylene Single Barbed Tee Connector
T-R-3B-WPP	3/16 inch White Polypropylene Single Barbed Tee Connector
T-R-3B-GFBN	3/16 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-4B-NN	1/4 inch Natural Nylon Single Barbed Tee Connector
T-R-4B-BN	1/4 inch Black Nylon Single Barbed Tee Connector
T-R-4B-PVDF	1/4 inch PVDF Single Barbed Tee Connector Natural
T-R-4B-GPVDF	1/4 inch Gray PVDF Single Barbed Tee Connector
T-R-4B-PE-NSF	1/4 inch NSF Polyethylene Single Barbed Tee Connector
T-R-4B-HDPE	1/4 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-4B-NPP	1/4 inch Natural Polypropylene Single Barbed Tee Connector
T-R-4B-WPP	1/4 inch White Polypropylene Single Barbed Tee Connector
T-R-4B-GFBN	1/4 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-532B-NN	5/32 inch Natural Nylon Single Barbed Tee Connector
T-R-532B-BN	5/32 inch Black Nylon Single Barbed Tee Connector
T-R-532B-PVDF	5/32 inch PVDF Single Barbed Tee Connector
T-R-532B-GPVDF	5/32 inch Gray PVDF Single Barbed Tee Connector
T-R-532B-PE-NSF	5/32 inch NSF Polyethylene Single Barbed Tee Connector
T-R-532B-HDPE	5/32 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-532B-NPP	5/32 inch Natural Polypropylene Single Barbed Tee Connector
T-R-532B-WPP	5/32 inch White Polypropylene Single Barbed Tee Connector
T-R-532B-GFBN	5/32 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-5B-NN	5/16 inch Natural Nylon Single Barbed Tee Connector
T-R-5B-BN	5/16 inch Black Nylon Single Barbed Tee Connector
T-R-5B-PVDF	5/16 inch PVDF Single Barbed Tee Connector
T-R-5B-GPVDF	5/16 inch Gray PVDF Single Barbed Tee Connector
T-R-5B-PE-NSF	5/16 inch NSF Polyethylene Single Barbed Tee Connector
T-R-5B-HDPE	5/16 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-5B-NPP	5/16 inch Natural Polypropylene Single Barbed Tee Connector
T-R-5B-WPP	5/16 inch White Polypropylene Single Barbed Tee Connector
T-R-5B-GFBN	5/16 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-6B-NN	3/8 inch Natural Nylon Single Barbed Tee Connector
T-R-6B-BN	3/8 inch Black Nylon Single Barbed Tee Connector
T-R-6B-PVDF	3/8 inch PVDF Single Barbed Tee Connector
T-R-6B-GPVDF	3/8 inch Gray PVDF Single Barbed Tee Connector
T-R-6B-PE-NSF	3/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-6B-HDPE	3/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-6B-NPP	3/8 inch Natural Polypropylene Single Barbed Tee Connector

SKU	Description
T-R-6B-WPP	3/8 inch White Polypropylene Single Barbed Tee Connector
T-R-6B-GFBN	3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-8B-NN	1/2 inch Natural Nylon Single Barbed Tee Connector
T-R-8B-BN	1/2 inch Black Nylon Single Barbed Tee Connector
T-R-8B-PVDF	1/2 inch PVDF Single Barbed Tee Connector
T-R-8B-GPVDF	1/2 inch Gray PVDF Single Barbed Tee Connector
T-R-8B-PE-NSF	1/2 inch NSF Polyethylene Single Barbed Tee Connector
T-R-8B-HDPE	1/2 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-8B-NPP	1/2 inch Natural Polypropylene Single Barbed Tee Connector
T-R-8B-WPP	1/2 inch White Polypropylene Single Barbed Tee Connector
T-R-8B-GFBN	1/2 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-10B-NN	5/8 inch Natural Nylon Single Barbed Tee Connector
T-R-10B-BN	5/8 inch Black Nylon Single Barbed Tee Connector
T-R-10B-PVDF	5/8 inch PVDF Single Barbed Tee Connector
T-R-10B-GPVDF	5/8 inch Gray PVDF Single Barbed Tee Connector
T-R-10B-PE-NSF	5/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-10B-HDPE	5/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-10B-NPP	5/8 inch Natural Polypropylene Single Barbed Tee Connector
T-R-10B-WPP	5/8 inch White Polypropylene Single Barbed Tee Connector
T-R-10B-GFBN	5/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-12B-NN	3/4 inch Natural Nylon Single Barbed Tee Connector
T-R-12B-BN	3/4 inch Black Nylon Single Barbed Tee Connector
T-R-12B-PVDF	3/4 inch PVDF Single Barbed Tee Connector
T-R-12B-GPVDF	3/4 inch Gray PVDF Single Barbed Tee Connector
T-R-12B-PE-NSF	3/4 inch NSF Polyethylene Single Barbed Tee Connector
T-R-12B-HDPE	3/4 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-12B-NPP	3/4 inch Natural Polypropylene Single Barbed Tee Connector
T-R-12B-WPP	3/4 inch White Polypropylene Single Barbed Tee Connector
T-R-12B-GFBN	3/4 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-16B-NN	1 inch Natural Nylon Single Barbed Tee Connector
T-R-16B-BN	1 inch Black Nylon Single Barbed Tee Connector
T-R-16B-PVDF	1 inch PVDF Single Barbed Tee Connector
T-R-16B-GPVDF	1 inch Gray PVDF Single Barbed Tee Connector
T-R-16B-PE-NSF	1 inch NSF Polyethylene Single Barbed Tee Connector
T-R-16B-HDPE	1 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-16B-NPP	1 inch Natural Polypropylene Single Barbed Tee Connector
T-R-16B-WPP	1 inch White Polypropylene Single Barbed Tee Connector
T-R-16B-GFBN	1 inch Glass-Filled Black Nylon Single Barbed Tee Connector

L-R STANDARD SINGLE BARB ELBOW CONNECTOR



The L-R Series is a standard, single barbed Elbow connector made of Natural and Black Nylon, Gray PVDF, and NSF 51/61 certified Polyethylene. It is also available in high-density Polyethylene, Natural and White Polypropylene and Glass-Filled Black Nylon. This elbow is available in equal barbs as well as in a reducing configuration. Equal barb sizes are: 1/8 inch, 3/32 inch, 3/16 inch, 1/4 inch, 5/32 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing sizes are: 5/16 inch by 1/4 inch and 1/2 inch by 3/8 inch.

SKU	Description
L-R-2B	1/8 Barb Elbow
L-R-332B	3/32 Barb Elbow
L-R-3B	3/16 Barb Elbow
L-R-4B	1/4 Barb Elbow
L-R-532B	5/32 Barb Elbow
L-R-5B	5/16 Barb Elbow
L-R-6B	3/8 Barb Elbow
L-R-8B	1/2 Barb Elbow
L-R-10B	5/8 Barb Elbow
L-R-12B	3/4 Barb Elbow
L-R-16B	1 inch Barb Elbow
L-R-5B4B	5/16 by 1/4 Barb Elbow Reducer
L-R-8B6B	1/2 by 3/8 Barb Elbow Reducer

L-IG SERIES



The L-IG Series are multi-barbed elbows made of Black and White Nylon and Gray Polypropylene. The ports are 1/16 inch and 1/8 inch. The maximum working pressure is 125 psi and the temperature ranges are: Nylon -50° F to 180° F; Polypropylene -40° F to 200° F.

SKU	Description
L-IG-1B-BN	1/16 inch Black Nylon Multi-Barbed Elbow
L-IG-1B-GPP	1/16 inch Gray Polypropylene Multi-Barbed Elbow
L-IG-1B-WN	1/16 inch White Nylon Multi-Barbed Elbow
L-IG-2B-BN	1/8 inch Black Nylon Multi-Barbed Elbow
L-IG-2B-GPP	1/8 inch Gray Polypropylene Multi-Barbed Elbow
L-IG-2B-WN	1/8 inch White Nylon Multi-Barbed Elbow

HP-R SERIES



The HP-R Series is a standard Pipe Plug. Available in Natural, Black and Glass-Filled Black Nylon, Natural and Gray PVDF, Natural, Black and White Polypropylene, PTFE and Polyethylene certified NSF 51/61. Male NPT thread sizes range from 1/4 inch to 1 inch. Schedule 80 is available.

SKU	Description
HP-R-4M-NN	1/4 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-4M-BN	1/4 inch MNPT Black Nylon Pipe Hex Plug
HP-R-4M-GFBN	1/4 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-4M-NPP	1/4 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-4M-BPP	1/4 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-4M-WPP	1/4 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-4M-PTFE	1/4 inch MNPT PTFE Pipe Hex Plug
HP-R-4M-PPE	1/4 inch MNPT Polyethylene Pipe Hex Plug
HP-R-4M-PVDF	1/4 inch MNPT PVDF Pipe Hex Plug
HP-R-4M-GPVDF	1/4 inch MNPT Gray PVDF Pipe Hex Plug
HP-R-6M-NN	3/8 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-6M-BN	3/8 inch MNPT Black Nylon Pipe Hex Plug
HP-R-6M-GFBN	3/8 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-6M-NPP	3/8 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-6M-BPP	3/8 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-6M-WPP	3/8 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-6M-PTFE	3/8 inch MNPT PTFE Pipe Hex Plug
HP-R-6M-PPE	3/8 inch MNPT Polyethylene Pipe Hex Plug
HP-R-6M-PVDF	3/8 inch MNPT PVDF Pipe Hex Plug
HP-R-6M-GPVDF	3/8 inch MNPT Gray PVDF Pipe Hex Plug
HP-R-8M-NN	1/2 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-8M-BN	1/2 inch MNPT Black Nylon Pipe Hex Plug
HP-R-8M-GFBN	1/2 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-8M-NPP	1/2 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-8M-BPP	1/2 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-8M-WPP	1/2 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-8M-PTFE	1/2 inch MNPT PTFE Pipe Hex Plug
HP-R-8M-PPE	1/2 inch MNPT Polyethylene Pipe Hex Plug
HP-R-8M-PVDF	1/2 inch MNPT PVDF Pipe Hex Plug
HP-R-8M-GPVDF	1/2 inch MNPT Gray PVDF Pipe Hex Plug
HP-R-12M-NN	3/4 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-12M-BN	3/4 inch MNPT Black Nylon Pipe Hex Plug
HP-R-12M-GFBN	3/4 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-12M-NPP	3/4 inch MNPT Natural Polypropylene Pipe Hex Plug

SKU	Description
HP-R-12M-BPP	3/4 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-12M-WPP	3/4 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-12M-PTFE	3/4 inch MNPT PTFE Pipe Hex Plug
HP-R-12M-PPE	3/4 inch MNPT Polyethylene Pipe Hex Plug
HP-R-12M-PVDF	3/4 inch MNPT PVDF Pipe Hex Plug
HP-R-12M-GPVDF	3/4 inch MNPT Gray PVDF Pipe Hex Plug
HP-R-16M-NN	1 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-16M-BN	1 inch MNPT Black Nylon Pipe Hex Plug
HP-R-16M-GFBN	1 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-16M-NPP	1 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-16M-BPP	1 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-16M-WPP	1 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-16M-PTFE	1 inch MNPT PTFE Pipe Hex Plug
HP-R-16M-PPE	1 inch MNPT Polyethylene Pipe Hex Plug
HP-R-16M-PVDF	1 inch MNPT PVDF Pipe Hex Plug
HP-R-16M-GPVDF	1 inch MNPT Gray PVDF Pipe Hex Plug



HN-R STANDARD MALE TO MALE HEX NIPPLE

The HN-R Series is a standard male by male NPT Hex Nipple and Hex Nipple reducer. It comes in Natural, Black and Glass-Filled Black Nylon, Natural Polypropylene, Gray PVDF, and Polyethylene. The Polyethylene is certified NSF 51/61. Available sizes range from 1/8 inch to 1 inch.

SKU	Description
HN-R-2M	1/8 MNPT Hex Nipple
HN-R-4M	1/4 MNPT Hex Nipple
HN-R-6M	3/8 MNPT Hex Nipple
HN-R-8M	1/2 MNPT Hex Nipple
HN-R-12M	3/4 MNPT Hex Nipple
HN-R-16M	1 inch MNPT Hex Nipple
HN-R-6M2M	3/8 MNPT by 1/8 MNPT Standard Pipe Hex Reducer Nipple
HN-R-6M4M	3/8 MNPT by 1/4 MNPT Standard Pipe Hex Reducer Nipple
HN-R-8M2M	1/2 MNPT by 1/8 MNPT Standard Pipe Hex Reducer Nipple
HN-R-8M4M	1/2 MNPT by 1/4 MNPT Standard Pipe Hex Reducer Nipple
HN-R-8M6M	1/2 MNPT by 3/8 MNPT Standard Pipe Hex Reducer Nipple
HN-R-16M12M	1 inch MNPT by 3/4 MNPT Standard Pipe Hex Reducer Nipple

EV SERIES



The EV Series are single barbed tube-to-tube elbows. These elbows are available in White and Black Nylon, Natural Polypropylene, Clear Polycarbonate, and PVDF. These elbows are available in equal or reducing sizes. Barb sizes are 1/16 inch, 1/8 inch, and 3/32 inch.

SKU	Description
EV-1B	1/16 Barb Elbow
EV-1B-400	1/16 Barb Elbow Low Profile
EV-2B	1/8 Barb Elbow
EV-332B	3/32 Barb Elbow
EV-2B1B	1/8 by 1/16 Barb Reducing Elbow
EV-2B332B	1/8 by 3/32 Barb Reducing Elbow
EV-332B1B	3/32 by 1/16 Barb Reducing Elbow



CR-S SERIES

The CR-S Series are standard equal and reducing single barbed straight connectors with no parting line on the barb. These are ideal for medical and laboratory environments. The barbs will expand tubing up to 50% above its normal size. Both equal and reducing connectors are produced of White and Black Nylon, Natural Polypropylene, PVDF, and Polycarbonate. Equal connectors also have the options of Red and Blue Nylon. Orifices are also available. Equal barb sizes: 1/8 inch. Reducing barb sizes: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CR-S-2B2B-WN	1/8 inch White Nylon Single Barbed Straight Connector
CR-S-2B2B-BN	1/8 inch Black Nylon Single Barbed Straight Connector
CR-S-2B2B-NPP	1/8 inch Natural Polypropylene Single Barbed Straight Connector
CR-S-2B2B-PVDF	1/8 inch PVDF Single Barbed Straight Connector
CR-S-2B2B-PC	1/8 inch Polycarbonate Single Barbed Straight Connector
CR-S-2B2B-BL	1/8 inch Blue Nylon Single Barbed Straight Connector
CR-S-2B2B-RD	1/8 inch Red Nylon Single Barbed Straight Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B1B-NPP	1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B1B-PC	1/8 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B1B-PVDF	1/8 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-2B1B-WN	1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B332B-BN	1/8 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector

SKU	Description
CR-S-2B332B-NPP	1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B332B-PC	1/8 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B332B-PVDF	1/8 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-2B332B-WN	1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Connector
CR-S-2B332B-YEL	1/8 inch by 3/32 inch Yellow Nylon Single Barbed Reducing Connector
CR-S-332B1B-BN	3/32 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-332B1B-NPP	3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-332B1B-PC	3/32 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-332B1B-PVDF	3/32 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-332B1B-WN	3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-532B332B-BN	5/32 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector
CR-S-532B332B-NPP	5/32 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-532B332B-PC	5/32 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-532B332B-PVDF	5/32 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-532B332B-WN	5/32 inch by 3/32 inch White Nylon Single Barbed Reducing Connector

CR SERIES

The CR Series Plastic Multi-Barbed Fittings are reducing connectors with a standard Triple-Barb hose. Molded of either NSF Listed Natural Nylon, NSF Listed Black Polyethylene, FDA Listed Natural Polypropylene, FDA Listed Black Polypropylene, or Black Nylon. Sizes ranging from 1/8 inch to 1-1/2 inch.



SKU	Description
CR-4B2B	1/4 Multi Barb by 1/8 Multi Barb Reducer
CR-4B3B	1/4 Multi Barb by 3/16 Multi Barb Reducer
CR-4B532	1/4 Multi Barb by 5/32 Multi Barb Reducer
CR-5B2B	5/16 Multi Barb by 1/8 Multi Barb Reducer
CR-5B3B	5/16 Multi Barb by 3/16 Multi Barb Reducer
CR-6B4B	3/8 Multi Barb by 1/4 Multi Barb Reducer
CR-6B5B	3/8 Multi Barb by 5/16 Multi Barb Reducer
CR-6B8B	3/8 Multi Barb by 1/2 Multi Barb Reducer
CR-8B4B	1/2 Multi Barb by 1/4 Multi Barb Reducer
CR-8B6B	1/2 Multi Barb by 3/8 Multi Barb Reducer
CR-10B6B	5/8 Multi Barb by 3/8 Multi Barb Reducer
CR-10B8B	5/8 Multi Barb by 1/2 Multi Barb Reducer

SKU	Description
CR-12B8B	3/4 Multi BarbX 1/2 Multi Barb Reducer



CPP SERIES

The CPP Series is a standard single barbed connector with equal barbs. Included in this series is the CPR Series, which is the reducing connector. Both series are available in Natural, White and Black Nylon, Polypropylene, PVDF, and Polyethylene. Equal barb sizes (CPP Series) are: 1/16 inch, 3/32 inch, and 1/8 inch. Reducing barb sizes (CPR Series) are: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, 3/32 inch by 5/32 inch, 1/4 inch by 1/16 inch, 1/4 inch by 3/32 inch, 1/4 inch by 3/16 inch, 5/32 inch by 1/16 inch, 5/32 inch by 1/8 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CPP-1B	1/16 inch Standard Barbed Connector
CPP-2B	1/8 inch Standard Barbed Connector
CPP-332B	3/32 inch Standard Barbed Connector
CPR-2B1B	1/8 by 1/16 Standard Barbed Reducer
CPR-2B332B	1/8 by 3/32 Standard Barb Reducer
CPR-332B1B	3/32 by 1/16 Standard Barbed Reducer
CPR-3B532B	3/16 by 5/32 Standard Barbed Reducer
CPR-4B1B	1/4 by 1/16 Standard Barbed Reducer
CPR-4B2B	1/4 by 1/8 Standard Barbed Reducer
CPR-4B332B	1/4 by 3/32 Standard Barbed Reducer
CPR-4B3B	1/4 by 3/16 Standard Barbed Reducer
CPR-532B1B	5/32 by 1/16 Standard Barbed Reducer
CPR-532B2B	5/32 by 1/8 Standard Barbed Reducer
CPR-532B332B	5/32 by 3/32 Standard Barbed Reducer

CPL SERIES



The CPL Series are equal or reducing elbow connectors. This series of single barbed elbows are available in Natural and Black Nylon, Natural Polypropylene, PVDF, and Polyethylene. The barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, and 1/4 inch.

SKU	Description
CPL-1B	1/16 Barb Elbow
CPL-2B	1/8 Barb Elbow
CPL-332B	3/32 Barb Elbow
CPL-2B1B	1/8 Barb to 1/16 Barb Elbow Reducer
CPL-2B332B	1/8 Barb by 3/32 Barb Elbow Reducer
CPL-332B1B	3/32 Barb by 1/16 Barb Elbow Reducer
CPL-3B1B	3/16 Barb by 1/8 Barb Elbow Reducer
CPL-3B2B	3/16 Barb by 1/8 Barb Elbow Reducer
CPL-4B1B	1/4 Barb by 1/16 Barb Elbow Reducer
CPL-4B2B	1/4 Barb by 1/8 Barb Elbow Reducer
CPL-4B332B	1/4 Barb by 3/32 Barb Elbow Reducer
CPL-532B1B	5/32 Barb by 1/16 Barb Elbow Reducer
CPL-532B2B	5/32 Barb by 1/8 Barb Elbow Reducer

C-U ULTIMATE HIGH FLOW SINGLE BARB FITTING



The C-U series is an ultimate high-flow single barb fitting for soft plastic tubing. The barb will expand the tubing up to 40%. This series is available as an equal or reducing fitting. Sizes ranging from 1/16 inch to 1 inch are available. Optional materials include: Natural Nylon, Black Nylon, White Nylon, Polycarbonate, Polypropylene, and PVDF.

SKU	Description
C-U-2B	1/8 Barb Connector
C-U-3B	3/16 Barb Connector
C-U-4B	1/4 Barb Connector
C-U-532B	5/32 Barb Connector
C-U-5B	5/16 Barb Connector
C-U-6B	3/8 Barb Connector
C-U-8B	1/2 Barb Connector
C-U-10B	5/8 Barb Connector
C-U-12B	3/4 Barb Connector
C-U-16B	1 inch Barb Connector

SKU	Description
C-U-2B1B	1/8 Barb by 1/16 Barb Reducer
C-U-2B332B	1/8 Barb by 3/32 Barb Reducer
C-U-3B2B	3/16 Barb by 1/8 Barb Reducer
C-U-3B332B	3/16 Barb by 3/32 Barb Reducer
C-U-3B532B	3/16 Barb by 5/32 Barb Reducer
C-U-4B2B	1/4 Barb by 1/8 Barb Reducer
C-U-4B3B	1/4 Barb by 3/16 Barb Reducer
C-U-4B532B	1/4 Barb by 5/32 Barb Reducer
C-U-532B1B	5/32 Barb by 1/16 Barb Reducer
C-U-5B3B	5/16 Barb by 3/16 Barb Reducer
C-U-5B4B	5/16 Barb by 1/4 Barb Reducer
C-U-5B532B	5/16 Barb by 5/32 Barb Reducer
C-U-6B2B	3/8 Barb by 1/8 Barb Reducer
C-U-6B4B	3/8 Barb by 1/4 Barb Reducer
C-U-8B4B	1/2 Barb by 1/4 Barb Reducer
C-U-8B6B	1/2 Barb by 3/8 Barb Reducer
C-U-10B4B	5/8 Barb by 1/4 Barb Reducer
C-U-12B8B	3/4 Barb by 1/2 Barb Reducer
C-U-16B12B	1 inch Barb by 3/4 inch Barb Reducer

C-SO SINGLE AND REDUCING BARB CONNECTOR



The C-SO Series are original single barbed straight and reducing connectors. These connectors have no parting line on the barb, and have a square center hub. Tubing can be started on the barb of this connector before any expansion begins. It will expand tubing 43% when it is completely inserted. Available materials are Black and White Nylon, Natural Polypropylene, Clear Polycarbonate, and Natural PVDF. Available barb sizes are: 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
C-SO-2B1B	1/8 to 1/16 Square Hub Reducer
C-SO-2B332B	1/8 by 3/32 Square Hub Reducer
C-SO-332B1B	3/32 to 1/16 Square Hub Reducer
C-SO-1B	1/16 Square Hub Connector
C-SO-2B	1/8 Square Hub Connector
C-SO-332B	3/32 Square Hub Connector



C MULTI-BARB EQUAL REDUCING CONNECTOR

The C Series are standard multi-barbed straight and reducing connectors. They are available in Black Nylon, NSF listed Natural Nylon and Black Polyethylene, and FDA listed Natural and Black Polypropylene. A range of barb sizes from 1/8 inch to 1-1/2 inch are available.

SKU	Description
C-2B2B-NN-NSF	1/8 inch NSF Natural Nylon Multi-Barbed Connector
C-2B2B-BPE-NSF	1/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-2B2B-NPP-FDA	1/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-2B2B-BPP-FDA	1/8 inch FDA Black Polypropylene Multi-Barbed Connector
C-2B2B-BN	1/8 inch Black Nylon Multi-Barbed Connector
C-3B3B-NN-NSF	3/16 inch NSF Natural Nylon Multi-Barbed Connector
C-3B3B-BPE-NSF	3/16 inch NSF Black Polyethylene Multi-Barbed Connector
C-3B3B-NPP-FDA	3/16 inch FDA Natural Polypropylene Multi-Barbed Connector
C-3B3B-BPP-FDA	3/16 inch FDA Black Polypropylene Multi-Barbed Connector
C-3B3B-BN	3/16 inch Black Nylon Multi-Barbed Connector
C-4B4B-NN-NSF	1/4 inch NSF Natural Nylon Multi-Barbed Connector
C-4B4B-BPE-NSF	1/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-4B4B-NPP-FDA	1/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-4B4B-BPP-FDA	1/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-4B4B-BN	1/4 inch Black Nylon Multi-Barbed Connector
C-5B5B-NN-NSF	5/16 inch NSF Natural Nylon Multi-Barbed Connector
C-5B5B-BPE-NSF	5/16 inch NSF Black Polyethylene Multi-Barbed Connector
C-5B5B-NPP-FDA	5/16 inch FDA Natural Polypropylene Multi-Barbed Connector
C-5B5B-BPP-FDA	5/16 inch FDA Black Polypropylene Multi-Barbed Connector
C-5B5B-BN	5/16 inch Black Nylon Multi-Barbed Connector
C-6B6B-NN-NSF	3/8 inch NSF Natural Nylon Multi-Barbed Connector
C-6B6B-BPE-NSF	3/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-6B6B-NPP-FDA	3/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-6B6B-BPP-FDA	3/8 inch FDA Black Polypropylene Multi-Barbed Connector
C-6B6B-BN	3/8 inch Black Nylon Multi-Barbed Connector
C-8B8B-NN-NSF	1/2 inch NSF Natural Nylon Multi-Barbed Connector
C-8B8B-BPE-NSF	1/2 inch NSF Black Polyethylene Multi-Barbed Connector
C-8B8B-NPP-FDA	1/2 inch FDA Natural Polypropylene Multi-Barbed Connector
C-8B8B-BPP-FDA	1/2 inch FDA Black Polypropylene Multi-Barbed Connector
C-8B8B-BN	1/2 inch Black Nylon Multi-Barbed Connector
C-10B10-NN-NSF	5/8 inch NSF Natural Nylon Multi-Barbed Connector
C-10B10B-BPE-NSF	5/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-10B10B-NPP-FDA	5/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-10B10B-BPP-FDA	5/8 inch FDA Black Polypropylene Multi-Barbed Connector

SKU	Description
C-10B10B-BN	5/8 inch Black Nylon Multi-Barbed Connector
C-12B12B-NN-NSF	3/4 inch NSF Natural Nylon Multi-Barbed Connector
C-12B12B-BPE-NSF	3/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-12B12B-NPP-FDA	3/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-12B12B-BPP-FDA	3/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-12B12B-BN	3/4 inch Black Nylon Multi-Barbed Connector
C-16B16B-NN-NSF	1 inch NSF Natural Nylon Multi-Barbed Connector
C-16B16B-BPE-NSF	1 inch NSF Black Polyethylene Multi-Barbed Connector
C-16B16B-NPP-FDA	1 inch FDA Natural Polypropylene Multi-Barbed Connector
C-16B16B-BPP-FDA	1 inch FDA Black Polypropylene Multi-Barbed Connector
C-16B16B-BN	1 inch Black Nylon Multi-Barbed Connector
C-20B20B-NN-NSF	1-1/4 inch NSF Natural Nylon Multi-Barbed Connector
C-20B20B-BPE-NSF	1-1/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-20B20B-NPP-FDA	1-1/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-20B20B-BPP-FDA	1-1/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-20B20B-BN	1-1/4 inch Black Nylon Multi-Barbed Connector
C-24B24B-NN-NSF	1-1/2 inch NSF Natural Nylon Multi-Barbed Connector
C-24B24B-BPE	1-1/2 inch NSF Black Polyethylene Multi-Barbed Connector
C-24B24B-NPP-FDA	1-1/2 inch FDA Natural Polypropylene Multi-Barbed Connector
C-24B24B-BPP-FDA	1-1/2 inch FDA Black Polypropylene Multi-Barbed Connector
C-24B24B-BN	1-1/2 inch Black Nylon Multi-Barbed Connector
C-4B2B-NN-NSF	1/4 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B2B-BPE-NSF	1/4 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B2B-NPP-FDA	1/4 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-4B2B-BPP-FDA	1/4 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B2B-BN	1/4 inch by 1/8 inch Black Nylon Multi-Barbed Reducing Connector
C-4B3B-NN-NSF	1/4 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B3B-BPE-NSF	1/4 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B3B-NPP-FDA	1/4 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-4B3B-BPP-FDA	1/4 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B3B-BN	1/4 inch by 3/16 inch Black Nylon Multi-Barbed Reducing Connector
C-4B532-NN-NSF	1/4 inch by 5/32 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B532-BPE-NSF	1/4 inch by 5/32 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B532-NPP-FDA	1/4 inch by 5/32 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector

SKU	Description
C-4B532-BPP-FDA	1/4 inch by 5/32 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B532-BN	1/4 inch by 5/32 inch Black Nylon Multi-Barbed Reducing Connector
C-5B2B-NN-NSF	5/16 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-5B2B-BPE-NSF	5/16 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-5B2B-NPP-FDA	5/16 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-5B2B-BPP-FDA	5/16 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-5B2B-BN	5/16 inch by 1/8 inch Black Nylon Multi-Barbed Reducing Connector
C-5B3B-NN-NSF	5/16 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-5B3B-BPE-NSF	5/16 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-5B3B-NPP-FDA	5/16 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-5B3B-BPP-FDA	5/16 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-5B3B-BN	5/16 inch by 3/16 inch Black Nylon Multi-Barbed Reducing Connector
C-6B4B-NN-NSF	3/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B4B-BPE-NSF	3/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B4B-NPP-FDA	3/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B4B-BPP-FDA	3/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B4B-BN	3/8 inch by 1/4 inch Black Nylon Multi-Barbed Reducing Connector
C-6B5B-NN-NSF	3/8 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B5B-BPE-NSF	3/8 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B5B-NPP-FDA	3/8 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B5B-BPP-FDA	3/8 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B5B-BN	3/8 inch by 5/16 inch Black Nylon Multi-Barbed Reducing Connector
C-6B8B-NN-NSF	3/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B8B-BPE-NSF	3/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B8B-NPP-FDA	3/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B8B-BPP-FDA	3/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B8B-BN	3/8 inch by 1/2 inch Black Nylon Multi-Barbed Reducing Connector
C-8B4B-NN-NSF	1/2 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-8B4B-BPE-NSF	1/2 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Connector

SKU	Description
C-8B4B-NPP-FDA	1/2 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-8B4B-BPP-FDA	1/2 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-8B4B-BN	1/2 inch by 1/4 inch Black Nylon Multi-Barbed Reducing Connector
C-8B6B-NN-NSF	1/2 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-8B6B-BPE-NSF	1/2 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-8B6B-NPP-FDA	1/2 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-8B6B-BPP-FDA	1/2 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-8B6B-BN	1/2 inch by 3/8 inch Black Nylon Multi-Barbed Reducing Connector
C-8B6B-PVDF	1/2 inch by 3/8 inch PVDF Multi-Barbed Reducing Connector
C-10B6B-NN-NSF	5/8 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-10B6B-BPE-NSF	5/8 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-10B6B-NPP-FDA	5/8 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-10B6B-BPP-FDA	5/8 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Multi-Barbed Reducing Connector
C-10B8B-BPE-NSF	5/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-10B8B-BPP-FDA	5/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-10B8B-NN-NSF	5/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-10B8B-NPP-FDA	5/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-10B8B-BN	5/8 inch by 1/2 inch Black Nylon Multi-Barbed Reducing Connector
C-12B8B-NN-NSF	3/4 inch by 1/2 inch NSF Natural Nylon
C-12B8B-BPE-NSF	3/4 inch by 1/2 inch NSF Black Polyethylene
C-12B8B-NPP-FDA	3/4 inch by 1/2 inch FDA Natural Polypropylene
C-12B8B-BPP-FDA	3/4 inch by 1/2 inch FDA Black Polypropylene
C-12B8B-BN	3/4 inch by 1/2 inch Black Nylon

BHUDC SERIES | BULKHEADS



The BHUDC Series Bulkheads are Manufactured by *Pneuline Supply, Inc.* in-house and offer a unique flatted side for a Greenlee D punch, thus avoiding the possibility for the Bulkhead to turn. Bulkheads are assigned sizes from the outside of the panel to the inside. Available in 1/8 inch, 1/4 inch, and 3/8 inch Hose Barb sizes, or any combination. The 3/8 inch panel fitting does not have a flatted side. Materials available are Natural Nylon, Black Nylon, Polypropylene, PVDF, and Acetal. Zinc-plated nuts are available for Nylon bulkheads, and Nylon nuts are available for all other bulkheads.

SKU	Description
BHUDC-2B2B-BN	1/8 inch Barb by 1/8 inch Barb Black Nylon Bulkhead
BHUDC-2B2B-N	1/8 inch Barb by 1/8 inch Barb Nylon Bulkhead
BHUDC-2B4B-BN	1/8 inch Barb by 1/4 inch Barb Black Nylon Bulkhead
BHUDC-2B4B-N	1/8 inch Barb by 1/4 inch Barb Nylon Bulkhead
BHUDC-2B4B-NK	1/8 inch Barb by 1/4 inch Barb PVDF Bulkhead
BHUDC-4B170-PP	1/4 inch Barb by .170 Barb Nylon Bulkhead
BHUDC-4B4B-BK-PP	1/4 inch by 1/4 inch Black Polypropylene Bulkhead
BHUDC-4B4B-BN	1/4 inch by 1/4 inch Black Nylon Bulkhead
BHUDC-4B4B-BNK-N	1/4 inch ID by 1/4 inch ID Black Nylon Bulkhead
BHUDC-4B4B-N	1/4 inch Barb by 1/4 inch Barb Nylon Bulkhead
BHUDC-4B4B-NK	1/4 inch Barb by 1/4 inch Barb PVDF Bulkhead
BHUDC-4B4B-PP	1/4 inch Barb Natural Polypropylene Bulkhead
BHUDC-4B6B-BN	1/4 inch Barb by 3/8 inch Barb Black Nylon Bulkhead
BHUDC-4B6B-N	1/4 inch Barb by 3/8 inch Barb Nylon Bulkhead
BHUDC-4B6B-PP	1/4 inch Barb by 3/8 inch Barb Polypropylene Bulkhead
BHUDC-6B170B	3/8 inch Barb by .170 Barb Bulkhead
BHUDC-6B170B-N	3/8 inch Barb by .170 Barb Nylon Bulkhead
BHUDC-6B6B-AC	3/8 inch Barb by 3/8 inch Barb Acetal Bulkhead
BHUDC-6B6B-BN	3/8 inch Barb by 3/8 inch Barb Black Nylon Bulkhead
BHUDC-6B6B-N	3/8 inch Barb Nylon Bulkhead
BHUDC-6B6B-PP	3/8 inch Barb by 3/8 inch Barb Polypropylene Bulkhead

AT-R SERIES



The AT-R Series are single-barbed by Male NPT threads Tee Adapters. Available in Black and Natural Nylon, Glass-Filled Nylon, Natural and White Polypropylene, PVDF, and Polyethylene that is NSF 51/61 listed. Thread sizes range from 1/8 inch to 1 inch. Barb sizes range from 1/4 inch to 1 inch.

SKU	Description
AT-R-2M4B-BN	1/8 inch MNPT by 1/4 inch Black Nylon Single Barbed Tee Adapter
AT-R-2M4B-WPP	1/8 inch MNPT by 1/4 inch White Polypropylene Single Barbed Tee Adapter
AT-R-2M4B-GFBN	1/8 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-2M4B-NK	1/8 inch MNPT by 1/4 inch Natural PVDF Single Barbed Tee Adapter
AT-R-2M4B-NN	1/8 inch MNPT by 1/4 inch Natural Nylon Single Barbed Tee Adapter
AT-R-2M4B-PE-NSF	1/8 inch MNPT by 1/4 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-2M4B-NPP	1/8 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-2M532B-BN	1/8 inch MNPT by 5/32 inch Black Nylon Single Barbed Tee Adapter
AT-R-2M532B-GFBN	1/8 inch MNPT by 5/32 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-2M532B-NN	1/8 inch MNPT by 5/32 inch Natural Nylon Single Barbed Tee Adapter
AT-R-2M532B-PE-NSF	1/8 inch MNPT by 5/32 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-2M532B-NPP	1/8 inch MNPT by 5/32 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-2M532B-PVDF	1/8 inch MNPT by 5/32 inch PVDF Single Barbed Tee Adapter
AT-R-2M532B-WPP	1/8 inch MNPT by 5/32 inch White Polypropylene Single Barbed Tee Adapter
AT-R-2M6B-BN	1/8 inch MNPT by 3/8 inch Black Nylon Single Barbed Tee Adapter
AT-R-2M6B-GFBN	1/8 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-2M6B-NN	1/8 inch MNPT by 3/8 inch Natural Nylon Single Barbed Tee Adapter
AT-R-2M6B-PE-NSF	1/8 inch MNPT by 3/8 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-2M6B-NPP	1/8 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-2M6B-PVDF	1/8 inch MNPT by 3/8 inch PVDF Single Barbed Tee Adapter
AT-R-2M6B-WPP	1/8 inch MNPT by 3/8 inch White Polypropylene Single Barbed Tee Adapter
AT-R-4M3B-BN	1/4 inch MNPT by 3/8 inch Black Nylon Single Barbed Tee Adapter
AT-R-4M3B-GFBN	1/4 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-4M3B-NN	1/4 inch MNPT by 3/8 inch Natural Nylon Single Barbed Tee Adapter
AT-R-4M3B-PE-NSF	1/4 inch MNPT by 3/8 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-4M3B-NPP	1/4 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Tee Adapter

SKU	Description
AT-R-4M3B-PVDF	1/4 inch MNPT by 3/8 inch PVDF Single Barbed Tee Adapter
AT-R-4M3B-WPP	1/4 inch MNPT by 3/8 inch White Polypropylene Single Barbed Tee Adapter
AT-R-4M4B-BN	1/4 inch MNPT by 1/4 inch Black Nylon Single Barbed Tee Adapter
AT-R-4M4B-GFBN	1/4 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-4M4B-NN	1/4 inch MNPT by 1/4 inch Natural Nylon Single Barbed Tee Adapter
AT-R-4M4B-PE-NSF	1/4 inch MNPT by 1/4 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-4M4B-NPP	1/4 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-4M4B-PVDF	1/4 inch MNPT by 1/4 inch PVDF Single Barbed Tee Adapter
AT-R-4M4B-WPP	1/4 inch MNPT by 1/4 inch White Polypropylene Single Barbed Tee Adapter
AT-R-4M532B-BN	1/4 inch MNPT by 5/32 inch Black Nylon Single Barbed Tee Adapter
AT-R-4M532B-GFBN	1/4 inch MNPT by 5/32 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-4M532B-NN	1/4 inch MNPT by 5/32 inch Natural Nylon Single Barbed Tee Adapter
AT-R-4M532B-PE-NSF	1/4 inch MNPT by 5/32 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-4M532B-NPP	1/4 inch MNPT by 5/32 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-4M532B-PVDF	1/4 inch MNPT by 5/32 inch PVDF Single Barbed Tee Adapter
AT-R-4M532B-WPP	1/4 inch MNPT by 5/32 inch White Polypropylene Single Barbed Tee Adapter
AT-R-4M5B-BN	1/4 inch MNPT by 5/16 inch Black Nylon Single Barbed Tee Adapter
AT-R-4M5B-GFBN	1/4 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-4M5B-NN	1/4 inch MNPT by 5/16 inch Natural Nylon Single Barbed Tee Adapter
AT-R-4M5B-PE-NSF	1/4 inch MNPT by 5/16 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-4M5B-NPP	1/4 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-4M5B-PVDF	1/4 inch MNPT by 5/16 inch PVDF Single Barbed Tee Adapter
AT-R-4M5B-WPP	1/4 inch MNPT by 5/16 inch White Polypropylene Single Barbed Tee Adapter
AT-R-4M6B-BN	1/4 inch MNPT by 3/8 inch Black Nylon Single Barbed Tee Adapter
AT-R-4M6B-GFBN	1/4 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-4M6B-NN	1/4 inch MNPT by 3/8 inch Natural Nylon Single Barbed Tee Adapter
AT-R-4M6B-PE-NSF	1/4 inch MNPT by 3/8 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-4M6B-NPP	1/4 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-4M6B-PVDF	1/4 inch MNPT by 3/8 inch PVDF Single Barbed Tee Adapter
AT-R-4M6B-WPP	1/4 inch MNPT by 3/8 inch White Polypropylene Single Barbed Tee Adapter
AT-R-4M8B-BN	1/4 inch MNPT by 1/2 inch Black Nylon Single Barbed Tee Adapter

SKU	Description
AT-R-4M8B-GFBN	1/4 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-4M8B-NN	1/4 inch MNPT by 1/2 inch Natural Nylon Single Barbed Tee Adapter
AT-R-4M8B-PE-NSF	1/4 inch MNPT by 1/2 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-4M8B-NPP	1/4 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-4M8B-PVDF	1/4 inch MNPT by 1/2 inch PVDF Single Barbed Tee Adapter
AT-R-4M8B-WPP	1/4 inch MNPT by 1/2 inch White Polypropylene Single Barbed Tee Adapter
AT-R-6M6B-BN	3/8 inch MNPT by 3/8 inch Black Nylon Single Barbed Tee Adapter
AT-R-6M6B-GFBN	3/8 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-6M6B-NN	3/8 inch MNPT by 3/8 inch Natural Nylon Single Barbed Tee Adapter
AT-R-6M6B-PE-NSF	3/8 inch MNPT by 3/8 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-6M6B-NPP	3/8 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-6M6B-PVDF	3/8 inch MNPT by 3/8 inch PVDF Single Barbed Tee Adapter
AT-R-6M6B-WPP	3/8 inch MNPT by 3/8 inch White Polypropylene Single Barbed Tee Adapter
AT-R-6M8B-BN	3/8 inch MNPT by 1/2 inch Black Nylon Single Barbed Tee Adapter
AT-R-6M8B-GFBN	3/8 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-6M8B-NN	3/8 inch MNPT by 1/2 inch Natural Nylon Single Barbed Tee Adapter
AT-R-6M8B-PE-NSF	3/8 inch MNPT by 1/2 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-6M8B-NPP	3/8 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-6M8B-PVDF	3/8 inch MNPT by 1/2 inch PVDF Single Barbed Tee Adapter
AT-R-6M8B-WPP	3/8 inch MNPT by 1/2 inch White Polypropylene Single Barbed Tee Adapter
AT-R-8M12B-BN	1/2 inch MNPT by 3/4 inch Black Nylon Single Barbed Tee Adapter
AT-R-8M12B-GFBN	1/2 inch MNPT by 3/4 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-8M12B-NN	1/2 inch MNPT by 3/4 inch Natural Nylon Single Barbed Tee Adapter
AT-R-8M12B-PE-NSF	1/2 inch MNPT by 3/4 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-8M12B-NPP	1/2 inch MNPT by 3/4 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-8M12B-PVDF	1/2 inch MNPT by 3/4 inch PVDF Single Barbed Tee Adapter
AT-R-8M12B-WPP	1/2 inch MNPT by 3/4 inch White Polypropylene Single Barbed Tee Adapter
AT-R-8M4B-BN	1/2 inch MNPT by 1/4 inch Black Nylon Single Barbed Tee Adapter
AT-R-8M4B-GFBN	1/2 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-8M4B-NN	1/2 inch MNPT by 1/4 inch Natural Nylon Single Barbed Tee Adapter
AT-R-8M4B-PE-NSF	1/2 inch MNPT by 1/4 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-8M4B-NPP	1/2 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Tee Adapter

SKU	Description
AT-R-8M4B-PVDF	1/2 inch MNPT by 1/4 inch PVDF Single Barbed Tee Adapter
AT-R-8M4B-WPP	1/2 inch MNPT by 1/4 inch White Polypropylene Single Barbed Tee Adapter
AT-R-8M6B-BN	1/2 inch MNPT by 3/8 inch Black Nylon Single Barbed Tee Adapter
AT-R-8M6B-GFBN	1/2 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-8M6B-NN	1/2 inch MNPT by 3/8 inch Natural Nylon Single Barbed Tee Adapter
AT-R-8M6B-PE-NSF	1/2 inch MNPT by 3/8 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-8M6B-NPP	1/2 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-8M6B-PVDF	1/2 inch MNPT by 3/8 inch PVDF Single Barbed Tee Adapter
AT-R-8M6B-WPP	1/2 inch MNPT by 3/8 inch White Polypropylene Single Barbed Tee Adapter
AT-R-8M8B-BN	1/2 inch MNPT by 1/2 inch Black Nylon Single Barbed Tee Adapter
AT-R-8M8B-GFBN	1/2 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-8M8B-NN	1/2 inch MNPT by 1/2 inch Natural Nylon Single Barbed Tee Adapter
AT-R-8M8B-PE-NSF	1/2 inch MNPT by 1/2 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-8M8B-NPP	1/2 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-8M8B-PVDF	1/2 inch MNPT by 1/2 inch PVDF Single Barbed Tee Adapter
AT-R-8M8B-WPP	1/2 inch MNPT by 1/2 inch White Polypropylene Single Barbed Tee Adapter
AT-R-12M12B-BN	3/4 inch MNPT by 3/4 inch Black Nylon Single Barbed Tee Adapter
AT-R-12M12B-GFBN	3/4 inch MNPT by 3/4 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-12M12B-NN	3/4 inch MNPT by 3/4 inch Natural Nylon Single Barbed Tee Adapter
AT-R-12M12B-PE-NSF	3/4 inch MNPT by 3/4 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-12M12B-NPP	3/4 inch MNPT by 3/4 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-12M12B-PVDF	3/4 inch MNPT by 3/4 inch PVDF Single Barbed Tee Adapter
AT-R-12M12B-WPP	3/4 inch MNPT by 3/4 inch White Polypropylene Single Barbed Tee Adapter
AT-R-12M16B-BN	3/4 inch MNPT by 1 inch Black Nylon Single Barbed Tee Adapter
AT-R-12M16B-GFBN	3/4 inch MNPT by 1 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-12M16B-NN	3/4 inch MNPT by 1 inch Natural Nylon Single Barbed Tee Adapter
AT-R-12M16B-PE-NSF	3/4 inch MNPT by 1 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-12M16B-NPP	3/4 inch MNPT by 1 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-12M16B-PVDF	3/4 inch MNPT by 1 inch PVDF Single Barbed Tee Adapter
AT-R-12M16B-WPP	3/4 inch MNPT by 1 inch White Polypropylene Single Barbed Tee Adapter
AT-R-12M4B-BN	3/4 inch MNPT by 1/4 inch Black Nylon Single Barbed Tee Adapter
AT-R-12M4B-GFBN	3/4 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-12M4B-NN	3/4 inch MNPT by 1/4 inch Natural Nylon Single Barbed Tee Adapter
AT-R-12M4B-PE-NSF	3/4 inch MNPT by 1/4 inch NSF Polyethylene Single Barbed Tee Adapter

SKU	Description
AT-R-12M4B-NPP	3/4 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-12M4B-PVDF	3/4 inch MNPT by 1/4 inch PVDF Single Barbed Tee Adapter
AT-R-12M4B-WPP	3/4 inch MNPT by 1/4 inch White Polypropylene Single Barbed Tee Adapter
AT-R-12M8B-BN	3/4 inch MNPT by 1/2 inch Black Nylon Single Barbed Tee Adapter
AT-R-12M8B-GFBN	3/4 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-12M8B-NN	3/4 inch MNPT by 1/2 inch Natural Nylon Single Barbed Tee Adapter
AT-R-12M8B-PE-NSF	3/4 inch MNPT by 1/2 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-12M8B-NPP	3/4 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-12M8B-PVDF	3/4 inch MNPT by 1/2 inch PVDF Single Barbed Tee Adapter
AT-R-12M8B-WPP	3/4 inch MNPT by 1/2 inch White Polypropylene Single Barbed Tee Adapter
AT-R-16M16M-BN	1 inch MNPT by 1 inch Black Nylon Single Barbed Tee Adapter
AT-R-16M16M-GFBN	1 inch MNPT by 1 inch Glass-Filled Black Nylon Single Barbed Tee Adapter
AT-R-16M16M-NN	1 inch MNPT by 1 inch Natural Nylon Single Barbed Tee Adapter
AT-R-16M16M-PE-NSF	1 inch MNPT by 1 inch NSF Polyethylene Single Barbed Tee Adapter
AT-R-16M16M-NPP	1 inch MNPT by 1 inch Natural Polypropylene Single Barbed Tee Adapter
AT-R-16M16M-PVDF	1 inch MNPT by 1 inch PVDF Single Barbed Tee Adapter
AT-R-16M16M-WPP	1 inch MNPT by 1 inch White Polypropylene Single Barbed Tee Adapter



AML-S SERIES

The AML-S Series are Male NPT threads by single barbed Elbow Adapters. Available materials are White and Black Nylon, and Natural Polypropylene. There is no parting line on the barb. The male NPT thread size is 1/8 inch and the barb sizes are 1/16 inch, 1/8 inch, 3/32 inch, 3/16 inch, and 1/4 inch.

SKU	Description
AML-S-2M1B-BN	1/8 inch MNPT by 1/16 inch Black Nylon
AML-S-2M1B-NPP	1/8 inch MNPT by 1/16 inch Natural Polypropylene
AML-S-2M1B-WN	1/8 inch MNPT by 1/16 inch White Nylon
AML-S-2M332B-BN	1/8 inch MNPT by 3/32 inch Black Nylon
AML-S-2M332B-NPP	1/8 inch MNPT by 3/32 inch Natural Polypropylene
AML-S-2M332B-WN	1/8 inch MNPT by 3/32 inch White Nylon
AML-S-2M2B-BN	1/8 inch MNPT by 1/8 inch Black Nylon
AML-S-2M2B-NPP	1/8 inch MNPT by 1/8 inch Natural Polypropylene
AML-S-2M2B-WN	1/8 inch MNPT by 1/8 inch White Nylon
AML-S-2M3B-BN	1/8 inch MNPT by 3/16 inch Black Nylon

SKU	Description
AML-S-2M3B-NPP	1/8 inch MNPT by 3/16 inch Natural Polypropylene
AML-S-2M3B-WN	1/8 inch MNPT by 3/16 inch White Nylon
AML-S-2M4B-BN	1/8 inch MNPT by 1/4 inch Black Nylon
AML-S-2M4B-NPP	1/8 inch MNPT by 1/4 inch Natural Polypropylene
AML-S-2M4B-WN	1/8 inch MNPT by 1/4 inch White Nylon



AML SERIES

The AML Series are MNPT by triple barbed elbows. This elbow is molded of NSF listed Natural Nylon or Black Polyethylene. Barbed fittings over one inch are not offered in Polyethylene. Optional materials include: Black Nylon, FDA listed Natural Polypropylene, and FDA listed Black Polypropylene. Combinations of these sizes are available: 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, 1 inch, 1-1/4 inch, and 1-1/2 inch. Fittings over 1 inch are not available in Polyethylene.

SKU	Description
AML-6M10B-NN	3/8 inch MNPT by 5/8 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-6M10B-BPE	3/8 inch MNPT by 5/8 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-6M10B-NPP	3/8 inch MNPT by 5/8 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-6M10B-BPP	3/8 inch MNPT by 5/8 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-6M10B-BN	3/8 inch MNPT by 5/8 inch Black Nylon Triple Barbed Adapter Elbow
AML-6M6B-NN	3/8 inch MNPT by 3/8 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-6M6B-BPE	3/8 inch MNPT by 3/8 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-6M6B-NPP	3/8 inch MNPT by 3/8 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-6M6B-BPP	3/8 inch MNPT by 3/8 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-6M6B-BN	3/8 inch MNPT by 3/8 inch Black Nylon Triple Barbed Adapter Elbow
AML-6M4B-NN	3/8 inch MNPT by 1/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-6M4B-BPE	3/8 inch MNPT by 1/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-6M4B-NPP	3/8 inch MNPT by 1/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-6M4B-BPP	3/8 inch MNPT by 1/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-6M4B-BN	3/8 inch MNPT by 1/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-6M8B-NN	3/8 inch MNPT by 1/2 inch NSF Natural Nylon Triple Barbed Adapter Elbow

SKU	Description
AML-6M8B-BPE	3/8 inch MNPT by 1/2 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-6M8B-NPP	3/8 inch MNPT by 1/2 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-6M8B-BPP	3/8 inch MNPT by 1/2 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-6M8B-BN	3/8 inch MNPT by 1/2 inch Black Nylon Triple Barbed Adapter Elbow
AML-12M10B-NN	3/4 inch MNPT by 5/8 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-12M10B-BPE	3/4 inch MNPT by 5/8 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-12M10B-NPP	3/4 inch MNPT by 5/8 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-12M10B-BPP	3/4 inch MNPT by 5/8 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-12M10B-BN	3/4 inch MNPT by 5/8 inch Black Nylon Triple Barbed Adapter Elbow
AML-12M6LB-NN	3/4 inch MNPT by 3/8 inch NSF Natural Nylon Long Triple Barbed Adapter Elbow
AML-12M6LB-BPE	3/4 inch MNPT by 3/8 inch NSF Black Polyethylene Long Triple Barbed Adapter Elbow
AML-12M6LB-NPP	3/4 inch MNPT by 3/8 inch FDA Natural Polypropylene Long Triple Barbed Adapter Elbow
AML-12M6LB-BPP	3/4 inch MNPT by 3/8 inch FDA Black Polypropylene Long Triple Barbed Adapter Elbow
AML-12M6LB-BN	3/4 inch MNPT by 3/8 inch Black Nylon Long Triple Barbed Adapter Elbow
AML-12M12B-NN	3/4 inch MNPT by 3/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-12M12B-BPE	3/4 inch MNPT by 3/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-12M12B-NPP	3/4 inch MNPT by 3/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-12M12B-BPP	3/4 inch MNPT by 3/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-12M12B-BN	3/4 inch MNPT by 3/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-12M16B-NN	3/4 inch MNPT by 1 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-12M16B-BPE	3/4 inch MNPT by 1 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-12M16B-NPP	3/4 inch MNPT by 1 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-12M16B-BPP	3/4 inch MNPT by 1 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-12M16B-BN	3/4 inch MNPT by 1 inch Black Nylon Triple Barbed Adapter Elbow
AML-12M4B-NN	3/4 inch MNPT by 1/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-12M4B-BPE	3/4 inch MNPT by 1/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-12M4B-NPP	3/4 inch MNPT by 1/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow

SKU	Description
AML-12M4B-BPP	3/4 inch MNPT by 1/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-12M4B-BN	3/4 inch MNPT by 1/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-12M8B-PVDF	3/4 inch MNPT by 1/2 inch PVDF Short Triple Barbed Adapter Elbow
AML-12M8B-NN	3/4 inch MNPT by 1/2 inch NSF Natural Nylon Short Triple Barbed Adapter Elbow
AML-12M8LB-NN	3/4 inch MNPT by 1/2 inch NSF Natural Nylon Long Triple Barbed Adapter Elbow
AML-12M8B-BPE	3/4 inch MNPT by 1/2 inch NSF Black Polyethylene Short Triple Barbed Adapter Elbow
AML-12M8LB-BPE	3/4 inch MNPT by 1/2 inch NSF Black Polyethylene Long Triple Barbed Adapter Elbow
AML-12M8B-NPP	3/4 inch MNPT by 1/2 inch FDA Natural Polypropylene Short Triple Barbed Adapter Elbow
AML-12M8LB-NPP	3/4 inch MNPT by 1/2 inch FDA Natural Polypropylene Long Triple Barbed Adapter Elbow
AML-12M8B-BPP	3/4 inch MNPT by 1/2 inch FDA Black Polypropylene Short Triple Barbed Adapter Elbow
AML-12M8LB-BPP	3/4 inch MNPT by 1/2 inch FDA Black Polypropylene Long Triple Barbed Adapter Elbow
AML-12M8B-BN	3/4 inch MNPT by 1/2 inch Black Nylon Short Triple Barbed Adapter Elbow
AML-12M8LB-BN	3/4 inch MNPT by 1/2 inch Black Nylon Long Triple Barbed Adapter Elbow
AML-16M12B-NN	1 inch MNPT by 3/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-16M12B-BPE	1 inch MNPT by 3/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-16M12B-NPP	1 inch MNPT by 3/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-16M12B-BPP	1 inch MNPT by 3/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-16M12B-BN	1 inch MNPT by 3/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-16M16B-NN	1 inch MNPT by 1 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-16M16B-BPE	1 inch MNPT by 1 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-16M16B-NPP	1 inch MNPT by 1 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-16M16B-BPP	1 inch MNPT by 1 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-16M16B-BN	1 inch MNPT by 1 inch Black Nylon Triple Barbed Adapter Elbow
AML-16M8B-NN	1 inch MNPT by 1/2 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-16M8B-BPE	1 inch MNPT by 1/2 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-16M8B-NPP	1 inch MNPT by 1/2 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-16M8B-BPP	1 inch MNPT by 1/2 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-16M8B-BN	1 inch MNPT by 1/2 inch Black Nylon Triple Barbed Adapter Elbow
AML-2M5B-NN	1/8 inch MNPT by 5/16 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-2M5B-BPE	1/8 inch MNPT by 5/16 inch NSF Black Polyethylene Triple Barbed Adapter Elbow

SKU	Description
AML-2M5B-NPP	1/8 inch MNPT by 5/16 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-2M5B-BPP	1/8 inch MNPT by 5/16 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-2M5B-BN	1/8 inch MNPT by 5/16 inch Black Nylon Triple Barbed Adapter Elbow
AML-2M3B-NN	1/8 inch MNPT by 3/16 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-2M3B-BPE	1/8 inch MNPT by 3/16 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-2M3B-NPP	1/8 inch MNPT by 3/16 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-2M3B-BPP	1/8 inch MNPT by 3/16 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-2M3B-BN	1/8 inch MNPT by 3/16 inch Black Nylon Triple Barbed Adapter Elbow
AML-2M6B-NN	1/8 inch MNPT by 3/8 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-2M6B-BPE	1/8 inch MNPT by 3/8 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-2M6B-NPP	1/8 inch MNPT by 3/8 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-2M6B-BPP	1/8 inch MNPT by 3/8 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-2M6B-BN	1/8 inch MNPT by 3/8 inch Black Nylon Triple Barbed Adapter Elbow
AML-2M4B-NN	1/8 inch MNPT by 1/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-2M4B-BPE	1/8 inch MNPT by 1/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-2M4B-NPP	1/8 inch MNPT by 1/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-2M4B-BPP	1/8 inch MNPT by 1/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-2M4B-BN	1/8 inch MNPT by 1/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-4M5B-NN	1/4 inch MNPT by 5/16 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-4M5B-BPE	1/4 inch MNPT by 5/16 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-4M5B-NPP	1/4 inch MNPT by 5/16 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-4M5B-BPP	1/4 inch MNPT by 5/16 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-4M5B-BN	1/4 inch MNPT by 5/16 inch Black Nylon Triple Barbed Adapter Elbow
AML-4M3B-NN	1/4 inch MNPT by 3/16 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-4M3B-BPE	1/4 inch MNPT by 3/16 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-4M3B-NPP	1/4 inch MNPT by 3/16 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-4M3B-BPP	1/4 inch MNPT by 3/16 inch FDA Black Polypropylene Triple Barbed Adapter Elbow

SKU	Description
AML-4M3B-BN	1/4 inch MNPT by 3/16 inch Black Nylon Triple Barbed Adapter Elbow
AML-4M6B-NN	1/4 inch MNPT by 3/8 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-4M6B-BPE	1/4 inch MNPT by 3/8 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-4M6B-NPP	1/4 inch MNPT by 3/8 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-4M6B-BPP	1/4 inch MNPT by 3/8 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-4M6B-BN	1/4 inch MNPT by 3/8 inch Black Nylon Triple Barbed Adapter Elbow
AML-4M4B-NN	1/4 inch MNPT by 1/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-4M4B-BPE	1/4 inch MNPT by 1/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-4M4B-NPP	1/4 inch MNPT by 1/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-4M4B-BPP	1/4 inch MNPT by 1/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-4M4B-BN	1/4 inch MNPT by 1/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-4M8B-NN	1/4 inch MNPT by 1/2 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-4M8B-BPE	1/4 inch MNPT by 1/2 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-4M8B-NPP	1/4 inch MNPT by 1/2 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-4M8B-BPP	1/4 inch MNPT by 1/2 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-4M8B-BN	1/4 inch MNPT by 1/2 inch Black Nylon Triple Barbed Adapter Elbow
AML-8M10LB-NN	1/2 inch MNPT by 5/8 inch NSF Natural Nylon Long Triple Barbed Adapter Elbow
AML-8M10LB-BPE	1/2 inch MNPT by 5/8 inch NSF Black Polyethylene Long Triple Barbed Adapter Elbow
AML-8M10LB-NPP	1/2 inch MNPT by 5/8 inch FDA Natural Polypropylene Long Triple Barbed Adapter Elbow
AML-8M10LB-BPP	1/2 inch MNPT by 5/8 inch FDA Black Polypropylene Long Triple Barbed Adapter Elbow
AML-8M10LB-BN	1/2 inch MNPT by 5/8 inch Black Nylon Long Triple Barbed Adapter Elbow
AML-8M6B-NN	1/2 inch MNPT by 3/8 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-8M6B-BPE	1/2 inch MNPT by 3/8 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-8M6B-NPP	1/2 inch MNPT by 3/8 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-8M6B-BPP	1/2 inch MNPT by 3/8 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-8M6B-BN	1/2 inch MNPT by 3/8 inch Black Nylon Triple Barbed Adapter Elbow
AML-8M12LB-NN	1/2 inch MNPT by 3/4 inch NSF Natural Nylon Long Triple Barbed Adapter Elbow

SKU	Description
AML-8M12LB-NPP	1/2 inch MNPT by 3/4 inch FDA Natural Polypropylene Long Triple Barbed Adapter Elbow
AML-8M12LB-BPP	1/2 inch MNPT by 3/4 inch FDA Black Polypropylene Long Triple Barbed Adapter Elbow
AML-8M12LB-BPE	1/2 inch MNPT by 3/4 inch Black Polyethylene Long Triple Barbed Adapter Elbow
AML-8M12LB-BN	1/2 inch MNPT by 3/4 inch Black Nylon Long Triple Barbed Adapter Elbow
AML-8M16B-NN	1/2 inch MNPT by 1 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-8M16B-BPE	1/2 inch MNPT by 1 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-8M16B-NPP	1/2 inch MNPT by 1 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-8M16B-BPP	1/2 inch MNPT by 1 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-8M16B-BN	1/2 inch MNPT by 1 inch Black Nylon Triple Barbed Adapter Elbow
AML-8M4B-NN	1/2 inch MNPT by 1/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-8M4B-BPE	1/2 inch MNPT by 1/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-8M4B-NPP	1/2 inch MNPT by 1/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-8M4B-BPP	1/2 inch MNPT by 1/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-8M4B-BN	1/2 inch MNPT by 1/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-8M8B-NN	1/2 inch MNPT by 1/2 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-8M8B-BPE	1/2 inch MNPT by 1/2 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-8M8B-NPP	1/2 inch MNPT by 1/2 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-8M8B-BPP	1/2 inch MNPT by 1/2 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-8M8B-BN	1/2 inch MNPT by 1/2 inch Black Nylon Triple Barbed Adapter Elbow
AML-20M12B-NN	1-1/4 inch MNPT by 3/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-20M12B-BPE	1-1/4 inch MNPT by 3/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-20M12B-NPP	1-1/4 inch MNPT by 3/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-20M12B-BPP	1-1/4 inch MNPT by 3/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-20M12B-BN	1-1/4 inch MNPT by 3/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-20M16B-NN	1-1/4 inch MNPT by 1 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-20M16B-BPE	1-1/4 inch MNPT by 1 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-20M16B-NPP	1-1/4 inch MNPT by 1 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow

SKU	Description
AML-20M16B-BPP	1-1/4 inch MNPT by 1 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-20M16B-BN	1-1/4 inch MNPT by 1 inch Black Nylon Triple Barbed Adapter Elbow
AML-20M20B-NN	1-1/4 inch MNPT by 1-1/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-20M20B-BPE	1-1/4 inch MNPT by 1-1/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-20M20B-NPP	1-1/4 inch MNPT by 1-1/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-20M20B-BPP	1-1/4 inch MNPT by 1-1/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-20M20B-BN	1-1/4 inch MNPT by 1-1/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-20M24B-NN	1-1/4 inch MNPT by 1-1/2 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-20M24B-BPE	1-1/4 inch MNPT by 1-1/2 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-20M24B-NPP	1-1/4 inch MNPT by 1-1/2 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-20M24B-BPP	1-1/4 inch MNPT by 1-1/2 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-20M24B-BN	1-1/4 inch MNPT by 1-1/2 inch Black Nylon Triple Barbed Adapter Elbow
AML-24M12B-NN	1-1/2 inch MNPT by 3/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-24M12B-BPE	1-1/2 inch MNPT by 3/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-24M12B-NPP	1-1/2 inch MNPT by 3/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-24M12B-BPP	1-1/2 inch MNPT by 3/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-24M12B-BN	1-1/2 inch MNPT by 3/4 inch Black Nylon Triple Barbed Adapter Elbow
AML-24M16B-NN	1-1/2 inch MNPT by 1 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-24M16B-BPE	1-1/2 inch MNPT by 1 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-24M16B-NPP	1-1/2 inch MNPT by 1 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-24M16B-BPP	1-1/2 inch MNPT by 1 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-24M16B-BN	1-1/2 inch MNPT by 1 inch Black Nylon Triple Barbed Adapter Elbow
AML-24M20B-NN	1-1/2 inch MNPT by 1-1/4 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-24M20B-BPE	1-1/2 inch MNPT by 1-1/4 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-24M20B-NPP	1-1/2 inch MNPT by 1-1/4 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-24M20B-BPP	1-1/2 inch MNPT by 1-1/4 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-24M20B-BN	1-1/2 inch MNPT by 1-1/4 inch Black Nylon Triple Barbed Adapter Elbow

SKU	Description
AML-24M24B-NN	1-1/2 inch MNPT by 1-1/2 inch NSF Natural Nylon Triple Barbed Adapter Elbow
AML-24M24B-BPE	1-1/2 inch MNPT by 1-1/2 inch NSF Black Polyethylene Triple Barbed Adapter Elbow
AML-24M24B-NPP	1-1/2 inch MNPT by 1-1/2 inch FDA Natural Polypropylene Triple Barbed Adapter Elbow
AML-24M24B-BPP	1-1/2 inch MNPT by 1-1/2 inch FDA Black Polypropylene Triple Barbed Adapter Elbow
AML-24M24B-BN	1-1/2 inch MNPT by 1-1/2 inch Black Nylon Triple Barbed Adapter Elbow

AM-U SERIES



The AM-U Series is a 1/4-28 inch UNF bottom sealing Swivel fitting. It is available with Polypropylene or PVDF interiors with a Nylon encasement. The Nylon comes in five colors: white, black, red, blue or green. There are three barb sizes: 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
AM-U-14S1B-NP	1/4-28 inch UNF by 1/16 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S1B-PVDF	1/4-28 inch UNF by 1/16 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S1B-WN	1/4-28 inch UNF by 1/16 inch White Nylon Single Barbed Swivel
AM-U-14S1B-BN	1/4-28 inch UNF by 1/16 inch Black Nylon Single Barbed Swivel
AM-U-14S1B-RD	1/4-28 inch UNF by 1/16 inch Red Nylon Single Barbed Swivel
AM-U-14S1B-BL	1/4-28 inch UNF by 1/16 inch Blue Nylon Single Barbed Swivel
AM-U-14S1B-GN	1/4-28 inch UNF by 1/16 inch Green Nylon Single Barbed Swivel
AM-U-14S2B-NP	1/4-28 inch UNF by 1/8 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S2B-PVDF	1/4-28 inch UNF by 1/8 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S2B-WN	1/4-28 inch UNF by 1/8 inch White Nylon Single Barbed Swivel
AM-U-14S2B-BN	1/4-28 inch UNF by 1/8 inch Black Nylon Single Barbed Swivel
AM-U-14S2B-RD	1/4-28 inch UNF by 1/8 inch Red Nylon Single Barbed Swivel
AM-U-14S2B-BL	1/4-28 inch UNF by 1/8 inch Blue Nylon Single Barbed Swivel
AM-U-14S2B-GN	1/4-28 inch UNF by 1/8 inch Green Nylon Single Barbed Swivel
AM-U-14S332B-NPP	1/4-28 inch UNF by 3/32 inch Natural Polypropylene Single Barbed Swivel
AM-U-14S332B-WNP	1/4-28 inch UNF by 3/32 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S332B-BN	1/4-28 inch UNF by 3/32 inch Black Nylon Single Barbed Swivel
AM-U-14S332B-PVDF	1/4-28 inch UNF by 3/32 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S332B-RD	1/4-28 inch UNF by 3/32 inch Red Nylon Single Barbed Swivel
AM-U-14S332B-BL	1/4-28 inch UNF by 3/32 inch Blue Nylon Single Barbed Swivel
AM-U-14S332BGN	1/4-28 inch UNF by 3/32 inch Green Nylon Single Barbed Swivel



AM MULTI BARB THREADED ADAPTER

The AM Series is an MNPT by a triple barbed adapter. It is molded of NSF listed Natural Nylon or NSF listed Black Polyethylene. Optional materials are: Black Nylon, PVC, FDA listed Natural Polypropylene, and FDA listed Black Polypropylene. The MNPT threads sizes available are 1/8 inch, 1/4 inch, 3/8 inch, 1/2 inch, 3/4 inch, 1 inch, 1-1/4 inch, 1-1/2 inch, and 2 inches. The barb sizes are 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 5/32 inch, 1 inch, 1-1/4 inch, and 1-1/2 inch. Barbed fittings over one inch are not offered in Polyethylene. The temperature range is -40° F to 200° F and the maximum working pressure is 125 psi.

SKU	Description
AM-2M532B	Adapter 1/8 MNPT 5/32 Barb
AM-2M3B	Adapter 1/8 MNPT 3/16 Barb
AM-2M4B	Adapter 1/8 MNPT 1/4 Barb
AM-2M5B	Adapter 1/8 MNPT 5/16 Barb
AM-2M6B	Adapter 1/8 MNPT 3/8 Barb
AM-2M8B	Adapter 1/8 MNPT 1/2 Barb
AM-32M32B	Adapter 2 inch MNPT 2 inch Barb
AM-4M532B	Adapter 1/4 MNPT by 5/32 Barb
AM-4M3B	Adapter 1/4 MNPT 3/16 Barb
AM-4M4B	Adapter 1/4 MNPT 1/4 Barb
AM-4M5B	Adapter 1/4 MNPT 5/16 Barb
AM-4M6B	Adapter 1/4 MNPT 3/8 Barb
AM-4M8B	Adapter 1/4 MNPT 1/2 Barb
AM-6M4B	Adapter 3/8 MNPT 1/4 Barb
AM-6M5B	Adapter 3/8 MNPT 5/16 Barb
AM-6M6B	Adapter 3/8 MNPT 3/8 Barb
AM-6M8B	Adapter 3/8 MNPT 1/2 Barb
AM-6M10B	Adapter 3/8 MNPT 5/8 Barb
AM-8M3B	Adapter 1/2 MNPT 3/16 Barb
AM-8M4B	Adapter 1/2 MNPT 1/4 Barb
AM-8M6B	Adapter 1/2 MNPT 3/8 Barb
AM-8M8B	Adapter 1/2 MNPT 1/2 Barb
AM-8M10B	Adapter 1/2 MNPT 5/8 Barb
AM-8M12B	Adapter 1/2 MNPT 3/4 Barb
AM-8M16B	Adapter 1/2 MNPT 1 inch Barb
AM-12M4B	Adapter 3/4 MNPT 1/4 Barb
AM-12M6B	Adapter 3/4 MNPT 3/8 Barb
AM-12M8B	Adapter 3/4 MNPT 1/2 Barb
AM-12M10B	Adapter 3/4 MNPT 5/8 Barb
AM-12M12B	Adapter 3/4 MNPT 3/4 Barb

SKU	Description
AM-12M16B	Adapter 3/4 MNPT 1 inch Barb
AM-16M8B	Adapter 1 inch MNPT by 1/2 inch Barb
AM-16M12B	Adapter 1 inch MNPT 3/4 Barb
AM-16M16B	Adapter 1 inch MNPT 1 inch Barb
AM-16M20B	Adapter 1 inch MNPT 1-1/4 inch Barb
AM-16M24B	Adapter 1 inch MNPT 1-1/2 inch Barb
AM-20M12B	Adapter 1-1/4 inch MNPT 3/4 Barb
AM-20M16B	Adapter 1-1/4 inch MNPT 1 inch Barb
AM-20M20B	Adapter 1-1/4 inch MNPT 1-1/4 Barb
AM-20M24B	Adapter 1-1/4 inch MNPT 1-1/2 inch Barb
AM-24M12B	Adapter 1-1/2 inch MNPT 3/4 Barb
AM-24M16B	Adapter 1-1/2 inch MNPT 1 inch Barb
AM-24M20B	Adapter 1-1/2 inch MNPT 1-1/4 inch Barb
AM-24M24B	Adapter 1-1/2 inch MNPT 1-1/2 inch Barb
AM-24M32B	Adapter 1-1/2 inch MNPT by 2 inch Barb

ALS-IG SWIVEL ADAPTER ELBOW



The ALS-IG Series Swivel Adapter Elbow allows tubing to be rotated 360° into position without crimping. These Swivel Elbows are made of Black Nylon. The male threads are 10-32 inch UNF or 1/8 inch and 1/4 inch male NPT. The barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch. The 10-32 inch UNF threads are self-sealing, the 1/8 inch and 1/4 inch threads seal with a Buna-N, EPDM or Viton® O-Ring. The working pressure is 125 psi and the working temperature range is -50° F to 180° F.

SKU	Description
ALS-IG-10X1B	10-32 inch Male UNF by 1/16 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-10X332B	10-32 inch Male UNF by 3/32 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-10X2B	10-32 inch Male UNF by 1/8 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-2MX1B	1/8 inch MNPT by 1/16 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-2MX332B	1/8 inch MNPT by 3/32 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-2MX2B	1/8 inch MNPT by 1/8 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-4MX1B	1/4 inch MNPT by 1/16 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-4MX332B	1/4 inch MNPT by 3/32 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-4MX2B	1/4 inch MNPT by 1/8 inch Black Nylon Single Barbed Elbow Swivel



AL-S THREADED ELBOW ADAPTER

The AL-S Series is a male UNF threaded elbow adapter, and is available in White and Black Nylon, Natural and Black Polypropylene, and Natural PVDF. Available in 10-32 inch UNF straight and tapered threads, and the barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
AL-S-101B	10-32 by 1/16 Barb Elbow
AL-S-102B	10-32 by 1/8 Barb Elbow
AL-S-10332B	10-32 by 3/32 Barb Elbow
AL-S-10T1B	10-32 Taper by 1/16 Barb Elbow
AL-S-10T2B	10-32 Taper by 1/8 Barb Elbow
AL-S-10T332B	10-32 Taper by 3/32 Barb Elbow



AL-R THREAD TO BARB PLASTIC ELBOW ADAPTER

The AL-R Series standard Elbow Adapters have male NPT threads of 1/8 inch, 1/4 inch, 3/8 inch, 1/2 inch, 3/4 inch, and 1 inch. The single barb sizes range from 1/8 inch to 1 inch. This adapter is available in Natural, White, and Black Nylon, Glass-Filled Black Nylon, Natural and White Polypropylene, Natural and Gray PVDF and High-Density Polyethylene. BSPT threads are also available. Material availability may vary with size.

SKU	Description
AL-R-2M2B-NN	1/8 inch MNPT by 1/8 inch Natural Nylon Single Barbed Adapter
AL-R-2M2B-WN	1/8 inch MNPT by 1/8 inch White Nylon Single Barbed Adapter
AL-R-2M2B-NPP	1/8 inch MNPT by 1/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M2B-WPP	1/8 inch MNPT by 1/8 inch White Polypropylene Single Barbed Adapter
AL-R-2M2B-PVDF	1/8 inch MNPT by 1/8 inch PVDF Single Barbed Adapter
AL-R-2M2B-PVDFG	1/8 inch MNPT by 1/8 inch Gray PVDF Single Barbed Adapter
AL-R-2M4B-AC	1/8 inch MNPT by 1/4 inch Acetal Single Barbed Adapter
AL-R-2M4B-NN	1/8 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-2M4B-WN	1/8 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-2M4B-BN	1/8 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-2M4B-GFBN	1/8 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M4B-NPP	1/8 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M4B-WPP	1/8 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-2M4B-PVDF	1/8 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-2M4B-PVDFG	1/8 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter

SKU	Description
AL-R-2M4B-HDPE	1/8 inch MNPT by 1/4 inch Gray High-Density Polyethylene Single Barbed Adapter
AL-R-2M532B-NN	1/8 inch MNPT by 5/32 inch Natural Nylon Single Barbed Adapter
AL-R-2M532B-WN	1/8 inch MNPT by 5/32 inch White Nylon Single Barbed Adapter
AL-R-2M532B-BN	1/8 inch MNPT by 5/32 inch Black Nylon Single Barbed Adapter
AL-R-2M532B-GFBN	1/8 inch MNPT by 5/32 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M532B-NPP	1/8 inch MNPT by 5/32 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M532B-WPP	1/8 inch MNPT by 5/32 inch White Polypropylene Single Barbed Adapter
AL-R-2M532B-PVDF	1/8 inch MNPT by 5/32 inch PVDF Single Barbed Adapter
AL-R-2M532B-PVDFG	1/8 inch MNPT by 5/32 inch Gray PVDF Single Barbed Adapter
AL-R-2M532B-HDPE	1/8 inch MNPT by 5/32 inch High-Density Polyethylene Single Barbed Adapter
AL-R-2M5B-NN	1/8 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-2M5B-WN	1/8 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-2M5B-BN	1/8 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-2M5B-GFBN	1/8 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M5B-NPP	1/8 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M5B-WPP	1/8 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-2M5B-PVDF	1/8 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-2M5B-PVDFG	1/8 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-2M5B-HDPE	1/8 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-2M6B-NN	1/8 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-2M6B-WN	1/8 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-2M6B-BN	1/8 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-2M6B-GFBN	1/8 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M6B-NPP	1/8 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M6B-WPP	1/8 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-2M6B-PVDF	1/8 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-2M6B-PVDFG	1/8 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-2M6B-HDPE	1/8 inch MNPT by 3/8 inch Polyethylene Single Barbed Adapter
AL-R-4M2B-NN	1/4 inch MNPT by 1/8 inch Natural Nylon Single Barbed Adapter
AL-R-4M2B-WN	1/4 inch MNPT by 1/8 inch White Nylon Single Barbed Adapter
AL-R-4M2B-BN	1/4 inch MNPT by 1/8 inch Black Nylon Single Barbed Adapter
AL-R-4M2B-GFBN	1/4 inch MNPT by 1/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M2B-NPP	1/4 inch MNPT by 1/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M2B-WPP	1/4 inch MNPT by 1/8 inch White Polypropylene Single Barbed Adapter
AL-R-4M2B-PVDF	1/4 inch MNPT by 1/8 inch PVDF Single Barbed Adapter
AL-R-4M2B-PVDFG	1/4 inch MNPT by 1/8 inch Gray PVDF Single Barbed Adapter
AL-R-4M2B-HDPE	1/4 inch MNPT by 1/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M3B-NN	1/4 inch MNPT by 3/16 inch Natural Nylon Single Barbed Adapter

SKU	Description
AL-R-4M3B-WN	1/4 inch MNPT by 3/16 inch White Nylon Single Barbed Adapter
AL-R-4M3B-BN	1/4 inch MNPT by 3/16 inch Black Nylon Single Barbed Adapter
AL-R-4M3B-GFBN	1/4 inch MNPT by 3/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M3B-NPP	1/4 inch MNPT by 3/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M3B-WPP	1/4 inch MNPT by 3/16 inch White Polypropylene Single Barbed Adapter
AL-R-4M3B-PVDF	1/4 inch MNPT by 3/16 inch PVDF Single Barbed Adapter
AL-R-4M3B-PVDFG	1/4 inch MNPT by 3/16 inch Gray PVDF Single Barbed Adapter
AL-R-4M3B-HDPE	1/4 inch MNPT by 3/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M4B-NN	1/4 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-4M4B-WN	1/4 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-4M4B-BN	1/4 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-4M4B-GFBN	1/4 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M4B-NPP	1/4 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M4B-WPP	1/4 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-4M4B-PVDF	1/4 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-4M4B-PVDFG	1/4 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-4M4B-HDPE	1/4 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M532-NN	1/4 inch MNPT by 5/32 inch Natural Nylon Single Barbed Adapter
AL-R-4M532-WN	1/4 inch MNPT by 5/32 inch White Nylon Single Barbed Adapter
AL-R-4M532-BN	1/4 inch MNPT by 5/32 inch Black Nylon Single Barbed Adapter
AL-R-4M532-GFBN	1/4 inch MNPT by 5/32 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M532-NPP	1/4 inch MNPT by 5/32 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M532-WPP	1/4 inch MNPT by 5/32 inch White Polypropylene Single Barbed Adapter
AL-R-4M532-PVDF	1/4 inch MNPT by 5/32 inch PVDF Single Barbed Adapter
AL-R-4M532-PVDFG	1/4 inch MNPT by 5/32 inch Gray PVDF Single Barbed Adapter
AL-R-4M532-HDPE	1/4 inch MNPT by 5/32 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M5B-NN	1/4 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-4M5B-WN	1/4 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-4M5B-BN	1/4 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-4M5B-GFBN	1/4 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M5B-NPP	1/4 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M5B-WPP	1/4 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-4M5B-PVDF	1/4 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-4M5B-PVDFG	1/4 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-4M5B-HDPE	1/4 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M6B-BN	1/4 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-4M6B-GFBN	1/4 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M8B-NN	1/4 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter

SKU	Description
AL-R-4M8B-WN	1/4 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-4M8B-BN	1/4 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-4M8B-GFBN	1/4 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M8B-NPP	1/4 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M8B-WPP	1/4 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-4M8B-PVDF	1/4 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-4M8B-PVDFG	1/4 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-4M8B-HDPE	1/4 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M4B-NN	3/8 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-6M4B-WN	3/8 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-6M4B-BN	3/8 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-6M4B-GFBN	3/8 inch MNPT by 1/4 inch Natural Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M4B-NPP	3/8 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M4B-WPP	3/8 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-6M4B-PVDF	3/8 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-6M4B-PVDFG	3/8 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-6M4B-HDPE	3/8 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M5B-NN	3/8 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-6M5B-WN	3/8 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-6M5B-BN	3/8 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-6M5B-GFBN	3/8 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M5B-NPP	3/8 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M5B-WPP	3/8 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-6M5B-PVDF	3/8 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-6M5B-PVDFG	3/8 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-6M5B-HDPE	3/8 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M6B-NN	3/8 NPT by 3/8 Barb Elbow Natural Nylon Single Barbed Adapter
AL-R-6M6B-WN	3/8 NPT by 3/8 Barb Elbow White Nylon Single Barbed Adapter
AL-R-6M6B-BN	3/8 NPT by 3/8 Barb Elbow Black Nylon Single Barbed Adapter
AL-R-6M6B-GFBN	3/8 NPT by 3/8 Barb Elbow Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M6B-NPP	3/8 NPT by 3/8 Barb Elbow Natural Polypropylene Single Barbed Adapter
AL-R-6M6B-WPP	3/8 NPT by 3/8 Barb Elbow White Polypropylene Single Barbed Adapter
AL-R-6M6B-PVDF	3/8 NPT by 3/8 Barb Elbow PVDF Single Barbed Adapter
AL-R-6M6B-PVDFG	3/8 NPT by 3/8 Barb Elbow Gray PVDF Single Barbed Adapter
AL-R-6M6B-HDPE	3/8 NPT by 3/8 Barb Elbow High-Density Polyethylene Single Barbed Adapter
AL-R-6M8B-NN	3/8 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-6M8B-WN	3/8 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-6M8B-BN	3/8 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-6M8B-GFBN	3/8 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter

SKU	Description
AL-R-6M8B-NPP	3/8 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M8B-WPP	3/8 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-6M8B-PVDF	3/8 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-6M8B-PVDFG	3/8 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-6M8B-HDPE	3/8 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M4B-NN	1/2 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-8M4B-WN	1/2 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-8M4B-BN	1/2 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-8M4B-GFBN	1/2 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M4B-NPP	1/2 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M4B-WPP	1/2 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-8M4B-PVDF	1/2 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-8M4B-PVDFG	1/2 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-8M4B-HDPE	1/2 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M6B-NN	1/2 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-8M6B-WN	1/2 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-8M6B-BN	1/2 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-8M6B-GFBN	1/2 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M6B-NPP	1/2 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M6B-WPP	1/2 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-8M6B-PVDF	1/2 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-8M6B-PVDFG	1/2 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-8M6B-HDPE	1/2 inch MNPT by 3/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M8B-NN	1/2 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-8M8B-WN	1/2 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-8M8B-BN	1/2 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-8M8B-GFBN	1/2 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M8B-NPP	1/2 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M8B-WPP	1/2 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-8M8B-PVDF	1/2 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-8M8B-PVDFG	1/2 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-8M8B-HDPE	1/2 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M10B-NN	1/2 inch MNPT by 5/8 inch Natural Nylon Single Barbed Adapter
AL-R-8M10B-WN	1/2 inch MNPT by 5/8 inch White Nylon Single Barbed Adapter
AL-R-8M10B-BN	1/2 inch MNPT by 5/8 inch Black Nylon Single Barbed Adapter
AL-R-8M10B-GFBN	1/2 inch MNPT by 5/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M10B-NPP	1/2 inch MNPT by 5/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M10B-WPP	1/2 inch MNPT by 5/8 inch White Polypropylene Single Barbed Adapter
AL-R-8M10B-PVDF	1/2 inch MNPT by 5/8 inch PVDF Single Barbed Adapter
AL-R-8M10B-PVDFG	1/2 inch MNPT by 5/8 inch Gray PVDF Single Barbed Adapter

SKU	Description
AL-R-8M10B-HDPE	1/2 inch MNPT by 5/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M12B-NN	1/2 inch MNPT by 3/4 inch Natural Nylon Single Barbed Adapter
AL-R-8M12B-WN	1/2 inch MNPT by 3/4 inch White Nylon Single Barbed Adapter
AL-R-8M12B-BN	1/2 inch MNPT by 3/4 inch Black Nylon Single Barbed Adapter
AL-R-8M12B-GFBN	1/2 inch MNPT by 3/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M12B-NPP	1/2 inch MNPT by 3/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M12B-WPP	1/2 inch MNPT by 3/4 inch White Polypropylene Single Barbed Adapter
AL-R-8M12B-PVDF	1/2 inch MNPT by 3/4 inch PVDF Single Barbed Adapter
AL-R-8M12B-PVDFG	1/2 inch MNPT by 3/4 inch Gray PVDF Single Barbed Adapter
AL-R-8M12B-HDPE	1/2 inch MNPT by 3/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M4B-NN	3/4 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-12M4B-WN	3/4 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-12M4B-BN	3/4 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-12M4B-GFBN	3/4 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M4B-NPP	3/4 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M4B-WPP	3/4 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-12M4B-PVDF	3/4 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-12M4B-PVDFG	3/4 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-12M4B-HDPE	3/4 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M6B-NN	3/4 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-12M6B-WN	3/4 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-12M6B-BN	3/4 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-12M6B-GFBN	3/4 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M6B-NPP	3/4 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M6B-WPP	3/4 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-12M6B-PVDF	3/4 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-12M6B-PVDFG	3/4 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-12M6B-HDPE	3/4 inch MNPT by 3/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M8B-NN	3/4 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-12M8B-WN	3/4 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-12M8B-BN	3/4 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-12M8B-GFBN	3/4 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M8B-NPP	3/4 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M8B-WPP	3/4 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-12M8B-PVDF	3/4 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-12M8B-PVDFG	3/4 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-12M8B-HDPE	3/4 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M10B-NN	3/4 inch MNPT by 5/8 inch Natural Nylon Single Barbed Adapter
AL-R-12M10B-WN	3/4 inch MNPT by 5/8 inch White Nylon Single Barbed Adapter
AL-R-12M10B-BN	3/4 inch MNPT by 5/8 inch Black Nylon Single Barbed Adapter

SKU	Description
AL-R-12M10B-GFBN	3/4 inch MNPT by 5/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M10B-NPP	3/4 inch MNPT by 5/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M10B-WPP	3/4 inch MNPT by 5/8 inch White Polypropylene Single Barbed Adapter
AL-R-12M10B-PVDF	3/4 inch MNPT by 5/8 inch PVDF Single Barbed Adapter
AL-R-12M10B-PVDFG	3/4 inch MNPT by 5/8 inch Gray PVDF Single Barbed Adapter
AL-R-12M10B-HDPE	3/4 inch MNPT by 5/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M12B-NN	3/4 inch MNPT by 3/4 inch Natural Nylon Single Barbed Adapter
AL-R-12M12B-WN	3/4 inch MNPT by 3/4 inch White Nylon Single Barbed Adapter
AL-R-12M12B-BN	3/4 inch MNPT by 3/4 inch Black Nylon Single Barbed Adapter
AL-R-12M12B-GFBN	3/4 inch MNPT by 3/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M12B-NPP	3/4 inch MNPT by 3/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M12B-WPP	3/4 inch MNPT by 3/4 inch White Polypropylene Single Barbed Adapter
AL-R-12M12B-PVDF	3/4 inch MNPT by 3/4 inch PVDF Single Barbed Adapter
AL-R-12M12B-PVDFG	3/4 inch MNPT by 3/4 inch Gray PVDF Single Barbed Adapter
AL-R-12M12B-HDPE	3/4 inch MNPT by 3/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M16B-NN	3/4 inch MNPT by 1 inch Natural Nylon Single Barbed Adapter
AL-R-12M16B-WN	3/4 inch MNPT by 1 inch White Nylon Single Barbed Adapter
AL-R-12M16B-BN	3/4 inch MNPT by 1 inch Black Nylon Single Barbed Adapter
AL-R-12M16B-GFBN	3/4 inch MNPT by 1 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M16B-NPP	3/4 inch MNPT by 1 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M16B-WPP	3/4 inch MNPT by 1 inch White Polypropylene Single Barbed Adapter
AL-R-12M16B-PVDF	3/4 inch MNPT by 1 inch PVDF Single Barbed Adapter
AL-R-12M16B-PVDFG	3/4 inch MNPT by 1 inch Gray PVDF Single Barbed Adapter
AL-R-12M16B-HDPE	3/4 inch MNPT by 1 inch High-Density Polyethylene Single Barbed Adapter
AL-R-16M16B-NN	1 inch MNPT by 1 inch Natural Nylon Single Barbed Adapter
AL-R-16M16B-WN	1 inch MNPT by 1 inch White Nylon Single Barbed Adapter
AL-R-16M16B-BN	1 inch MNPT by 1 inch Black Nylon Single Barbed Adapter
AL-R-16M16B-GFBN	1 inch MNPT by 1 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-16M16B-NPP	1 inch MNPT by 1 inch Natural Polypropylene Single Barbed Adapter
AL-R-16M16B-WPP	1 inch MNPT by 1 inch White Polypropylene Single Barbed Adapter
AL-R-16M16B-PVDF	1 inch MNPT by 1 inch PVDF Single Barbed Adapter
AL-R-16M16B-PVDFG	1 inch MNPT by 1 inch Gray PVDF Single Barbed Adapter
AL-R-16M16B-HDPE	1 inch MNPT by 1 inch High-Density Polyethylene Single Barbed Adapter

AF SERIES



The AF Series is an FNPT to standard triple barbed hose adapter, and is molded of NSF listed Natural Nylon. Natural and Black Polypropylene are optional (shown). Available in combinations of these sizes: 1/8 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, and 3/4 inch. BSPT threads are available.

SKU	Description
AF-2F3B-BKPP	1/8 inch FNPT by 3/16 inch ID Black Polypropylene Hose Barbed Adapter
AF-2F3B-NN	1/8 inch FNPT by 3/16 inch ID Natural Nylon Hose Barbed Adapter
AF-2F3B-NPP	1/8 inch FNPT by 3/16 inch ID Natural Polypropylene Hose Barbed Adapter
AF-2F4B-BKPP	1/8 inch FNPT by 1/4 inch ID Black Polypropylene Hose Barbed Adapter
AF-2F4B-NN	1/8 inch FNPT by 1/4 inch ID Natural Nylon Hose Barbed Adapter
AF-2F4B-NPP	1/8 inch FNPT by 1/4 inch ID Natural Polypropylene Hose Barbed Adapter
AF-2F6B-BKPP	1/8 inch FNPT by 3/8 inch ID Black Polypropylene Hose Barbed Adapter
AF-2F6B-NN	1/8 inch FNPT by 3/8 inch ID Natural Nylon Hose Barbed Adapter
AF-2F6B-NPP	1/8 inch FNPT by 3/8 inch ID Natural Polypropylene Hose Barbed Adapter
AF-4F3B-BKPP	1/4 inch FNPT by 3/16 inch ID Black Polypropylene Hose Barbed Adapter
AF-4F3B-NN	1/4 inch FNPT by 3/16 inch ID Natural Nylon Hose Barbed Adapter
AF-4F3B-NPP	1/4 inch FNPT by 3/16 inch ID Natural Polypropylene Hose Barbed Adapter
AF-4F4B-BKPP	1/4 inch FNPT by 1/4 inch ID Black Polypropylene Hose Barbed Adapter
AF-4F4B-NN	1/4 inch FNPT by 1/4 inch ID Natural Nylon Hose Barbed Adapter
AF-4F4B-NPP	1/4 inch FNPT by 1/4 inch ID Natural Polypropylene Hose Barbed Adapter
AF-4F6B-BKPP	1/4 inch FNPT by 3/8 inch ID Black Polypropylene Hose Barbed Adapter
AF-4F6B-NN	1/4 inch FNPT by 3/8 inch ID Natural Nylon Hose Barbed Adapter
AF-4F6B-NPP	1/4 inch FNPT by 3/8 inch ID Natural Polypropylene Hose Barbed Adapter
AF-4F8B-NN	1/4 inch FNPT by 1/2 inch ID Natural Nylon Hose Barbed Adapter
AF-6F10B-BKPP	3/8 inch FNPT by 5/8 inch ID Black Polypropylene Hose Barbed Adapter
AF-6F10B-NN	3/8 inch FNPT by 5/8 inch ID Natural Nylon Hose Barbed Adapter
AF-6F4B-BKPP	3/8 inch FNPT by 1/4 inch ID Black Polypropylene Hose Barbed Adapter
AF-6F4B-NN	3/8 inch FNPT by 1/4 inch ID Natural Nylon Hose Barbed Adapter
AF-6F4B-NPP	3/8 inch FNPT by 1/4 inch ID Natural Polypropylene Hose Barbed Adapter
AF-6F6B-BKPP	3/8 inch FNPT by 3/8 inch ID Black Polypropylene Hose Barbed Adapter
AF-6F6B-NN	3/8 inch FNPT by 3/8 inch ID Natural Nylon Hose Barbed Adapter
AF-6F6B-NPP	3/8 inch FNPT by 3/8 inch ID Natural Polypropylene Hose Barbed Adapter
AF-6F8B-BKPP	3/8 inch FNPT by 1/2 inch ID Black Polypropylene Hose Barbed Adapter
AF-6F8B-NN	3/8 inch FNPT by 1/2 inch ID Natural Nylon Hose Barbed Adapter
AF-6F8B-NPP	3/8 inch FNPT by 1/2 inch ID Natural Polypropylene Hose Barbed Adapter
AF-8F10B-BKPP	1/2 inch FNPT by 5/8 inch ID Black Polypropylene Hose Barbed Adapter
AF-8F10B-NN	1/2 inch FNPT by 5/8 inch ID Natural Nylon Hose Barbed Adapter
AF-8F10B-NPP	1/2 inch FNPT by 5/8 inch ID Natural Polypropylene Hose Barbed Adapter
AF-8F12B-BKPP	1/2 inch FNPT by 3/4 inch ID Black Polypropylene Hose Barbed Adapter

SKU	Description
AF-8F12B-NN	1/2 inch FNPT by 3/4 inch ID Natural Nylon Hose Barbed Adapter
AF-8F12B-NPP	1/2 inch FNPT by 3/4 inch ID Natural Polypropylene Hose Barbed Adapter
AF-8F4B-BKPP	1/2 inch FNPT by 1/4 inch ID Black Polypropylene Hose Barbed Adapter
AF-8F4B-NN	1/2 inch FNPT by 1/4 inch ID Natural Nylon Hose Barbed Adapter
AF-8F4B-NPP	1/2 inch FNPT by 1/4 inch ID Natural Polypropylene Hose Barbed Adapter
AF-8F6B-BKPP	1/2 inch FNPT by 3/8 inch ID Black Polypropylene Hose Barbed Adapter
AF-8F6B-NN	1/2 inch FNPT by 3/8 inch ID Natural Nylon Hose Barbed Adapter
AF-8F6B-NPP	1/2 inch FNPT by 3/8 inch ID Natural Polypropylene Hose Barbed Adapter
AF-8F8B-BKPP	1/2 inch FNPT by 1/2 inch ID Black Polypropylene Hose Barbed Adapter
AF-8F8B-NN	1/2 inch FNPT by 1/2 inch ID Natural Nylon Hose Barbed Adapter
AF-8F8B-NPP	1/2 inch FNPT by 1/2 inch ID Natural Polypropylene Hose Barbed Adapter
AF-12F8B-BKPP	3/4 inch FNPT by 1/2 inch ID Black Polypropylene Hose Barbed Adapter
AF-12F8B-NN	3/4 inch FNPT by 1/2 inch ID Natural Nylon Hose Barbed Adapter
AF-12F10B-BKPP	3/4 inch FNPT by 5/8 inch ID Black Polypropylene Hose Barbed Adapter
AF-12F10B-NN	3/4 inch FNPT by 5/8 inch ID Natural Nylon Hose Barbed Adapter
AF-12F12B-BKPP	3/4 inch FNPT by 3/4 inch ID Black Polypropylene Hose Barbed Adapter
AF-12F12B-NN	3/4 inch FNPT by 3/4 inch ID Natural Nylon Hose Barbed Adapter
AF-12F12B-NPP	3/4 inch FNPT by 3/4 inch ID Natural Polypropylene Hose Barbed Adapter



ACE SERIES

The ACE Series are 90° elbow adapters. Materials available include: Natural and Black Nylon, Glass-Filled Black Nylon, Natural and White Polypropylene, PVDF and Gray PVDF, and High-Density Polyethylene. Available in 10-32 inch Male UNF threads, 1/4-28 inch Male UNF threads, 10-32 inch Male UNF taper threads, and in 1/16 inch MNPT. Also available in barb sizes of: 1/16 inch, 3/32 inch, 5/32 inch, 1/8 inch, and 3/16 inch.

SKU	Description
ACE-101B-BN	10-32 inch Male UNF by 1/16 inch Black Nylon Barbed Elbow Adapter
ACE-101B-GFBN	10-32 inch Male UNF by 1/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-101B-GPVDF	10-32 inch Male UNF by 1/16 inch Gray PVDF Barbed Elbow Adapter
ACE-101B-HDPE	10-32 inch Male UNF by 1/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-101B-NN	10-32 inch Male UNF by 1/16 inch Natural Nylon Barbed Elbow Adapter
ACE-101B-NPP	10-32 inch Male UNF by 1/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-101B-PVDF	10-32 inch Male UNF by 1/16 inch PVDF Barbed Elbow Adapter
ACE-101B-WPP	10-32 inch Male UNF by 1/16 inch White Polypropylene Barbed Elbow Adapter
ACE-102B-BN	10-32 inch Male UNF by 1/8 inch Black Nylon Barbed Elbow Adapter

SKU	Description
ACE-102B-GFBN	10-32 inch Male UNF by 1/8 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-102B-GPVDF	10-32 inch Male UNF by 1/8 inch Gray PVDF Barbed Elbow Adapter
ACE-102B-HDPE	10-32 inch Male UNF by 1/8 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-102B-NN	10-32 inch Male UNF by 1/8 inch Natural Nylon Barbed Elbow Adapter
ACE-102B-NPP	10-32 inch Male UNF by 1/8 inch Natural Polypropylene Barbed Elbow Adapter
ACE-102B-PVDF	10-32 inch Male UNF by 1/8 inch PVDF Barbed Elbow Adapter
ACE-102B-WPP	10-32 inch Male UNF by 1/8 inch White Polypropylene Barbed Elbow Adapter
ACE-10332B-BN	10-32 inch Male UNF by 3/32 inch Black Nylon Barbed Elbow Adapter
ACE-10332B-GFBN	10-32 inch Male UNF by 3/32 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-10332B-GPVDF	10-32 inch Male UNF by 3/32 inch Gray PVDF Barbed Elbow Adapter
ACE-10332B-HDPE	10-32 inch Male UNF by 3/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10332B-NN	10-32 inch Male UNF by 3/32 inch Natural Nylon Barbed Elbow Adapter
ACE-10332B-NPP	10-32 inch Male UNF by 3/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10332B-PVDF	10-32 inch Male UNF by 3/32 inch PVDF Barbed Elbow Adapter
ACE-10332B-WPP	10-32 inch Male UNF by 3/32 inch White Polypropylene Barbed Elbow Adapter
ACE-10532B-BN	10-32 inch Male UNF by 5/32 inch Black Nylon Barbed Elbow Adapter
ACE-10532B-GFBN	10-32 inch Male UNF by 5/32 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-10532B-GPVDF	10-32 inch Male UNF by 5/32 inch Gray PVDF Barbed Elbow Adapter
ACE-10532B-HDPE	10-32 inch Male UNF by 5/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10532B-NN	10-32 inch Male UNF by 5/32 inch Natural Nylon Barbed Elbow Adapter
ACE-10532B-NPP	10-32 inch Male UNF by 5/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10532B-PVDF	10-32 inch Male UNF by 5/32 inch PVDF Barbed Elbow Adapter
ACE-10532B-WPP	10-32 inch Male UNF by 5/32 inch White Polypropylene Barbed Elbow Adapter
ACE-10T1B-BN	10-32 inch Male UNF Taper by 1/16 inch Black Nylon Barbed Elbow Adapter
ACE-10T1B-GFBN	10-32 inch Male UNF Taper by 1/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-10T1B-GPVDF	10-32 inch Male UNF Taper by 1/16 inch Gray PVDF Barbed Elbow Adapter
ACE-10T1B-HDPE	10-32 inch Male UNF Taper by 1/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10T1B-NN	10-32 inch Male UNF Taper by 1/16 inch Natural Nylon Barbed Elbow Adapter

SKU	Description
ACE-10T1B-NPP	10-32 inch Male UNF Taper by 1/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10T1B-PVDF	10-32 inch Male UNF Taper by 1/16 inch PVDF Barbed Elbow Adapter
ACE-10T1B-WPP	10-32 inch Male UNF Taper by 1/16 inch White Polypropylene Barbed Elbow Adapter
ACE-10T2B-BN	10-32 inch Male UNF Taper by 1/8 inch Black Nylon Barbed Elbow Adapter
ACE-10T2B-GFBN	10-32 inch Male UNF Taper by 1/8 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-10T2B-GPVDF	10-32 inch Male UNF Taper by 1/8 inch Gray PVDF Barbed Elbow Adapter
ACE-10T2B-HDPE	10-32 inch Male UNF Taper by 1/8 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10T2B-NN	10-32 inch Male UNF Taper by 1/8 inch Natural Nylon Barbed Elbow Adapter
ACE-10T2B-NPP	10-32 inch Male UNF Taper by 1/8 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10T2B-PVDF	10-32 inch Male UNF Taper by 1/8 inch PVDF Barbed Elbow Adapter
ACE-10T2B-WPP	10-32 inch Male UNF Taper by 1/8 inch White Polypropylene Barbed Elbow Adapter
ACE-10T332B-BN	10-32 inch Male UNF Taper by 3/32 inch Black Nylon Barbed Elbow Adapter
ACE-10T332B-GFBN	10-32 inch Male UNF Taper by 3/32 inch Glass-Filled Black Nylon Barbed Elbow
ACE-10T332B-GPVDF	10-32 inch Male UNF Taper by 3/32 inch Gray PVDF Barbed Elbow Adapter
ACE-10T332B-HDPE	10-32 inch Male UNF Taper by 3/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10T332B-NN	10-32 inch Male UNF Taper by 3/32 inch Natural Nylon Barbed Elbow Adapter
ACE-10T332B-NPP	10-32 inch Male UNF Taper by 3/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10T332B-PVDF	10-32 inch Male UNF Taper by 3/32 inch PVDF Barbed Elbow Adapter
ACE-10T332B-WPP	10-32 inch Male UNF Taper by 3/32 inch White Polypropylene Barbed Elbow Adapter
ACE-142B-BN	14-28 inch Male UNF by 1/8 inch Black Nylon Barbed Elbow Adapter
ACE-142B-GFBN	14-28 inch Male UNF by 1/8 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-142B-GPVDF	14-28 inch Male UNF by 1/8 inch Gray PVDF Barbed Elbow Adapter
ACE-142B-HDPE	14-28 inch Male UNF by 1/8 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-142B-NN	14-28 inch Male UNF by 1/8 inch Natural Nylon Barbed Elbow Adapter
ACE-142B-NPP	14-28 inch Male UNF by 1/8 inch Natural Polypropylene Barbed Elbow Adapter
ACE-142B-PVDF	14-28 inch Male UNF by 1/8 inch PVDF Barbed Elbow Adapter
ACE-142B-WPP	14-28 inch Male UNF by 1/8 inch White Polypropylene Barbed Elbow Adapter
ACE-143B-BN	1/4-28 inch Male UNF by 3/16 inch Black Nylon Barbed Elbow Adapter

SKU	Description
ACE-143B-GFBN	1/4-28 inch Male UNF by 3/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-143B-GPVDF	1/4-28 inch Male UNF by 3/16 inch Gray PVDF Barbed Elbow Adapter
ACE-143B-HDPE	1/4-28 inch Male UNF by 3/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-143B-NN	1/4-28 inch Male UNF by 3/16 inch Natural Nylon Barbed Elbow Adapter
ACE-143B-NPP	1/4-28 inch Male UNF by 3/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-143B-PVDF	1/4-28 inch Male UNF by 3/16 inch PVDF Barbed Elbow Adapter
ACE-143B-WPP	1/4-28 inch Male UNF by 3/16 inch White Polypropylene Barbed Elbow Adapter
ACE-1M1B-BN	1/16 inch MNPT by 1/16 inch Black Nylon Barbed Elbow Adapter
ACE-1M1B-GFBN	1/16 inch MNPT by 1/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M1B-GPVDF	1/16 inch MNPT by 1/16 inch Gray PVDF Barbed Elbow Adapter
ACE-1M1B-HDPE	1/16 inch MNPT by 1/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M1B-NN	1/16 inch MNPT by 1/16 inch Natural Nylon Barbed Elbow Adapter
ACE-1M1B-NPP	1/16 inch MNPT by 1/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M1B-PVDF	1/16 inch MNPT by 1/16 inch PVDF Barbed Elbow Adapter
ACE-1M1B-WPP	1/16 inch MNPT by 1/16 inch White Polypropylene Barbed Elbow Adapter
ACE-1M2B-BN	1/16 inch MNPT by 1/8 inch Black Nylon Barbed Elbow Adapter
ACE-1M2B-GFBN	1/16 inch MNPT by 1/8 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M2B-GPVDF	1/16 inch MNPT by 1/8 inch Gray PVDF Barbed Elbow Adapter
ACE-1M2B-HDPE	1/16 inch MNPT by 1/8 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M2B-NN	1/16 inch MNPT by 1/8 inch Natural Nylon Barbed Elbow Adapter
ACE-1M2B-NPP	1/16 inch MNPT by 1/8 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M2B-PVDF	1/16 inch MNPT by 1/8 inch PVDF Barbed Elbow Adapter
ACE-1M2B-WPP	1/16 inch MNPT by 1/8 inch White Polypropylene Barbed Elbow Adapter
ACE-1M332B-BN	1/16 inch MNPT by 3/32 inch Black Nylon Barbed Elbow Adapter
ACE-1M332B-GFBN	1/16 inch MNPT by 3/32 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M332B-GPVDF	1/16 inch MNPT by 3/32 inch Gray PVDF Barbed Elbow Adapter
ACE-1M332B-HDPE	1/16 inch MNPT by 3/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M332B-NN	1/16 inch MNPT by 3/32 inch Natural Nylon Barbed Elbow Adapter
ACE-1M332B-NPP	1/16 inch MNPT by 3/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M332B-PVDF	1/16 inch MNPT by 3/32 inch PVDF Barbed Elbow Adapter
ACE-1M332B-WPP	1/16 inch MNPT by 3/32 inch White Polypropylene Barbed Elbow Adapter
ACE-1M3B-BN	1/16 inch MNPT by 3/16 inch Black Nylon Barbed Elbow Adapter
ACE-1M3B-GFBN	1/16 inch MNPT by 3/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M3B-GPVDF	1/16 inch MNPT by 3/16 inch Gray PVDF Barbed Elbow Adapter

SKU	Description
ACE-1M3B-HDPE	1/16 inch MNPT by 3/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M3B-NK	1/16 inch MNPT by 3/16 inch PVDF Barbed Elbow Adapter
ACE-1M3B-NN	1/16 inch MNPT by 3/16 inch Natural Nylon Barbed Elbow Adapter
ACE-1M3B-NPP	1/16 inch MNPT by 3/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M3B-WPP	1/16 inch MNPT by 3/16 inch White Polypropylene Barbed Elbow Adapter
ACE-1M532B-BN	1/16 inch MNPT by 5/32 inch Black Nylon Barbed Elbow Adapter
ACE-1M532B-GFBN	1/16 inch MNPT by 5/32 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M532B-GPVDF	1/16 inch MNPT by 5/32 inch Gray PVDF Barbed Elbow Adapter
ACE-1M532B-HDPE	1/16 inch MNPT by 5/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M532B-NN	1/16 inch MNPT by 5/32 inch Natural Nylon Barbed Elbow Adapter
ACE-1M532B-NPP	1/16 inch MNPT by 5/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M532B-PVDF	1/16 inch MNPT by 5/32 inch PVDF Barbed Elbow Adapter
ACE-1M532B-WPP	1/16 inch MNPT by 5/32 inch White Polypropylene Barbed Elbow Adapter



A-S & A-S-M SINGLE BARB THREADED ADAPTERS

The A-S Series is a series of single barbed adapters with 10-32 inch and 1/4-28 inch male UNF threads, available either tapered or straight. Combined with this series is the A-S-M Series, which are available in Metric thread sizes of 5m and 6m. Both adapters are available in Black and White Nylon, Natural Polypropylene, and PVDF.

SKU	Description
A-S-10332B-BN	10-32 inch Male UNF by 3/32 inch Black Nylon Single Barbed Adapter
A-S-10332B-WN	10-32 inch Male UNF by 3/32 inch White Nylon Single Barbed Adapter
A-S-10332B-NPP	10-32 inch Male UNF by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-10332B-PVDF	10-32 inch Male UNF by 3/32 inch PVDF Single Barbed Adapter
A-S-101B-BN	10-32 inch Male UNF by 1/16 inch Black Nylon Single Barbed Adapter
A-S-101B-WN	10-32 inch Male UNF by 1/16 inch White Nylon Single Barbed Adapter
A-S-101B-NPP	10-32 inch Male UNF by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-101B-PVDF	10-32 inch Male UNF by 1/16 inch PVDF Single Barbed Adapter
A-S-10532B-WN	10-32 inch Male UNF by 5/32 inch White Nylon Single Barbed Adapter
A-S-10532B-PP	10-32 inch Male UNF by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-10532B-PVDF	10-32 inch Male UNF by 5/32 inch PVDF Single Barbed Adapter
A-S102B-BN	10-32 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-S-102B-WN	10-32 inch Male UNF by 1/8 inch White Nylon Single Barbed Adapter
A-S-102B-PP	10-32 inch Male UNF by 1/8 inch Polypropylene Single Barbed Adapter

SKU	Description
A-S-102B-PVDF	10-32 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-S-14332B-WN	1/4-28 inch Male UNF by 3/32 inch White Nylon Single Barbed Adapter
A-S-14332B-NPP	1/4-28 inch Male UNF by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-14332B-PVDF	1/4-28 inch Male UNF by 3/32 inch PVDF Single Barbed Adapter
A-S-141B-NPP	1/4-28 inch Male UNF by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-141B-WN	1/4-28 inch Male UNF by 1/16 inch White Nylon Single Barbed Adapter
A-S-14532B-WN	1/4-28 inch Male UNF by 5/32 inch White Nylon Single Barbed Adapter
A-S-14532B-BK	1/4-28 inch Male UNF by 5/32 inch Black Nylon Single Barbed Adapter
A-S-14532B-NPP	1/4-28 inch Male UNF by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-14532B-PVDF	1/4-28 inch Male UNF by 5/32 inch PVDF Single Barbed Adapter
A-S-142B-WN	1/4-28 inch Male UNF by 1/8 inch White Nylon Single Barbed Adapter
A-S-142B-BN	1/4-28 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-S-142B-NPP	1/4-28 inch Male UNF by 1/8 inch Natural Polypropylene Single Barbed Adapter
A-S-142B-PVDF	1/4-28 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-S-143B-WN	1/4-28 inch Male UNF by 3/16 inch White Nylon Single Barbed Adapter
A-S-143B-BN	1/4-28 inch Male UNF by 3/16 inch Black Nylon Single Barbed Adapter
A-S-143B-NPP	1/4-28 inch Male UNF by 3/16 inch Natural Polypropylene Single Barbed Adapter
A-S-143B-PVDF	1/4-28 inch Male UNF by 3/16 inch PVDF Single Barbed Adapter
A-S-M5-1B-WN	5M Metric Thread by 1/16 inch White Nylon Single Barbed Adapter
A-S-M5-1B-BN	5M Metric Thread by 1/16 inch Black Nylon Single Barbed Adapter
A-S-M5-1B-NPP	5M Metric Thread by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-M5-332B-WN	5M Metric Thread by 3/32 inch White Nylon Single Barbed Adapter
A-S-M5-332B-BN	5M Metric Thread by 3/32 inch Black Nylon Single Barbed Adapter
A-S-M5-332B-NPP	5M Metric Thread by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-M5-532B-WN	5M Metric Thread by 5/32 inch White Nylon Single Barbed Adapter
A-S-M5-532B-NPP	5M Metric Thread by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-2B-WN	6M Metric Thread by 1/8 inch White Nylon Single Barbed Adapter
A-S-M6-2B-BN	6M Metric Thread by 1/8 inch Black Nylon Single Barbed Adapter
A-S-M6-2B-NPP	6M Metric Thread by 1/8 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-3B-NPP	6M Metric Thread by 3/16 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-3B-BN	6M Metric Thread by 3/16 inch Black Nylon Single Barbed Adapter
A-S-M6-3B-PVDF	6M Metric Thread by 3/16 inch PVDF Single Barbed Adapter

A-R SERIES - STANDARD 10-32 SINGLE BARB ADAPTER



The A-R (formerly APX) Series are standard single barbed adapters. These adapters have 10-32 inch and 1/4-28 inch male UNF threads, and 1/16 inch NPT male threads. The materials available are: Natural and Black Nylon, Polypropylene, PVDF and High-Density Polyethylene.

SKU	Description
A-R-10332B-NN	10-32 inch Male UNF by 3/32 inch Natural Nylon Single Barbed Adapter
A-R-10332B-BN	10-32 inch Male UNF by 3/32 inch Black Nylon Single Barbed Adapter
A-R-10332B-NPP	10-32 inch Male UNF by 3/32 inch Polypropylene Single Barbed Adapter
A-R-10332B-HDPE	10-32 inch Male UNF by 3/32 inch High-Density Polyethylene Single Barbed Adapter
A-R-10332B-PVDF	10-32 inch Male UNF by 3/32 inch PVDF Single Barbed Adapter
A-R-101B-NN	10-32 inch Male UNF by 1/16 inch Natural Nylon Single Barbed Adapter
A-R-101B-BN	10-32 inch Male UNF by 1/16 inch Black Nylon Single Barbed Adapter
A-R-101B-NPP	10-32 inch Male UNF by 1/16 inch Polypropylene Single Barbed Adapter
A-R-101B- HDPE	10-32 inch Male UNF by 1/16 inch High-Density Polyethylene Single Barbed Adapter
A-R-101B-PVDF	10-32 inch Male UNF by 1/16 inch PVDF Single Barbed Adapter
A-R-102B-NN	10-32 inch Male UNF by 1/8 inch Natural Nylon Single Barbed Adapter
A-R-102B-BN	10-32 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-R-102B-NPP	10-32 inch Male UNF by 1/8 inch Polypropylene Single Barbed Adapter
A-R-102B- HDPE	10-32 inch Male UNF by 1/8 inch High-Density Polyethylene Single Barbed Adapter
A-R-102B-PVDF	10-32 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-R-10532B-NN	10-32 inch Male UNF by 5/32 inch Natural Nylon Single Barbed Adapter
A-R-10532B-BN	10-32 inch Male UNF by 5/32 inch Black Nylon Single Barbed Adapter
A-R-10532B-NPP	10-32 inch Male UNF by 5/32 inch Polypropylene Single Barbed Adapter
A-R-10532B-HDPE	10-32 inch Male UNF by 5/32 inch High-Density Polyethylene Single Barbed Adapter
A-R-10532B-PVDF	10-32 inch Male UNF by 5/32 inch PVDF Single Barbed Adapter
A-R-10T332B-NN	10-32 inch Male UNF by 3/32 inch Natural Nylon Single Barbed Adapter
A-R-10T332B-BN	10-32 inch Male UNF by 3/32 inch Black Nylon Single Barbed Adapter
A-R-10T332B-NPP	10-32 inch Male UNF by 3/32 inch Polypropylene Single Barbed Adapter
A-R-10T332B-HDPE	10-32 inch Male UNF by 3/32 inch High-Density Polyethylene Single Barbed Adapter
A-R-10T332B-PVDF	10-32 inch Male UNF by 3/32 inch PVDF Single Barbed Adapter
A-R-10T1B-NN	10-32 inch Male UNF by 1/16 inch Natural Nylon Single Barbed Adapter
A-R-10T1B-BN	10-32 inch Male UNF by 1/16 inch Black Nylon Single Barbed Adapter
A-R-10T1B-NPP	10-32 inch Male UNF by 1/16 inch Polypropylene Single Barbed Adapter

SKU	Description
A-R-10T1B-HDPE	10-32 inch Male UNF by 1/16 inch High-Density Polyethylene Single Barbed Adapter
A-R-10T1B-PVDF	10-32 inch Male UNF by 1/16 inch PVDF Single Barbed Adapter
A-R-10T2B-NN	10-32 inch Male UNF by 1/8 inch Natural Nylon Single Barbed Adapter
A-R-10T2B-BN	10-32 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-R-10T2B-NPP	10-32 inch Male UNF by 1/8 inch Polypropylene Single Barbed Adapter
A-R-10T2B-HDPE	10-32 inch Male UNF by 1/8 inch High-Density Polyethylene Single Barbed Adapter
A-R-10T2B-PVDF	10-32 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-R-10X2B-NN	10-32 inch Male UNF by 1/8 inch Natural Nylon Single Barbed Adapter
A-R-10X2B-BN	10-32 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-R-10X2B-NPP	10-32 inch Male UNF by 1/8 inch Polypropylene Single Barbed Adapter
A-R-10X2B-HDPE	10-32 inch Male UNF by 1/8 inch High-Density Polyethylene Single Barbed Adapter
A-R-10X2B-PVDF	10-32 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-R-141B-NN	1/4-28 inch Male UNF by 1/16 inch Natural Nylon Single Barbed Adapter
A-R-141B-BN	1/4-28 inch Male UNF by 1/16 inch Black Nylon Single Barbed Adapter
A-R-141B-NPP	1/4-28 inch Male UNF by 1/16 inch Polypropylene Single Barbed Adapter
A-R-141B-HDPE	1/4-28 inch Male UNF by 1/16 inch High-Density Polyethylene Single Barbed Adapter
A-R-141B-PVDF	1/4-28 inch Male UNF by 1/16 inch PVDF Single Barbed Adapter
A-R-1M1B-NN	1/16 inch MNPT by 1/16 inch Natural Nylon Single Barbed Adapter
A-R-1M1B-BN	1/16 inch MNPT by 1/16 inch Black Nylon Single Barbed Adapter
A-R-1M1B-NPP	1/16 inch MNPT by 1/16 inch Polypropylene Single Barbed Adapter
A-R-1M1B-HDPE	1/16 inch MNPT by 1/16 inch High-Density Polyethylene Single Barbed Adapter
A-R-1M1B-PVDF	1/16 inch MNPT by 1/16 inch PVDF Single Barbed Adapter
A-R-1M2B-NN	1/16 inch MNPT by 1/8 inch Natural Nylon Single Barbed Adapter
A-R-1M2B-BN	1/16 inch MNPT by 1/8 inch Black Nylon Single Barbed Adapter
A-R-1M2B-NPP	1/16 inch MNPT by 1/8 inch Polypropylene Single Barbed Adapter
A-R-1M2B-HDPE	1/16 inch MNPT by 1/8 inch High-Density Polyethylene Single Barbed Adapter
A-R-1M2B-PVDF	1/16 inch MNPT by 1/8 inch PVDF Single Barbed Adapter
A-R-1M332B-NN	1/16 inch MNPT by 3/32 inch Natural Nylon Single Barbed Adapter
A-R-1M332B-BN	1/16 inch MNPT by 3/32 inch Black Nylon Single Barbed Adapter
A-R-1M332B-NPP	1/16 inch MNPT by 3/32 inch Polypropylene Single Barbed Adapter
A-R-1M332B-HDPE	1/16 inch MNPT by 3/32 inch High-Density Polyethylene Single Barbed Adapter
A-R-1M332B-PVDF	1/16 inch MNPT by 3/32 inch PVDF Single Barbed Adapter
A-R-1M3B-NN	1/16 inch MNPT by 3/16 inch Natural Nylon Single Barbed Adapter
A-R-1M3B-BN	1/16 inch MNPT by 3/16 inch Black Nylon Single Barbed Adapter
A-R-1M3B-NPP	1/16 inch MNPT by 3/16 inch Polypropylene Single Barbed Adapter

SKU	Description
A-R-1M3B-HDPE	1/16 inch MNPT by 3/16 inch High-Density Polyethylene Single Barbed Adapter
A-R-1M3B-PVDF	1/16 inch MNPT by 3/16 inch PVDF Single Barbed Adapter
A-R-1M532B-NN	1/16 inch MNPT by 5/32 inch Natural Nylon Single Barbed Adapter
A-R-1M532B-BN	1/16 inch MNPT by 5/32 inch Black Nylon Single Barbed Adapter
A-R-1M532B-NPP	1/16 inch MNPT by 5/32 inch Polypropylene Single Barbed Adapter
A-R-1M532B-HDPE	1/16 inch MNPT by 5/32 inch High-Density Polyethylene Single Barbed Adapter
A-R-1M532B-PVDF	1/16 inch MNPT by 5/32 inch PVDF Single Barbed Adapter



A-R SERIES

The A-R Series is a standard single barbed adapter. Available materials are Natural, White, and Black Nylon, Natural and White Polypropylene, Natural and Gray PVDF, Black Glass-Filled Nylon, and NSF 51/61 certified High-Density Polyethylene. Some sizes have Acetal and Black High-Density Polyethylene available as well. MNPT and barb sizes range from 1/8 inch to 1 inch. Male NPT threads are standard, but BSPT threads are available.

SKU	Description
A-R-2M532B	1/8 MNPT by 5/32 Barb Adapter
A-R-2M2B	1/8 MNPT by 1/8 Barb Adapter
A-R-2M3B	1/8 MNPT by 3/16 Barb Adapter
A-R-2M4B	1/8 MNPT by 1/4 Barb Adapter
A-R-2M5B	1/8 MNPT by 5/16 Barb Adapter
A-R-2M6B	1/8 MNPT by 3/8 Barb Adapter
A-R-4M523B	1/4 MNPT by 5/32 Barb Adapter
A-R-4M2B	1/4 MNPT by 1/8 Barb Adapter
A-R-4M3B	1/4 MNPT by 3/16 Barb Adapter
A-R-4M4B	1/4 MNPT by 1/4 Barb Adapter
A-R-4M5B	1/4 MNPT by 5/16 Barb Adapter
A-R-4M6B	1/4 MNPT by 3/8 Barb Adapter
A-R-4M8B	1/4 MNPT by 1/2 Barb Adapter
A-R-6M4B	3/8 MNPT by 1/4 Barb Adapter
A-R-6M5B	3/8 MNPT by 5/16 Barb Adapter
A-R-6M6B	3/8 MNPT by 3/8 Barb Adapter
A-R-6M8B	3/8 MNPT by 1/2 Barb Adapter
A-R-8M10B	1/2 MNPT by 5/8 Barb Adapter
A-R-8M12B	1/2 MNPT by 3/4 Barb Adapter
A-R-8M4B	1/2 MNPT by 1/4 Barb Adapter
A-R-8M5B	1/2 MNPT by 5/16 Barb Adapter

SKU	Description
A-R-8M6B	1/2 MNPT by 3/8 Barb Adapter
A-R-8M8B	1/2 MNPT by 1/2 Barb Adapter
A-R-10X332	10-32 by 3/32 Barb Pipe Adapter
A-R-10M12B	5/8 MNPT by 3/4 Barb Pipe Adapter
A-R-12M12B	3/4 MNPT by 3/4 Barb Pipe Adapter
A-R-12M4B	3/4 MNPT by 1/4 Barb Pipe Thread Adapter
A-R-12M6B	3/4 MNPT by 3/8 Barb Pipe Thread Adapter
A-R-12M8B	3/4 MNPT by 1/2 Barb Pipe Thread Adapter
A-R-16M12B	1 inch MNPT by 3/4 Barb Pipe Adapter
A-R-16M16B	1 inch MNPT by 1 inch Barb Adapter

INDEX

A

A-R Series 57
A-R Series - Standard 10-32 Single Barb Adapter 55
A-S & A-S-M SINGLE BARB THREADED ADAPTERS 53
ACE Series 49
AF Series 48
AL-R THREAD TO BARB PLASTIC ELBOW ADAPTER 41
AL-S THREADED ELBOW ADAPTER 41
ALS-IG SWIVEL ADAPTER ELBOW 40
AM MULTI BARB THREADED ADAPTER 39
AM-U Series 38
AML Series 31
AML-S Series 30
AT-R Series 26

B

BHUDC Series | Bulkheads 25

C

C MULTI-BARB EQUAL REDUCING CONNECTOR 21
C-SO SINGLE AND REDUCING BARB CONNECTOR 20
C-U ULTIMATE HIGH FLOW SINGLE BARB FITTING 19
CPL Series 19
CPP Series 18
CR Series 17
CR-S Series 16

E

EV Series 16

H

HN-R STANDARD MALE TO MALE HEX NIPPLE 15
HP-R Series 14

L

L-IG Series 13
L-R STANDARD SINGLE BARB ELBOW CONNECTOR 13

T

T-R Series 10
TP-O TUBE PLUG 9
TR-R Series 6

V

VC-S STRAIGHT VACUUM CONNECTOR 6
VC-T SINGLE BARB VACUUM REDUCING TEES 5
VC-Y Series 5

Y

- Y-R Series 2
- Y-S Series 1