## **BRASS TEE**

## **STM SERIES**



The STM Series is a male run street tee available in forged or barstock Brass. The temperature range for these tees is -65° F to 250° F. The working pressure is 1200 psi. These are ASA, ASME and SAE compliant. Nickel-Plate is available in some sizes.

| SKU         | Description                            |
|-------------|--|
| STM-2M2FF   | 1/8 MNPT by 1/8 FNPT Street Tee B F NP |
| STM-6M6FF   | 3/8 MNPT by 3/8 FNPT Street Tee B F NP |
| STM-8M8FF   | 1/2 MNPT by 1/2 FNPT Street Tee B F    |
| STM-12M12FF | 3/4 MNPT by 3/4 FNPT Street Tee B F    |

#### **MT SERIES**



The MT Series are Brass male Tee adapters with bite-style barbs. Available male NPT thread sizes range from 1/16 inch to 1/4 inch and the available barb sizes range from 1/16 inch to 1/2 inch.

| SKU           | Description   |
|---------------|---|
| MT-1M078B     | 1/16 inch MNPT by .078 inch Barb Adapter Tee          |
| MT-1M170B     | 1/16 inch MNPT by .170 Barb Adapter Tee               |
| MT-1M1B       | 1/16 inch MNPT by 1/16 inch Barb Adapter Tee          |
| MT-1M2B       | 1/16 inch MNPT by 1/8 inch Barb Adapter Tee           |
| MT-1M332B     | 1/16 inch MNPT by 3/32 inch Barb Adapter Tee          |
| MT-1M3B       | 1/16 inch MNPT by to 3/16 inch Barb Adapter Tee       |
| MT-1M564B     | 1/16 inch MNPT by 5/64 inch Barb Adapter Tee          |
| MT-1M732B     | 1/16 inch MNPT by 7/32 inch Barb Adapter Tee          |
| MT-2M078B     | 1/8 inch MNPT by .078 inch Barb Adapter Tee           |
| MT-2M078B-120 | 1/8 inch MNPT by .078 inch Barb 120° Adapter Tee      |
| MT-2M078B-60  | 1/8 inch MNPT by .078 inch Barb 60 Degree Adapter Tee |
| MT-2M170B     | 1/8 inch MNPT by .170 inch Barb Adapter Tee           |

| SKU          | Description   |
|--------------|---|
| MT-2M1B      | 1/8 inch MNPT by 1/16 inch Barb Adapter Tee           |
| MT-2M1B-60   | 1/8 inch MNPT by 1/16 inch Barb 60 Degree Adapter Tee |
| MT-2M2B      | 1/8 inch MNPT by 1/8 inch Barb Adapter Tee            |
| MT-2M332B    | 1/8 inch MNPT by 3/32 inch Barb Adapter Tee           |
| MT-2M3B      | 1/8 inch MNPT by 3/16 inch Barb Adapter Tee           |
| MT-2M564B    | 1/8 inch MNPT by 5/64 inch Barb Adapter Tee           |
| MT-2M5B      | 1/8 inch MNPT by 5/16 inch Barb Adapter Tee           |
| MT-2M6B      | 1/8 inch MNPT by 3/8 inch Barb Adapter Tee            |
| MT-4M078B    | 1/4 inch MNPT by .078 inch Barb Adapter Tee           |
| MT-4M170B    | 1/4 inch MNPT by 7/32 inch Barb Adapter Tee           |
| MT-4M1B      | 1/4 inch MNPT by 1/16 inch Barb Adapter Tee           |
| MT-4M2B      | 1/4 inch MNPT by 1/8 inch Barb Adapter Tee            |
| MT-4M2B-60   | 1/4 inch MNPT by 1/8 inch Barb 60 Degree Adapter Tee  |
| MT-4M332B    | 1/4 inch MNPT by 3/32 inch Barb Adapter Tee           |
| MT-4M3B      | 1/4 inch MNPT by 3/16 inch Barb Adapter Tee           |
| MT-4M4B      | 1/4 inch MNPT by 1/4 inch Barb Adapter Tee            |
| MT-4M532B    | 1/4 inch MNPT by 5/32 inch Barb Adapter Tee           |
| MT-4M564B    | 1/4 inch MNPT by 5/64 inch Barb Adapter Tee           |
| MT-4M6B      | 1/4 inch MNPT by 3/8 inch Barb Adapter Tee            |
| MT-4M732B    | 1/4 inch MNPT by 7/32 inch Barb Adapter Tee           |
| MT-4M732B-90 | 1/4 inch MNPT by 7/32 inch Barb 90 Degree Adapter Tee |
|              |   |

#### **MBT SERIES**



The MBT Series is a Brass male branch tee. Available Male and Female NPT thread sizes are: 1/8 inch, 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch. It is available forged, barstock and nickel-plated (noted below).

| SKU        | Description                                 |
|------------|---|
| MBT-2M2F   | 1/8 MNPT by 1/8 FNPT Male Branch Tee B F NP |
| MBT-4M4F   | 1/4 MNPT by 1/4 FNPT Male Branch Tee B F NP |
| MBT-6M6F   | 3/8 MNPT by 3/8 FNPT Male Branch Tee B NP   |
| MBT-8M8F   | 1/2 MNPT by 1/2 FNPT Male Branch Tee B NP   |
| MBT-12M12F | 3/4 MNPT by 3/4 FNPT Male Branch Tee B      |

#### **MAT SERIES**



MAT Series are Brass male Tee adapters with bite-style barb sizes ranging from 1/16 inch to 1/4 inch. Any different barb size can fit on any different hex.

| SKU          | Description   |
|--------------|---|
| MAT-2M078B   | 1/8 inch MNPT by .078 inch Barb Brass Tee Adapter                         |
| MAT-2M1B     | 1/8 inch MNPT by 1/16 inch Barb Brass Tee Adapter                         |
| MAT-2M2B     | 1/8 inch MNPT by 1/8 inch Barb Brass Tee Adapter                          |
| MAT-2M332B   | 1/8 inch MNPT by 3/32 inch Barb Brass Tee Adapter                         |
| MAT-2M3B     | 1/8 inch MNPT by 3/16 inch Barb Brass Tee Adapter                         |
| MAT-2M564B   | 1/8 inch MNPT by 5/64 inch Barb Brass Tee Adapter                         |
| MAT-4M078B   | 1/4 inch MNPT by .078 inch Barb Brass Tee Adapter                         |
| MAT-4M1B     | 1/4 inch MNPT by 1/16 inch Barb Brass Tee Adapter                         |
| MAT-4M1B2B2B | 1/4 inch MNPT by 1/16 inch by 1/8 inch by 1/8 inch Barb Brass Tee Adapter |
| MAT-4M2B     | 1/4 inch MNPT by 1/8 inch Barb Brass Tee Adapter                          |
| MAT-4M332B   | 1/4 inch MNPT by 3/32 inch Barb Brass Tee Adapter                         |
| MAT-4M3B     | 1/4 inch MNPT by 3/16 inch Barb Brass Tee Adapter                         |
| MAT-4M532B   | 1/4 inch MNPT by 5/32 inch Barb Brass Tee Adapter                         |
| MAT-4M564B   | 1/4 inch MNPT by 5/64 inch Barb Brass Tee Adapter                         |
| MAT-4M732B   | 1/4 inch MNPT by 7/32 inch Barb Brass Tee Adapter                         |



#### **FAT SERIES**

The FAT Series are Brass female adapters with bite-style barbs. Any different Barb size can be placed on any hex. FNPT thread sizes available for this series are 1/8 inch and 1/4 inch. Barb sizes range from 5/64 inch to 3/8 inch.

| SKU        | Description   |
|------------|---|
| FAT-2F1B   | 1/8 inch FNPT by 1/16 inch Brass Barbed Tee Adapter |
| FAT-2F564B | 1/8 inch FNPT by 5/64 inch Brass Barbed Tee Adapter |
| FAT-2F2B   | 1/8 inch FNPT by 1/8 inch Brass Barbed Tee Adapter  |
| FAT-2F170B | 1/8 inch FNPT by .170 inch Brass Barbed Tee Adapter |
| FAT-2F6B   | 1/8 inch FNPT by 3/8 inch Brass Barbed Tee Adapter  |
| FAT-4F1B   | 1/4 inch FNPT by 1/16 inch Brass Barbed Tee Adapter |
| FAT-4F564B | 1/4 inch FNPT by 5/64 inch Brass Barbed Tee Adapter |
| FAT-4F2B   | 1/4 inch FNPT by 1/8 inch Brass Barbed Tee Adapter  |
| FAT-4F170B | 1/4 inch FNPT by .170 inch Brass Barbed Tee Adapter |
| FAT-4F6B   | 1/4 inch FNPT by 3/8 inch Brass Barbed Tee Adapter  |



#### **BMT SERIES**

The BMT Series is a male forged Brass Tee Connector. Available male NPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, and 1/2 inch. All sizes are also available in nickel-plate.


| SKU   | Description                              |
|-------|--|
| BMT-2 | 1/8 inch MNPT Brass Forged Tee Connector |
| BMT-4 | 1/4 inch MNPT Brass Forged Tee Connector |
| BMT-6 | 3/8 inch MNPT Brass Forged Tee Connector |
| BMT-8 | 1/2 inch MNPT Brass Forged Tee Connector |



### **BHT SERIES**

The BHT Series is a forged Brass multi-barbed Tee connector. Available barb sizes are 1/8 inch, 1/4 inch, and 3/4 inch. The working temperature range is -40° F to 160° F. Maximum working pressure is 150 psi. This fitting is designed for use with a hose clamp.

| SKU    | Description                               |
|--------|---|
| BHT-2  | 1/8 inch Brass Multi-Barbed Tee Connector |
| BHT-4  | 1/4 inch Brass Multi-Barbed Tee Connector |
| BHT-34 | 3/4 inch Brass Multi-Barbed Tee Connector |



#### **BFT THREADED BRASS TEE**

Brass Tee with female NPT threads. The operating pressure is 1200 psi and the temperature range is -65° F to 250° F. This tee is available as Forged or Barstock. Nickel Plate is also available in barstock.

| SKU    |                           | Description |
|--------|---------------------------|-------------|
| BFT-2  | 1/8 FNPT Brass Tee B F NP |             |
| BFT-4  | 1/4 FNPT Brass Tee B F NP |             |
| BFT-6  | 3/8 FNPT Brass Tee B F NP |             |
| BFT-8  | 1/2 FNPT Brass Tee B F NP |             |
| BFT-12 | 3/4 FNPT Brass Tee B F NP |             |
| BFT-16 | 1 inch FNPT Brass Tee F   |             |



#### **BFBT SERIES**

The BFBT Series is a male by male by female forged Brass Tee. This series is available in two sizes: 1/8 inch and 1/4 inch. The 1/8-inch size is available in nickel-plated brass.

| SKU          | Description  |
|--------------|--|
| BFBT-2M2F    | 1/8 inch MNPT Run by 1/8 inch FNPT Leg               |
| BFBT-2M2F-NP | 1/8 inch MNPT Run by 1/8 inch FNPT Leg Nickel Plated |
| BFBT-4M4F    | 1/4 inch MNPT Run by 1/4 inch FNPT Leg               |



#### **BBFTR SERIES**

The BBFTR Series is a forged Brass female reducing Tee. The operating pressure for this tee is 1200 psi with a temperature range of -65° F to 250° F. The threads are Female NPT.

| SKU           | Description  |
|---------------|--|
| BBFTR-2-2-4   | 1/8 inch FNPT by 1/8 inch FNPT by 1/4 inch FNPT Brass Reducing Tee |
| BBFTR-4-4-2   | 1/4 inch FNPT by 1/4 inch FNPT by 1/8 inch FNPT Brass Reducing Tee |
| BBFTR-4-4-6   | 1/4 inch FNPT by 1/4 inch FNPT by 3/8 inch FNPT Brass Reducing Tee |
| BBFTR-6-4-6   | 3/8 inch FNPT by 1/4 inch FNPT by 3/8 inch FNPT Brass Reducing Tee |
| BBFTR-6-6-4   | 3/8 inch FNPT by 3/8 inch FNPT by 1/4 inch FNPT Brass Reducing Tee |
| BBFTR-8-8-6   | 1/2 inch FNPT by 1/2 inch FNPT by 3/8 inch FNPT Brass Reducing Tee |
| BBFTR-12-8-12 | 3/4 inch FNPT by 1/2 inch FNPT by 3/4 inch FNPT Brass Reducing Tee |
| BBFTR-12-12-8 | 3/4 inch FNPT by 3/4 inch FNPT by 1/2 inch FNPT Brass Reducing Tee |

## **INDEX**

#### В

BBFTR Series 6
BFBT SERIES 5
BFT THREADED BRASS TEE 5
BHT Series 4
BMT Series 4

#### F

FAT Series 3

#### М

MAT Series 3 MBT Series 2 MT Series 1

### S

STM Series 1