CLEAR POLYCARBONATE

EV SERIES



The EV Series are single barbed tube-to-tube elbows. These elbows are available in White and Black Nylon, Natural Polypropylene, Clear Polycarbonate, and PVDF. These elbows are available in equal or reduced sizes. Barb sizes are 1/16 inch, 1/8 inch, and 3/32 inch.

| SKU | Description |
|-----------|----------------------------------|
| EV-1B | 1/16 Barb Elbow |
| EV-1B-400 | 1/16 Barb Elbow Low Profile |
| EV-2B | 1/8 Barb Elbow |
| EV-332B | 3/32 Barb Elbow |
| EV-2B1B | 1/8 by 1/16 Barb Reducing Elbow |
| EV-2B332B | 1/8 by 3/32 Barb Reducing Elbow |
| EV-332B1B | 3/32 by 1/16 Barb Reducing Elbow |



CR-S SERIES

The CR-S Series are standard equal and reducing single barbed straight connectors with no parting line on the barb. These are ideal for medical and laboratory environments. The barbs will expand tubing up to 50% above its normal size. Both equal and reducing connectors are produced of White and Black Nylon, Natural Polypropylene, PVDF, and Polycarbonate. Equal connectors also have the options of Red and Blue Nylon. Orifices are also available. Equal barb sizes: 1/8 inch. Reducing barb sizes: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, and 5/32 inch by 3/32 inch.

| SKU | Description |
|---------------|---|
| CR-S-2B2B-WN | 1/8 inch White Nylon Single Barbed Straight Connector |
| CR-S-2B2B-BN | 1/8 inch Black Nylon Single Barbed Straight Connector |
| CR-S-2B2B-NPP | 1/8 inch Natural Polypropylene Single Barbed Straight Connector |

PNEULINE SUPPLY INC.

| SKU | Description |
|--------------------|---|
| CR-S-2B2B-PVDF | 1/8 inch PVDF Single Barbed Straight Connector |
| CR-S-2B2B-PC | 1/8 inch Polycarbonate Single Barbed Straight Connector |
| CR-S-2B2B-BL | 1/8 inch Blue Nylon Single Barbed Straight Connector |
| CR-S-2B2B-RD | 1/8 inch Red Nylon Single Barbed Straight Connector |
| CR-S-2B1B-BN | 1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-2B1B-NPP | 1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector |
| CR-S-2B1B-PC | 1/8 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector |
| CR-S-2B1B-PVDF | 1/8 inch by 1/16 inch PVDF Single Barbed Reducing Connector |
| CR-S-2B1B-WN | 1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Connector |
| CR-S-2B1B-BN | 1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-2B332B-BN | 1/8 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-2B332B-NPP | 1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector |
| CR-S-2B332B-PC | 1/8 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector |
| CR-S-2B332B-PVDF | 1/8 inch by 3/32 inch PVDF Single Barbed Reducing Connector |
| CR-S-2B332B-WN | 1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Connector |
| CR-S-2B332B-YEL | 1/8 inch by 3/32 inch Yellow Nylon Single Barbed Reducing Connector |
| CR-S-332B1B-BN | 3/32 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-332B1B-NPP | 3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector |
| CR-S-332B1B-PC | 3/32 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector |
| CR-S-332B1B-PVDF | 3/32 inch by 1/16 inch PVDF Single Barbed Reducing Connector |
| CR-S-332B1B-WN | 3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Connector |
| CR-S-532B332B-BN | 5/32 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector |
| CR-S-532B332B-NPP | 5/32 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector |
| CR-S-532B332B-PC | 5/32 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector |
| CR-S-532B332B-PVDF | 5/32 inch by 3/32 inch PVDF Single Barbed Reducing Connector |
| CR-S-532B332B-WN | 5/32 inch by 3/32 inch White Nylon Single Barbed Reducing Connector |

PNEULINE SUPPLY INC.



C-SO SINGLE AND REDUCING BARB CONNECTOR

The C-SO Series are original single barbed straight and reducing connectors. These connectors have no parting line on the barb and have a square center hub. Tubing can be started on the barb of this connector before any expansion begins. It will expand the tubing by 43% when it is completely inserted. Available materials are Black and White Nylon, Natural Polypropylene, Clear Polycarbonate, and Natural PVDF. Available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

| SKU | Description |
|-------------|---------------------------------|
| C-SO-2B1B | 1/8 to 1/16 Square Hub Reducer |
| C-SO-2B332B | 1/8 by 3/32 Square Hub Reducer |
| C-SO-332B1B | 3/32 to 1/16 Square Hub Reducer |
| C-SO-1B | 1/16 Square Hub Connector |
| C-SO-2B | 1/8 Square Hub Connector |
| C-SO-332B | 3/32 Square Hub Connector |

PNEULINE SUPPLY INC.

INDEX

C

C-SO SINGLE AND REDUCING BARB CONNECTOR 3 CR-S Series 1

E

EV Series 1