

CROSS

PACX SERIES



Push-to-Connect Cross connectors available in Acetal used to join tubing of Polyethylene, Brass, or Copper. Sizes range from 3/8 inch OD size only. Gray or White Acetal are NSF and FDA approved and have Buna seals for use in air, gases, and potable water applications. Also available with double O-ring EPDM seals. For other options see our PUCX Series Push-ins.

SKU	Description
PACX-6-A	3/8 inch OD Cross made of Acetal

CX SERIES



The CX Series is a standard single barbed Cross fitting with no molded parting line on the barb. The barb will expand tubing to 50% above its normal size. It is available in White Nylon and Natural Polypropylene. The available equal barb sizes are: 1/16 inch, 3/32 inch, and 1/8 inch. This cross fitting is recommended for medical and laboratory environments.

SKU	Description
CX-1B-NPP	1/16 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-1B-WN	1/16 inch White Nylon Standard Single Barbed Cross Connector
CX-332B-NPP	3/32 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-332B-WN	3/32 inch White Nylon Standard Single Barbed Cross Connector
CX-2B-NPP	1/8 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-2B-WN	1/8 inch White Nylon Standard Single Barbed Cross Connector



CRX-I STANDARD BARB CROSS

The CRX-I Series is a standard single barbed commercial grade Cross fitting with no parting line on the barb. It is available in Natural Nylon and Polypropylene. The equal barb size available is 1/4 inch.

SKU	Description
CRX-I-4B	1/4 Barb Commercial Grade Cross



CNRX SERIES

The CNRX Series is an equal single barbed Cross fitting. These crosses are available in Natural Nylon, Natural Polypropylene, and White Polypropylene. Available barb sizes are 1/8 inch and 1/4 inch.

SKU	Description
CNRX-2B-NN	1/8 inch Natural Nylon Single Barbed Cross Connector
CNRX-2B-NPP	1/8 inch Natural Polypropylene Single Barbed Cross Connector
CNRX-2B-WPP	1/8 inch White Polypropylene Single Barbed Cross Connector
CNRX-4B-NN	1/4 inch Natural Nylon Single Barbed Cross Connector
CNRX-4B-NPP	1/4 inch Natural Polypropylene Single Barbed Cross Connector
CNRX-4B-WPP	1/4 inch White Polypropylene Single Barbed Cross Connector



BBX SERIES

This series of Brass connectors is compiled of straight connectors, elbows, tees and crosses. The working temperature range is –40° F to 160° F. The straights, tees and crosses have equal barb sizes. The elbows are both equal and reducing. These fittings are designed for use with hose clamps.

SKU	Description
BBX-4	1/4 inch Brass Multi-Barbed Cross Connector
BBX-5	5/16 inch Brass Multi-Barbed Cross Connector
BBX-6	3/8 inch Brass Multi-Barbed Cross Connector

INDEX

B

BBX Series 3

C

CNRX Series 2

CRX-I STANDARD BARB CROSS 2

CX Series 1

P

PACX Series 1