

ELBOW

SPE - PUSH-TO-CONNECT ELBOW STEM CONNECTOR



Push-to-Connect Elbow to Stem Swivel connectors available in Acetal, Polypropylene, and Kynar® can be added to any push-in connector to create a 90 degree connection. Stem sizes range from 1/2 inch to 5/32 inch OD. Push-in sizes of 1/2 inch to 5/32 inch. Use with Polyethylene, Brass, or Copper tubing. Gray or White Acetal are NSF and FDA approved and have Buna seals for use in air, gases, and potable water applications. White Polypropylene with EPDM seals or PVDF with FKM seals. Maximum temperature 140°F at 60 psi for Polypropylene.

SKU	Description
SPE-3	3/16 Stem by 3/16 OD Elbow PBT
SPE-4	1/4 Stem by 1/4 OD Elbow PBT
SPE-4-6	1/4 Stem by 3/16 OD Elbow PBT
SPE-5	5/16 Stem by 5/16 OD Elbow PBT
SPE-532	5/32 Stem by 5/32 OD Elbow PBT
SPE-6	3/8 Stem by 3/8 OD Elbow PBT
SPE-6-3	3/8 Stem by 3/16 OD Elbow PBT
SPE-6-4	3/8 Stem by 1/4 OD Elbow PBT
SPE-6-5	3/8 Stem by 5/16 OD Elbow PBT
SPE-8	1/2 Stem by 1/2 OD Elbow PBT

## SBHE SERIES



The SBHE Series is a 316 Stainless male NPT threads to barb 90° Elbow Adapter. Available MNPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, and 1/2 inch. Available barb sizes are 1/4 inch, 3/8 inch, and 1/2 inch.

SKU	Description
SBHE-2M4B	1/8 inch MNPT by 1/4 inch 316 Stainless Steel Barbed 90° Elbow
SBHE-4M4B	1/4 inch MNPT by 1/4 inch 316 Stainless Steel Barbed 90° Elbow
SBHE-4M6B	1/4 inch MNPT by 3/8 inch 316 Stainless Steel Barbed 90° Elbow
SBHE-6M6B	3/8 inch MNPT by 3/8 inch 316 Stainless Steel Barbed 90° Elbow
SBHE-8M8B	1/2 inch MNPT by 1/2 inch 316 Stainless Steel Barbed 90° Elbow

## PMES SERIES



PMES Series Push-to-Connect to Male NPT Swivel Elbow connectors available in Acetal and select sizes in Polypropylene, and Kynar®. Push-to-Connect sizes range from 5/32 inch to 1/2 inch and Threads ranging from 1/2 inch MNPT to 1/8 inch MNPT. Gray or White Acetal are NSF and FDA approved and have Buna seals for use in air, gases, and potable water applications. White Polypropylene with EPDM seals or PVDF with FKM seals. Maximum temperature 140°F at 60 psi for Polypropylene. For non-swivel elbows see [PME Series](#).

SKU	Description
PMES-2M4	1/8 MNPT by 1/4 OD Swivel Elbow Push-to-Connect
PMES-2M532	1/8 MNPT by 5/32 OD Swivel Elbow Push-to-Connect
PMES-2M5	1/8 MNPT by 5/16 OD Swivel Elbow Push-to-Connect
PMES-2M6	1/8 MNPT by 3/8 OD Swivel Elbow Push-to-Connect
PMES-4M4	1/4 MNPT by 1/4 OD Swivel Elbow Push-to-Connect
PMES-4M532	1/4 MNPT by 5/32 OD Swivel Elbow Push-to-Connect
PMES-4M5	1/4 MNPT by 5/16 OD Swivel Elbow Push-to-Connect
PMES-4M6	1/4 MNPT by 3/8 OD Swivel Elbow Push-to-Connect
PMES-4M8	1/4 MNPT by 1/2 OD Swivel Elbow Push-to-Connect
PMES-6M4	3/8 MNPT by 1/4 OD Swivel Elbow Push-to-Connect
PMES-6M5	3/8 MNPT by 5/16 OD Swivel Elbow Push-to-Connect
PMES-6M6	3/8 MNPT by 3/8 OD Swivel Elbow Push-to-Connect
PMES-6M8	3/8 MNPT by 1/2 OD Swivel Elbow Push-to-Connect
PMES-8M8	1/2 MNPT by 1/2 OD Swivel Elbow Push-to-Connect



## PME THREADED PUSH-TO-CONNECT ELBOW

PM Series Male Thread to Push-to-Connect Elbow connectors available in Acetal and select sizes in Polypropylene, and Kynar®. Push-in sizes range from 1/4 inch to 3/8 inch and Threads ranging from 3/8inch MNPT to 1/8 inch MNPT. Gray or White Acetal are NSF and FDA approved and have Buna seals for use in air, gases, and potable water applications. White Polypropylene with EPDM seals or PVDF with FKM seals. Maximum temperature 140°F at 60 psi for Polypropylene.

SKU	Description
PME-2M4	1/8 MNPT by 1/4 OD Push-to-Connect Elbow
PME-4M4	1/4 MNPT by 1/4 OD Push-to-Connect Elbow
PME-4M5	1/4 MNPT by 5/16 OD Push-to-Connect Elbow
PME-4M6	1/4 MNPT by 3/8 OD Push-to-Connect Elbow
PME-6M4	3/8 MNPT by 1/4 OD Push-to-Connect Elbow
PME-6M5	3/8 MNPT by 5/16 OD Push-to-Connect Elbow
PME-6M6	3/8 MNPT by 3/8 OD Push-to-Connect Elbow
PME-6M8	3/8 MNPT by 1/2 OD Push-to-Connect Elbow

## PEB SERIES



The PEB Series Stem connector to Elbow Barbed Fittings comes in Acetal, Polypropylene, and Kynar® which can be added to a Push-to-Connect connector to terminate in a barbed connection for use with Polyethylene, Vinyl, or braided Vinyl tubing. Stem sizes range from 1/2 inch to 1/4 inch reducing to a 1/4 inch Barbed Fitting. Gray or White Acetal are NSF and FDA approved and have Buna seals for use in air, gases, and potable water applications. White Polypropylene with EPDM seals or PVDF with FKM seals. Maximum temperature 140°F at 60 psi for Polypropylene.

SKU	Description
PEB-4	1/4 OD Stem by 1/4 Barb Elbow
PEB-4S5	1/4 OD Stem by 5/16 Barb Elbow
PEB-5	5/16 OD Stem by 5/16 Barb Elbow
PEB-5S4	5/16 OD Stem by 1/4 Barb Elbow
PEB-5S5	5/16 OD Stem by 5/16 Barb Elbow
PEB-6	3/8 OD Stem by 3/8 Barb Elbow
PEB-6S4	3/8 OD Stem by 1/4 Barb Elbow
PEB-6S5	3/8 OD Stem by 5/16 Barb Elbow

## PE SERIES



Push-to-Connect Elbow connectors available in Acetal, Polypropylene, and Kynar® used to join tubing of Polyethylene, Brass, or Copper. Sizes range from 5/32 inch OD to 1/2 inch OD including reducing sizes. Gray or White Acetal are NSF and FDA approved and have Buna seals for use in air, gases, and potable water applications. White Polypropylene with EPDM seals or PVDF with FKM seals. Maximum temperature 140°F at 60 psi for Polypropylene.

SKU	Description
PE-3	3/16 OD Push-to-Connect Elbow
PE-4	1/4 OD Push-to-Connect Elbow
PE-532	5/32 OD Push-to-Connect Elbow
PE-5-3	5/16 OD by 3/16 OD Push-to-Connect Elbow
PE-5-4	5/16 OD by 1/4 OD Push-to-Connect Elbow
PE-5-532	5/16 OD by 5/32 OD Push-to-Connect Elbow
PE-5	5/16 OD Push-to-Connect Elbow
PE-6-3	3/8 OD by 3/16 OD Push-to-Connect Elbow
PE-6-4	3/8 OD by 1/4 OD Push-to-Connect Elbow
PE-6-5	3/8 OD by 5/16 OD Push-to-Connect Elbow
PE-6	3/8 OD OD Push-to-Connect Elbow PP PVDF
PE-8-6	1/2 OD by 3/8 OD Push-to-Connect Elbow

## MEV SERIES



The MEV Series are thread to bite-style barb male Brass multi elbow adapters. These elbows come in 3 different sizes pertaining to the angle between elbows – 60°, 90° and 120°. This series comes in MNPT thread sizes ranging from 1/8 inch to 3/8 inch and barb sizes ranging from 1/16 inch to 1/2 inch. Also available in Nickel-Plated Brass and 303 Stainless Steel.

SKU	Description
MEV60-2M1B	1/8 inch MNPT by 1/16 inch Barb 60° Brass Elbow
MEV60-2M2B	1/8 inch MNPT by 1/8 inch Barb 60° Brass Elbow
MEV60-2M332B	1/8 inch MNPT by 3/32 inch Barb 60° Brass Elbow
MEV60-2M3B	1/8 inch MNPT by 3/16 inch Barb 60° Brass Elbow
MEV60-2M4B	1/8 inch MNPT by 1/4 inch Barb 60° Brass Elbow
MEV60-2M532B	1/8 inch MNPT by 5/32 inch Barb 60° Brass Elbow
MEV60-2M564B	1/8 inch MNPT by 5/64 inch Barb 60° Brass Elbow
MEV60-2M5B	1/8 inch MNPT by 5/16 inch Barb 60° Brass Elbow
MEV60-2M6B	1/8 inch MNPT by 3/8 inch Barb 60° Brass Elbow

SKU	Description
MEV60-2M732B	1/8 inch MNPT by 7/32 inch Barb 60° Brass Elbow
MEV60-2M8B	1/8 inch MNPT by 1/2 inch Barb 60° Brass Elbow
MEV60-4M170B	1/4 inch MNPT by .170 inch Barb 60° Brass Elbow
MEV60-4M1B	1/4 inch MNPT by 1/16 inch Barb 60° Brass Elbow
MEV60-4M2B	1/4 inch MNPT by 1/8 inch Barb 60° Brass Elbow
MEV60-4M332B	1/4 inch MNPT by 3/32 inch Barb 60° Brass Elbow
MEV60-4M3B	1/4 inch MNPT by 3/16 inch Barb 60° Brass Elbow
MEV60-4M4B	1/4 inch MNPT by 1/4 inch Barb 60° Brass Elbow
MEV60-4M532B	1/4 inch MNPT by 5/32 inch Barb 60° Brass Elbow
MEV60-4M564B	1/4 inch MNPT by 5/64 inch Barb 60° Brass Elbow
MEV60-4M5B	1/4 inch MNPT by 5/16 inch Barb 60° Brass Elbow
MEV60-4M6B	1/4 inch MNPT by 3/8 inch Barb 60° Brass Elbow
MEV60-4M732B	1/4 inch MNPT by 7/32 inch Barb 60° Brass Elbow
MEV60-4M8B	1/4 inch MNPT by 1/2 inch Barb 60° Brass Elbow
MEV60-6M170B	3/8 inch MNPT by .170 Barb 60° Brass Elbow
MEV60-6M1B	3/8 inch MNPT by 1/16 inch Barb 60° Brass Elbow
MEV60-6M2B	3/8 inch MNPT by 1/8 inch Barb 60° Brass Elbow
MEV60-6M332B	3/8 inch MNPT by 3/32 inch Barb 60° Brass Elbow
MEV60-6M3B	3/8 inch MNPT by 3/16 inch Barb 60° Brass Elbow
MEV60-6M4B	3/8 inch MNPT by 1/4 inch Barb 60° Brass Elbow
MEV60-6M532B	3/8 inch MNPT by 5/32 inch Barb 60° Brass Elbow
MEV60-6M564B	3/8 inch MNPT by 5/64 inch Barb 60° Brass Elbow
MEV60-6M5B	3/8 inch MNPT by 5/16 inch Barb 60° Brass Elbow
MEV60-6M6B	3/8 inch MNPT by 3/8 inch Barb 60° Brass Elbow
MEV60-6M732B	3/8 inch MNPT by 7/32 inch Barb 60° Brass Elbow
MEV60-6M8B	3/8 inch MNPT by 1/2 inch Barb 60° Brass Elbow
MEV90-2M170B	1/8 inch MNPT by .170 Barb 90° Brass Elbow
MEV90-2M1B	1/8 inch MNPT by 1/16 inch Barb 90° Brass Elbow
MEV90-2M2B	1/8 inch MNPT by 1/8 inch Barb 90° Brass Elbow
MEV90-2M332B	1/8 inch MNPT by 3/32 inch Barb 90° Brass Elbow
MEV90-2M3B	1/8 inch MNPT by 3/16 inch Barb 90° Brass Elbow
MEV90-2M4B	1/8 inch MNPT by 1/4 inch Barb 90° Brass Elbow
MEV90-2M532B	1/8 inch MNPT by 5/32 inch Barb 90° Brass Elbow
MEV90-2M564B	1/8 inch MNPT by 5/64 inch Barb 90° Brass Elbow
MEV90-2M5B	1/8 inch MNPT by 5/16 inch Barb 90° Brass Elbow
MEV90-2M6B	1/8 inch MNPT by 3/8 inch Barb 90° Brass Elbow
MEV90-2M732B	1/8 inch MNPT by 7/32 inch Barb 90° Brass Elbow
MEV90-2M8B	1/8 inch MNPT by 1/2 inch Barb 90° Brass Elbow
MEV90-4M170B	1/4 inch MNPT by .170 inch Barb 90° Brass Elbow
MEV90-4M1B	1/4 inch MNPT by 1/16 inch Barb 90° Brass Elbow

SKU	Description
MEV90-4M2B	1/4 inch MNPT by 1/8 inch Barb 90° Brass Elbow
MEV90-4M332B	1/4 inch MNPT by 3/32 inch Barb 90° Brass Elbow
MEV90-4M3B	1/4 inch MNPT by 3/16 inch Barb 90° Brass Elbow
MEV90-4M4B	1/4 inch MNPT by 1/4 inch Barb 90° Brass Elbow
MEV90-4M532B	1/4 inch MNPT by 5/32 inch Barb 90° Brass Elbow
MEV90-4M564B	1/4 inch MNPT by 5/64 inch Barb 90° Brass Elbow
MEV90-4M5B	1/4 inch MNPT by 5/16 inch Barb 90° Brass Elbow
MEV90-4M6B	1/4 inch MNPT by 3/8 inch Barb 90° Brass Elbow
MEV90-4M732B	1/4 inch MNPT by 7/32 inch Barb 90° Brass Elbow
MEV90-4M8B	1/4 inch MNPT by 1/2 inch Barb 90° Brass Elbow
MEV90-6M170B	3/8 inch MNPT by .170 Barb 90° Brass Elbow
MEV90-6M1B	3/8 inch MNPT by 1/16 inch Barb 90° Brass Elbow
MEV90-6M2B	3/8 inch MNPT by 1/8 inch Barb 90° Brass Elbow
MEV90-6M332B	3/8 inch MNPT by 3/32 inch Barb 90° Brass Elbow
MEV90-6M3B	3/8 inch MNPT by 3/16 inch Barb 90° Brass Elbow
MEV90-6M4B	3/8 inch MNPT by 1/4 inch Barb 90° Brass Elbow
MEV90-6M532B	3/8 inch MNPT by 5/32 inch Barb 90° Brass Elbow
MEV90-6M564B	3/8 inch MNPT by 5/64 inch Barb 90° Brass Elbow
MEV90-6M5B	3/8 inch MNPT by 5/16 inch Barb 90° Brass Elbow
MEV90-6M6B	3/8 inch MNPT by 3/8 inch Barb 90° Brass Elbow
MEV90-6M732B	3/8 inch MNPT by 7/32 inch Barb 90° Brass Elbow
MEV90-6M8B	3/8 inch MNPT by 1/2 inch Barb 90° Brass Elbow
MEV120-2M170B	1/8 inch MNPT by .170 inch Barb 120° Brass Elbow
MEV120-2M1B	1/8 inch MNPT by 1/16 inch Barb 120° Brass Elbow
MEV120-2M2B	1/8 inch MNPT by 1/8 inch Barb 120° Brass Elbow
MEV120-2M332B	1/8 inch MNPT by 3/32 inch Barb 120° Brass Elbow
MEV120-2M3B	1/8 inch MNPT by 3/16 inch Barb 120° Brass Elbow
MEV120-2M4B	1/8 inch MNPT by 1/4 inch Barb 120° Brass Elbow
MEV120-2M532B	1/8 inch MNPT by 5/32 inch Barb 120° Brass Elbow
MEV120-2M564B	1/8 inch MNPT by 5/64 inch Barb 120° Brass Elbow
MEV120-2M5B	1/8 inch MNPT by 5/16 inch Barb 120° Brass Elbow
MEV120-2M6B	1/8 inch MNPT by 3/8 inch Barb 120° Brass Elbow
MEV120-2M732B	1/8 inch MNPT by 7/32 inch Barb 120° Brass Elbow
MEV120-2M8B	1/8 inch MNPT by 1/2 inch Barb 120° Brass Elbow
MEV120-4M170B	1/4 inch MNPT by .170 inch Barb 120° Brass Elbow
MEV120-4M1B	1/4 inch MNPT by 1/16 inch Barb 120° Brass Elbow
MEV120-4M2B	1/4 inch MNPT by 1/8 inch Barb 120° Brass Elbow
MEV120-4M332B	1/4 inch MNPT by 3/32 inch Barb 120° Brass Elbow
MEV120-4M3B	1/4 inch MNPT by 3/16 inch Barb 120° Brass Elbow
MEV120-4M4B	1/4 inch MNPT by 1/4 inch Barb 120° Brass Elbow

SKU	Description
MEV120-4M532B	1/4 inch MNPT by 5/32 inch Barb 120° Brass Elbow
MEV120-4M564B	1/4 inch MNPT by 5/64 inch Barb 120° Brass Elbow
MEV120-4M5B	1/4 inch MNPT by 5/16 inch Barb 120° Brass Elbow
MEV120-4M6B	1/4 inch MNPT by 3/8 inch Barb 120° Brass Elbow
MEV120-4M732B	1/4 inch MNPT by 7/32 inch Barb 120° Brass Elbow
MEV120-4M8B	1/4 inch MNPT by 1/2 inch Barb 120° Brass Elbow
MEV120-6M170B	3/8 inch MNPT by .170 inch Barb 120° Brass Elbow
MEV120-6M1B	3/8 inch MNPT by 1/16 inch Barb 120° Brass Elbow
MEV120-6M2B	3/8 inch MNPT by 1/8 inch Barb 120° Brass Elbow
MEV120-6M332B	3/8 inch MNPT by 3/32 inch Barb 120° Brass Elbow
MEV120-6M3B	3/8 inch MNPT by 3/16 inch Barb 120° Brass Elbow
MEV120-6M4B	3/8 inch MNPT by 1/4 inch Barb 120° Brass Elbow
MEV120-6M532B	3/8 inch MNPT by 5/32 inch Barb 120° Brass Elbow
MEV120-6M564B	3/8 inch MNPT by 5/64 inch Barb 120° Brass Elbow
MEV120-6M5B	3/8 inch MNPT by 5/16 inch Barb 120° Brass Elbow
MEV120-6M6B	3/8 inch MNPT by 3/8 inch Barb 120° Brass Elbow
MEV120-6M732B	3/8 inch MNPT by 7/32 inch Barb 120° Brass Elbow
MEV120-6M8B	3/8 inch MNPT by 1/2 inch Barb 120° Brass Elbow

## MEF SERIES



The MEF Series is a Brass male or female to female elbow connector. 90° and 45° elbows are available.

SKU	Description
MEF-1032MX1428F	10-32 inch Male UNF by 1/4-28 inch Female 90° Miniature Elbow
MEF-1032MX1F	10-32 inch Male UNF by 1/16 inch FNPT 90° Miniature Elbow
MEF-1032MX2F	10-32 inch Male UNF by 1/8 inch FNPT 90° Miniature Elbow
MEF-1032MX4F	10-32 inch Male UNF by 1/4 inch FNPT 90° Miniature Elbow
MEF-1032MX3MM	10-32 inch Male UNF by 3MM Female 90° Miniature Elbow
MEF-1032MX5MM	10-32 inch Male UNF by 5MM Female 90° Miniature Elbow
MEF-1032MX6MM	10-32 inch Male UNF by 6MM Female 90° Miniature Elbow
MEF-1032MX8MM	10-32 inch Male UNF by 8MM Female 90° Miniature Elbow
MEF-1428MX1032F	1/4-28 inch Male UNF by 10-32 inch Female UNF 90° Miniature Elbow
MEF-1428MF	1/4-28 inch Male UNF by 1/4-28 inch Female UNF 90° Miniature Elbow
MEF-1428MX1F	1/4-28 inch Male UNF by 1/16 inch FNPT 90° Miniature Elbow
MEF-1428MX2F	1/4-28 inch Male UNF by 1/8 inch FNPT 90° Miniature Elbow
MEF-1428MX4F	1/4-28 inch Male UNF by 1/4 inch FNPT 90° Miniature Elbow

SKU	Description
MEF-1428MX3MM	1/4-28 inch Male UNF by 3 MM Female 90° Miniature Elbow
MEF-1428MX5MM	1/4-28 inch Male UNF by 5 MM Female 90° Miniature Elbow
MEF-1428MX6MM	1/4-28 inch Male UNF by 6 MM Female 90° Miniature Elbow
MEF-1428MX8MM	1/4-28 inch Male UNF by 8 MM Female 90° Miniature Elbow
MEF-1MX1032F	1/16 inch MNPT by 10-32 inch Female UNF 90° Miniature Elbow
MEF-1MX1428F	1/16 inch MNPT by 1/4-28 inch Female UNF 90° Miniature Elbow
MEF-1MX1F	1/16 inch MNPT by 1/16 inch FNPT 90° Miniature Elbow
MEF-1MX2F	1/16 inch MNPT by 1/8 inch FNPT 90° Miniature Elbow
MEF-1MX4F	1/16 inch MNPT by 1/4 inch FNPT 90° Miniature Elbow
MEF-1MX3MM	1/16 inch MNPT by 3 MM Female 90° Miniature Elbow
MEF-1MX5MM	1/16 inch MNPT by 5 MM Female 90° Miniature Elbow
MEF-1MX6MM	1/16 inch MNPT by 6 MM Female 90° Miniature Elbow
MEF-1MX8MM	1/16 inch MNPT by 8 MM Female 90° Miniature Elbow
MEF-2MX1032F	1/8 inch MNPT by 10-32 inch Female UNF 90° Miniature Elbow
MEF-2MX1428F	1/8 inch MNPT by 1/4-28 inch Female UNF 90° Miniature Elbow
MEF-2MX1F	1/8 inch MNPT by 1/16 inch FNPT 90° Miniature Elbow
MEF-2MX2F	1/8 inch MNPT by 1/8 inch FNPT 90° Miniature Elbow
MEF-2MX4F	1/8 inch MNPT by 1/4 inch FNPT 90° Miniature Elbow
MEF-2MX3MM	1/8 inch MNPT by 3 MM Female 90° Miniature Elbow
MEF-2MX5MM	1/8 inch MNPT by 5 MM Female 90° Miniature Elbow
MEF-2MX6MM	1/8 inch MNPT by 6 MM Female 90° Miniature Elbow
MEF-2MX8MM	1/8 inch MNPT by 8 MM Female 90° Miniature Elbow
MEF-4MX1032F	1/4 inch MNPT by 10-32 inch Female UNF 90° Miniature Elbow
MEF-4MX1428F	1/4 inch MNPT by 1/4-28 inch Female UNF 90° Miniature Elbow
MEF-4MX1F	1/4 inch MNPT by 1/16 inch FNPT 90° Miniature Elbow
MEF-4MX2F	1/4 inch MNPT by 1/8 inch FNPT 90° Miniature Elbow
MEF-4MX4F	1/4 inch MNPT by 1/4 inch FNPT 90° Miniature Elbow
MEF-4MX3MM	1/4 inch MNPT by 3 MM Female 90° Miniature Elbow
MEF-4MX5MM	1/4 inch MNPT by 5 MM Female 90° Miniature Elbow
MEF-4MX6MM	1/4 inch MNPT by 6 MM Female 90° Miniature Elbow
MEF-4MX8MM	1/4 inch MNPT by 8 MM Female 90° Miniature Elbow
MEF-6MM10F	6 M Male by 10-32 inch Female UNF 90° Miniature Elbow
MEF-M3MX1032F	3M Male by 10-32 Female UNF 90° Miniature Elbow
MEF-M3MX1428F	3M Male by 1/4-28 Female UNF 90° Miniature Elbow
MEF-M3MX1F	3M Male by 1/16 inch FNPT 90° Miniature Elbow
MEF-M3MX2F	3M Male by 1/8 inch FNPT 90° Miniature Elbow
MEF-M3MX4F	3M Male by 1/4 inch FNPT 90° Miniature Elbow
MEF-M3MX3MM	3M Male by 3MM Female 90° Miniature Elbow
MEF-M3MX5MM	3M Male by 5MM Female 90° Miniature Elbow
MEF-M3MX6MM	3M Male by 6MM Female 90° Miniature Elbow



SKU	Description
MEF-M3MX8MM	3M Male by 8MM Female 90° Miniature Elbow
MEF-M5MX1032F	5M Male by 10-32 Female UNF 90° Miniature Elbow
MEF-M5MX1428F	5M Male by 1/4-28 Female UNF 90° Miniature Elbow
MEF-M5MX1F	5M Male by 1/16 inch FNPT 90° Miniature Elbow
MEF-M5MX2F	5M Male by 1/8 inch FNPT 90° Miniature Elbow
MEF-M5MX4F	5M Male by 1/4 inch FNPT 90° Miniature Elbow
MEF-M5MX3MM	5 M Male by 3 MM Female 90° Miniature Elbow
MEF-M5MX5MM	5 M Male by 5 MM Female 90° Miniature Elbow
MEF-M5MX6MM	5 M Male by 6 MM Female 90° Miniature Elbow
MEF-M5MX8MM	5 M Male by 8 MM Female 90° Miniature Elbow
MEF-M6MX1032F	6 M Male by 10-32 inch Female UNF 90° Miniature Elbow
MEF-M6MX1428F	6 M Male by 1/4-28 inch Female UNF 90° Miniature Elbow
MEF-M6MX1F	6 M Male by 1/16 inch FNPT 90° Miniature Elbow
MEF-M6MX2F	6 M Male by 1/8 inch FNPT 90° Miniature Elbow
MEF-M6MX4F	6 M Male by 1/4 inch FNPT 90° Miniature Elbow
MEF-M6MX3MM	6 M Male by 3 MM Female 90° Miniature Elbow
MEF-M6MX5MM	6 M Male by 5 MM Female 90° Miniature Elbow
MEF-M6MX6MM	6 M Male by 6 MM Female 90° Miniature Elbow
MEF-M6MX8MM	6 M Male by 8 MM Female 90° Miniature Elbow
MEF-M8MX1032F	8 M Male by 10-32 Female UNF 90° Miniature Elbow
MEF-M8MX1428F	8 M Male by 1/4-28 Female UNF 90° Miniature Elbow
MEF-M8MX1F	8 M Male by 1/16 inch FNPT 90° Miniature Elbow
MEF-M8MX2F	8 M Male by 1/8 inch FNPT 90° Miniature Elbow
MEF-M8MX4F	8 M Male by 1/4 inch FNPT 90° Miniature Elbow
MEF-M8MX3MM	8 M Male by 3 MM Female 90° Miniature Elbow
MEF-M8MX5MM	8 M Male by 5 MM Female 90° Miniature Elbow
MEF-M8MX6MM	8 M Male by 6 MM Female 90° Miniature Elbow
MEF-M8MX8MM	8 M Male by 8 MM Female 90° Miniature Elbow

## ME & MA SERIES



ME Series Brass male Elbow adapters with bite-style barbs ranging from 1/16 inch to 1/2 inch in 90° and 45° angles.

SKU	Description
ME-10MM516B	10 by 1 MM by 5/16 inch Barb Brass Elbow Brass
ME-1M078B	1/16 inch Male Brass Elbow by .078 Barb
ME-1M170B	1/16 inch Male Brass Elbow by .170 Barb
ME-1M1B	1/16 inch Male Brass Elbow by 1/16 inch Barb
ME-1M2B	1/16 inch Male Brass Elbow by 1/8 inch Barb
ME-1M332B	1/16 inch Male Brass Elbow to 3/32 inch Barb
ME-1M3B	1/16 inch Male Brass Elbow by 3/16 inch Barb
ME-1M4B	1/16 inch Male Brass Elbow by 1/4 inch Barb
ME-1M532B	1/16 inch Male Brass Elbow by 5/32 inch Barb
ME-1M564B	1/16 inch Male Brass Elbow by 5/64 inch Barb
ME-1M5B	1/16 inch Male Brass Elbow by 5/16 inch Barb
ME-1M6B	1/16 inch Male Brass Elbow by 3/8 inch Barb
ME-1M732B	1/16 inch Male Brass Elbow by 7/32 inch Barb
ME-2M078B	1/8 inch Male Brass Elbow by .078 Barb
ME-2M170B	1/8 inch Male Brass Elbow to .170 Barb
ME-2M1B	1/8 inch Male Brass Elbow by 1/16 inch Barb
ME-2M2B	1/8 inch Male Brass Elbow by 1/8 inch Barb
ME-2M2B-Short	1/8 inch Male Brass Elbow by 1/8 inch Barb Short Threads
ME-2M332B	1/8 inch Male Brass Elbow by 3/32 inch Barb
ME-2M3B	1/8 inch Male Brass Elbow to 3/16 inch Barb
ME-2M4B	1/8 inch Male Brass Elbow by 1/4 inch Barb
ME-2M4BSH	1/8 inch Male Brass Elbow to 1/4 inch Barb Short
ME-2M532B	1/8 inch Male Brass Elbow by 5/32 inch Barb
ME-2M564B	1/8 inch Male Brass Elbow by 5/64 inch Barb
ME-2M5B	1/8 inch Male Brass Elbow to 5/16 inch Barb
ME-2M6B	1/8 inch Male Brass Elbow to 3/8 inch Barb
ME-2M732B	1/8 inch Male Brass Elbow by 7/32 inch Barb
ME3-078B	M3 Metric Brass Elbow .078
ME3-1B	M3 Metric Brass Elbow 1/16 inch
ME3-2B	M3 Metric Brass Elbow 1/8 inch
ME3-332B	M3 Metric Brass Elbow 3/32 inch
ME-4M078B	1/4 inch Male Brass Elbow to .078 Barb
ME-4M170B	1/4 inch Male Brass Elbow to .170 Barb
ME-4M1B	1/4 inch Male Brass Elbow to 1/16 inch Barb
ME-4M2B	1/4 inch Male Brass Elbow to 1/8 inch Barb

SKU	Description
ME-4M2B-Short	1/4 inch Male Brass Elbow to 1/8 inch Barb Short Threads
ME-4M2B-SW	1/4 inch Male Brass Elbow to 1/8 inch Barb Swivel
ME-4M332B	1/4 inch Male Brass Elbow to 3/32 inch Barb
ME-4M3B	1/4 inch Male Brass Elbow to 3/16 inch Barb
ME-4M4B	1/4 inch Male Brass Elbow to 1/4 inch Barb
ME-4M532B	1/4 inch Male Brass Elbow by 5/32 inch Barb
ME-4M564B	1/4 inch Male Brass Elbow by 5/64 inch Barb
ME-4M5B	1/4 inch Male Brass Elbow to 5/16 inch Barb
ME-4M6B	1/4 inch Male Brass Elbow to 3/8 inch Barb
ME-4M732B	1/4 inch Male Brass Elbow by 7/32 inch Barb
ME-4M8B	1/4 inch Male Brass Elbow to 1/2 inch Barb
ME-6M170B	3/8 inch Male Brass Elbow by .170 Barb
ME-6M1B	3/8 inch Male Brass Elbow by 1/16 inch Barb
ME-6M2B	3/8 inch Male Brass Elbow by 1/8 inch Barb
ME-6M2B-SH	3/8 inch Male Brass Elbow to 1/8 inch Barb Short
ME-6M332B	3/8 inch Male Brass Elbow by 3/32 inch Barb
ME-6M3B	3/8 inch Male Brass Elbow by 3/16 inch Barb
ME-6M4B	3/8 inch Male Brass Elbow by 1/4 inch Barb
ME-6M532B	3/8 inch Male Brass Elbow by 5/32 inch Barb
ME-6M564B	3/8 inch Male Brass Elbow by 5/64 inch Barb
ME-6M5B	3/8 inch Male Brass Elbow by 5/16 inch Barb
ME-6M6B	3/8 inch Male Brass Elbow by 3/8 inch Barb
ME-6M732B	3/8 inch Male Brass Elbow by 7/32 inch Barb
ME-8M170B	1/2 inch Male Brass Elbow by .170 Barb
ME-8M1B	1/2 inch Male Brass Elbow by 1/16 inch Barb
ME-8M2B	1/2 inch Male Brass Elbow by 1/8 inch Barb
ME-8M332B	1/2 inch Male Brass Elbow by 3/32 inch Barb
ME-8M3B	1/2 inch Male Brass Elbow by 3/16 inch Barb
ME-8M4B	1/2 inch Male Brass Elbow by 1/4 inch Barb
ME-8M532B	1/2 inch Male Brass Elbow by 5/32 inch Barb
ME-8M564B	1/2 inch Male Brass Elbow by 5/64 inch Barb
ME-8M5B	1/2 inch Male Brass Elbow by 5/16 inch Barb
ME-8M6B	1/2 inch Male Brass Elbow by 3/8 inch Barb
ME-8M732B	1/2 inch Male Brass Elbow by 7/32 inch Barb
ME45-10M1B	10-32 by 1/16 inch Barb 45° Brass Elbow
ME45-10M332B	10-32 by 3/32 inch Barb 45° Brass Elbow
ME45-10M564B	10-32 by 5/64 inch Barb 45° Brass Elbow
ME45-14M170B	1/4-28 by .170 Barb 45° Brass Elbow
ME45-14M1B	1/4-28 by 1/16 inch Barb 45° Brass Elbow
ME45-14M2B	1/4-28 by 1/8 inch Barb 45° Brass Elbow

SKU	Description
ME45-14M332B	1/4-28 by 3/32 inch Barb 45° Brass Elbow
ME45-14M3B	1/4-28 by 3/16 inch Barb 45° Brass Elbow
ME45-14M4B	1/4-28 by 1/4 inch Barb 45° Brass Elbow
ME45-14M532B	1/4-28 by 5/32 inch Barb 45° Brass Elbow
ME45-14M564B	1/4-28 by 5/64 inch Barb 45° Brass Elbow
ME45-14M732B	1/4-28 by 7/32 inch Barb 45° Brass Elbow
ME45-1M170B	1/16 inch by .170 Barb 45° Brass Elbow
ME45-1M1B	1/16 inch by 1/16 inch Barb 45° Brass Elbow
ME45-1M2B	1/16 inch by 1/8 inch Barb 45° Brass Elbow
ME45-1M332B	1/16 inch by 3/32 inch Barb 45° Brass Elbow
ME45-1M3B	1/16 inch by 3/16 inch Barb 45° Brass Elbow
ME45-1M4B	1/16 inch by 1/4 inch Barb 45° Brass Elbow
ME45-1M532B	1/16 inch by 5/32 inch Barb 45° Brass Elbow
ME45-1M564B	1/16 inch by 5/64 inch Barb 45° Brass Elbow
ME45-1M732B	1/16 inch by 7/32 inch Barb 45° Brass Elbow
ME45-2M170B	1/8 inch by .170 Barb 45° Brass Elbow
ME45-2M1B	1/8 inch by 1/16 inch Barb 45° Brass Elbow
ME45-2M2B	1/8 inch by 1/8 inch Barb 45° Brass Elbow
ME45-2M332B	1/8 inch by 3/32 inch Barb 45° Brass Elbow
ME45-2M3B	1/8 inch by 3/16 inch Barb 45° Brass Elbow
ME45-2M4B	1/8 inch by 1/4 inch Barb 45° Brass Elbow
ME45-2M532B	1/8 inch by 5/32 inch Barb 45° Brass Elbow
ME45-2M564B	1/8 inch by 5/64 inch Barb 45° Brass Elbow
ME45-2M5B	1/8 inch by 5/16 inch Barb 45° Brass Elbow
ME45-2M6B	1/8 inch by 3/8 inch Barb 45° Brass Elbow
ME45-2M732B	1/8 inch by 7/32 inch Barb 45° Brass Elbow
ME45-2M8B	1/8 inch by 1/2 inch Barb 45° Brass Elbow
ME45-4M170B	1/4 inch by .170 Barb 45° Brass Elbow
ME45-4M1B	1/4 inch by 1/16 inch Barb 45° Brass Elbow
ME45-4M2B	1/4 inch by 1/8 inch Barb 45° Brass Elbow
ME45-4M332B	1/4 inch by 3/32 inch Barb 45° Brass Elbow
ME45-4M3B	1/4 inch by 3/16 inch Barb 45° Brass Elbow
ME45-4M4B	1/4 inch by 1/4 inch Barb 45° Brass Elbow
ME45-4M532B	1/4 inch by 5/32 inch Barb 45° Brass Elbow
ME45-4M564B	1/4 inch by 5/64 inch Barb 45° Brass Elbow
ME45-4M5B	1/4 inch by 5/16 inch Barb 45° Brass Elbow
ME45-4M6B	1/4 inch by 3/8 inch Barb 45° Brass Elbow
ME45-4M732B	1/4 inch by 7/32 inch Barb 45° Brass Elbow
ME45-4M8B	1/4 inch by 1/2 inch Barb 45° Brass Elbow
ME45-6M170B	3/8 inch by .170 Barb 45° Brass Elbow

SKU	Description
ME45-6M1B	3/8 inch by 1/16 inch Barb 45° Brass Elbow
ME45-6M2B	3/8 inch by 1/8 inch Barb 45° Brass Elbow
ME45-6M332B	3/8 inch by 3/32 inch Barb 45° Brass Elbow
ME45-6M3B	3/8 inch by 3/16 inch Barb 45° Brass Elbow
ME45-6M4B	3/8 inch by 1/4 inch Barb 45° Brass Elbow
ME45-6M532B	3/8 inch by 5/32 inch Barb 45° Brass Elbow
ME45-6M564B	3/8 inch by 5/64 inch Barb 45° Brass Elbow
ME45-6M5B	3/8 inch by 5/16 inch Barb 45° Brass Elbow
ME45-6M6B	3/8 inch by 3/8 inch Barb 45° Brass Elbow
ME45-6M732B	3/8 inch by 7/32 inch Barb 45° Brass Elbow
ME45-6M8B	3/8 inch by 1/2 inch Barb 45° Brass Elbow

## MBFL SERIES



Equal and reducing Bulkhead Elbows with a flange and NPS threads. First Barb size is on the outside of the panel the second is inside the panel. Available in Nylon, Polypropylene and PVDF. Thread sizes available are: UNF 10-32, 1/4-28 and 5/16-24. NPS thread sizes are: 1/8" and 1/4". Barb sizes are: 1/16", 3/32", 1/8", 5/32", 3/16" and 1/4". (order as NN, PP, PVDF)

SKU	Description
MBFL-2M-4B	1/8 NPS 1/4 by 1/4 Bulkhead Elbow
MBFL-4M-4B	1/4 NPS 1/4 by 1/4 Bulkhead Elbow
MBFL-516-2B	5/16-24 1/8 Bulkhead Elbow
MBFL-516-532	5/16-24 5/32 by 5/32 Bulkhead Elbow
MBFL-2M-3B4B	1/8 NPS 3/16 by 1/4 Bulkhead Elbow Reducer
MBFL-2M-532B4B	1/8 NPS 5/32 by 1/4 Bulkhead Elbow Reducer
MBFL-4M-2B4B	1/4 NPS 1/8 by 1/4 Bulkhead Elbow Reducer
MBFL-4M-332B4B	1/4 NPS 3/32 by 1/4 Bulkhead Elbow Reducer
MBFL-4M-532B4B	1/4 NPS 5/32 by 1/4 Bulkhead Elbow Reducer
MBFL-516-332B532B	5/16-24 UNF 3/32 by 5/32 Bulkhead Elbow Reducer



MAE SERIES

MAE Series Brass Male Elbow Adapters Barb sizes ranging from 1/16 inch to 1/4 inch.

SKU	Description
MAE-1M1B	1/16 inch MNPT by 1/16 inch Barbed Adapter
MAE-1M2B	1/16 inch MNPT by 1/8 inch Barbed Adapter
MAE-1M3B	1/16 inch MNPT by 3/16 inch Barbed Adapter
MAE-1M564B	1/16 inch MNPT by 5/64 inch Barbed Adapter
MAE-2M1B	1/8 inch MNPT by 1/16 inch Barbed Adapter
MAE-2M2B	1/8 inch MNPT by 1/8 inch Barbed Adapter
MAE-2M2B-N	1/8 inch MNPT by 1/8 inch Barbed Adapter
MAE-2M3B	1/8 inch MNPT by 3/16 inch Barbed Adapter
MAE-2M4B-2B	1/8 inch MNPT by 1/4 inch Barb by 1/8 inch Barbed Adapter
MAE-2M4B-2B-NP	1/8 inch MNPT by 1/4 inch Barb by 1/8 inch Barbed Adapter
MAE-2M564B	1/8 inch MNPT by 5/64 inch Barbed Adapter
MAE-4M1B	1/4 inch MNPT by 1/16 inch Barbed Adapter
MAE-4M1B2B	1/4 inch MNPT by 1/16 inch Barb by 1/8 inch Barbed Adapter
MAE-4M2B	1/4 inch MNPT by 1/8 inch Barbed Adapter
MAE-4M2B1B	1/4 inch MNPT by 1/8 inch Barb by 1/16 inch Barbed Adapter
MAE-4M332B	1/4 inch MNPT by 3/32 inch Barbed Adapter
MAE-4M3B	1/4 inch MNPT by 3/16 inch Barbed Adapter
MAE-4M564B	1/4 inch MNPT by 5/64 inch Barbed Adapter

## L SERIES



The L Series are standard triple barbed elbow connectors, and are offered in both equal and reducing sizes. These elbow connectors are molded of Natural Nylon or Polyethylene. Optional materials include: Natural and Black Polypropylene. Equal sizes are 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, 1 inch, 1-1/4 inch, and 1-1/2 inch. Reducing sizes are 1/2 inch by 1/4 inch and 1/2 inch by 3/8 inch. Barbed fittings over 1 inch are not offered in Polyethylene.

SKU	Description
L-4B-NN	1/4 inch Natural Nylon Barbed Elbow Connector
L-4B-NPP	1/4 inch Natural Polypropylene Barbed Elbow Connector
L-4B-BKPP	1/4 inch Black Polypropylene Barbed Elbow Connector
L-4B-PE	1/4 inch Polyethylene Barbed Elbow Connector
L-5B-NN	5/16 inch Natural Nylon Barbed Elbow Connector
L-5B-NPP	5/16 inch Natural Polypropylene Barbed Elbow Connector
L-5B-BKPP	5/16 inch Black Polypropylene Barbed Elbow Connector
L-5B-PE	5/16 inch Polyethylene Barbed Elbow Connector
L-6B-NN	3/8 inch Natural Nylon Barbed Elbow Connector
L-6B-NPP	3/8 inch Natural Polypropylene Barbed Elbow Connector
L-6B-BKPP	3/8 inch Black Polypropylene Barbed Elbow Connector
L-6B-PE	3/8 inch Polyethylene Barbed Elbow Connector
L-8B-NN	1/2 inch Natural Nylon Barbed Elbow Connector
L-8B-NPP	1/2 inch Natural Polypropylene Barbed Elbow Connector
L-8B-BKPP	1/2 inch Black Polypropylene Barbed Elbow Connector
L-8B-PE	1/2 inch Polyethylene Barbed Elbow Connector
L-10B-NN	5/8 inch Natural Nylon Barbed Elbow Connector
L-10B-NPP	5/8 inch Natural Polypropylene Barbed Elbow Connector
L-10B-BKPP	5/8 inch Black Polypropylene Barbed Elbow Connector
L-10B-PE	5/8 inch Polyethylene Barbed Elbow Connector
L-12B-NN	3/4 inch Natural Nylon Barbed Elbow Connector
L-12B-NPP	3/4 inch Natural Polypropylene Barbed Elbow Connector
L-12B-BKPP	3/4 inch Black Polypropylene Barbed Elbow Connector
L-12B-PE	3/4 inch Polyethylene Barbed Elbow Connector
L-16B-NN	1 inch Natural Nylon Barbed Elbow Connector
L-16B-NPP	1 inch Natural Polypropylene Barbed Elbow Connector
L-16B-BKPP	1 inch Black Polypropylene Barbed Elbow Connector
L-16B-PE	1 inch Polyethylene Barbed Elbow Connector

SKU	Description
L-20B-NN	1-1/4 inch Natural Nylon Barbed Elbow Connector
L-20B-NPP	1-1/4 inch Natural Polypropylene Barbed Elbow Connector
L-20B-BKPP	1-1/4 inch Black Polypropylene Barbed Elbow Connector
L-20B-PE	1-1/4 inch Polyethylene Barbed Elbow Connector
L-24B-NN	1-1/2 inch Natural Nylon Barbed Elbow Connector
L-24B-NPP	1-1/2 inch Natural Polypropylene Barbed Elbow Connector
L-24B-BKPP	1-1/2 inch Black Polypropylene Barbed Elbow Connector
L-24B-PE	1-1/2 inch Polyethylene Barbed Elbow Connector
L-8B4B-NN	1/2 inch by 1/4 inch Natural Nylon Barbed Elbow Reducer
L-8B4B-NPP	1/2 inch by 1/4 inch Natural Polypropylene Barbed Elbow Reducer
L-8B4B-BKPP	1/2 inch by 1/4 inch Black Polypropylene Barbed Elbow Reducer
L-8B4B-PE	1/2 inch by 1/4 inch Polyethylene Barbed Elbow Reducer
L-8B6B-NN	1/2 inch by 3/8 inch Natural Nylon Barbed Elbow Reducer
L-8B6B-NPP	1/2 inch by 3/8 inch Natural Polypropylene Barbed Elbow Reducer
L-8B6B-BKPP	1/2 inch by 3/8 inch Black Polypropylene Barbed Elbow Reducer
L-8B6B-PE	1/2 inch by 3/8 inch Polyethylene Barbed Elbow Reducer

GHE SERIES



The GHE Series is a Male Garden Hose Elbow made of Nylon.

SKU	Description
GHE-6B	Garden Hose Elbow by 3/8 inch Nylon Barb
GHE-8B	Garden Hose Elbow by 1/2 inch Nylon Barb
GHE-10B	Garden Hose Elbow by 5/8 inch Nylon Barb
GHE-12B	Garden Hose Elbow by 3/4 inch Nylon Barb
GHE-16B	GHE by 1 inch Nylon Barb

The GHE Series is a Male Garden Hose Elbow made of Nylon.



## FMA SERIES



The FMA Series are Street Elbows, and are available in Nylon or Black Polypropylene. Sizes range from 1/8 inch to 3/4 inch male and female NPT threads.

SKU	Description
FMA-18-NN	1/8 inch MNPT by 1/8 inch FNPT Natural Nylon Street Elbow
FMA-18-BPP	1/8 inch MNPT by 1/8 inch FNPT Black Black Polypropylene Street Elbow
FMA-38-NN	3/8 inch MNPT by 3/8 inch FNPT Natural Nylon Street Elbow
FMA-38-BPP	3/8 inch MNPT by 3/8 inch FNPT Black Polypropylene Street Elbow
FMA-12-NN	1/2 inch MNPT by 1/2 inch FNPT Natural Nylon Street Elbow
FMA-12-BPP	1/2 inch MNPT by 1/2 inch FNPT Black Polypropylene Street Elbow
FMA-34-NN	3/4 inch MNPT by 3/4 inch FNPT Natural Nylon Street Elbow
FMA-34-BPP	3/4 inch MNPT by 3/4 inch FNPT Black Polypropylene Street Elbow

## FFG SERIES



The FFG Series is a female NPT 90° Elbow pipe fitting made of Nylon and Black Polypropylene. Sizes range from 1/2 inch to 2 inches.

SKU	Description
FFG-12-BPP	1/2 inch FNPT Black Polypropylene Pipe Elbow
FFG-12-NN	1/2 inch FNPT Natural Nylon Pipe Elbow
FFG-34-BPP	3/4 inch FNPT Black Polypropylene Pipe Elbow
FFG-34-NN	3/4 inch FNPT Natural Nylon Pipe Elbow
FFG-1-NN	1 inch FNPT Natural Nylon Pipe Elbow
FFG-20-BPP	1-1/4 inch FNPT Black Polypropylene Pipe Elbow
FFG-20-NN	1-1/4 inch FNPT Natural Nylon Pipe Elbow
FFG-24-BPP	1-1/2 inch FNPT Black Polypropylene Pipe Elbow
FFG-24-NN	1-1/2 inch FNPT Natural Nylon Pipe Elbow
FFG-32-NN	2 inch FNPT Natural Nylon Pipe Elbow
FFG-1-BPP	2 inch FNPT Black Polypropylene Pipe Elbow

FEU SERIES



The FEU Series is a Brass female UNF thread to bite-style barb elbow. The bite-style barb holds the tubing securely so it will not pull off. Also available in nickel-plated Brass and 303 Stainless Steel.

SKU	Description
FEU-10X078B	10-32 inch Female UNF by .078 inch Brass Adapter
FEU-10X170B	10-32 inch Female UNF by .170 inch Brass Adapter
FEU-10X1B	10-32 inch Female UNF by 1/16 inch Brass Adapter
FEU-10X2B	10-32 inch Female UNF by 1/8 inch Brass Adapter
FEU-10X332B	10-32 inch Female UNF by 3/32 inch Brass Adapter
FEU-10X532B	10-32 inch Female UNF by 5/32 inch Brass Adapter
FEU-10X564BB	10-32 inch Female UNF by 5/64 inch Brass Adapter




FEP45 SERIES

The FEP45 Series is a 45° Elbow pipe fitting made of Black Polypropylene with some sizes available in Natural Nylon (see list below). It has male and female NPT threads from 1/4 inch to 3 inches.

SKU	Description
FEP45-14-BPP	1/4 inch MNPT by 1/4 inch FNPT Black Polypropylene 45 Degree Pipe Elbow
FEP45-4M4F-NN	1/4 inch MNPT by 1/4 inch FNPT Natural Nylon 45 Degree Pipe Elbow
FEP45-8M8F-BPP	1/2 inch MNPT by 1/2 inch FNPT Black Polypropylene 45 Degree Pipe Elbow
FEP45-34-BPP	3/4 inch MNPT by 3/4 inch FNPT Black Polypropylene 45 Degree Pipe Elbow
FEP45-34-NN	3/4 inch MNPT by 3/4 inch FNPT Natural Nylon 45 Degree Pipe Elbow
FEP45-16M16F-BPP	1 inch MNPT by 1 inch FNPT Black Polypropylene 45 Degree Pipe Elbow
FEP45-20M20F-BPP	1-1/4 inch MNPT by 1-1/4 inch FNPT Black Polypropylene 45 Degree Pipe Elbow
FEP45-24M24F-BPP	1-1/2 inch MNPT by 1-1/2 inch FNPT Black Polypropylene 45 Degree Pipe Elbow
FEP45-32M32F-BPP	2 inch MNPT by 2 inch FNPT Black Polypropylene 45 Degree Pipe Elbow
FEP45-48M48F-BPP	3 inch MNPT by 3 inch FNPT Black Polypropylene 45 Degree Pipe Elbow

## FEF SERIES



The FEF Series are Brass female to female elbow connectors. Shown is a 90° elbow but 45° elbows are available. For the Male version see our [MEF Series](#) line.

SKU	Description
FEF-1032MX1F	10-32 inch Female UNF by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-1032MX2F	10-32 inch Female UNF by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-1032MX4F	10-32 inch Female UNF by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-1032MX3MM	10-32 inch Female UNF by 3MM Female 90° Miniature Elbow Adapter
FEF-1032MX5MM	10-32 inch Female UNF by 5MM Female 90° Miniature Elbow Adapter
FEF-1032MX6MM	10-32 inch Female UNF by 6MM Female 90° Miniature Elbow Adapter
FEF-1032MX8MM	10-32 inch Female UNF by 8MM Female 90° Miniature Elbow Adapter
FEF-1428MX1032F	1/4-28 inch Female UNF by 10-32 Female 90° Miniature Elbow Adapter
FEF-1428MX1F	1/4-28 inch Female UNF by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-1428MX2F	1/4-28 inch Female UNF by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-1428MX4F	1/4-28 inch Female UNF by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-1428MX3MM	1/4-28 inch Female UNF by 3MM Female 90° Miniature Elbow Adapter
FEF-1428MX5MM	1/4-28 inch Female UNF by 5MM Female 90° Miniature Elbow Adapter
FEF-1428MX6MM	1/4-28 inch Female UNF by 6MM Female 90° Miniature Elbow Adapter
FEF-1428MX8MM	1/4-28 inch Female UNF by 8MM Female 90° Miniature Elbow Adapter
FEF-1MX1032F	1/16 inch Female by 10-32 Female 90° Miniature Elbow Adapter
FEF-1MX1428F	1/16 inch Female by 1/4-28 Female 90° Miniature Elbow Adapter
FEF-1MX1F	1/16 inch Female by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-1MX2F	1/16 inch Female by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-1MX4F	1/16 inch Female by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-1MX3MM	1/16 inch Female by 3MM Female 90° Miniature Elbow Adapter
FEF-1MX5MM	1/16 inch Female by 5MM Female 90° Miniature Elbow Adapter
FEF-1MX6MM	1/16 inch Female by 6MM Female 90° Miniature Elbow Adapter
FEF-1MX8MM	1/16 inch Female by 8MM Female 90° Miniature Elbow Adapter
FEF-2MX1032F	1/8 inch Female by 10-32 Female 90° Miniature Elbow Adapter
FEF-2MX1428F	1/8 inch Female by 1/4-28 Female 90° Miniature Elbow Adapter
FEF-2MX1F	1/8 inch Female by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-2MX2F	1/8 inch Female by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-2MX4F	1/8 inch Female by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-2MX3MM	1/8 inch Female by 3MM Female 90° Miniature Elbow Adapter
FEF-2MX5MM	1/8 inch Female by 5MM Female 90° Miniature Elbow Adapter
FEF-2MX6MM	1/8 inch Female by 6MM Female 90° Miniature Elbow Adapter
FEF-2MX8MM	1/8 inch Female by 8MM Female 90° Miniature Elbow Adapter
FEF-4MX1032F	1/4 inch Female by 10-32 Female 90° Miniature Elbow Adapter
FEF-4MX1428F	1/4 inch Female by 1/4-28 Female 90° Miniature Elbow Adapter

SKU	Description
FEF-4MX1F	1/4 inch Female by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-4MX2F	1/4 inch Female by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-4MX4F	1/4 inch Female by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-4MX3MM	1/4 inch Female by 3MM Female 90° Miniature Elbow Adapter
FEF-4MX5MM	1/4 inch Female by 5MM Female 90° Miniature Elbow Adapter
FEF-4MX6MM	1/4 inch Female by 6MM Female 90° Miniature Elbow Adapter
FEF-4MX8MM	1/4 inch Female by 8MM Female 90° Miniature Elbow Adapter
FEF-M3MX1032F	M3 Female by 10-32 Female 90° Miniature Elbow Adapter
FEF-M3MX1428F	M3 Female by 1/4-28 Female 90° Miniature Elbow Adapter
FEF-M3MX1F	M3 Female by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-M3MX2F	M3 Female by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-M3MX4F	M3 Female by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-M3MX3MM	M3 Female by 3MM Female 90° Miniature Elbow Adapter
FEF-M3MX5MM	M3 Female by 5MM Female 90° Miniature Elbow Adapter
FEF-M3MX6MM	M3 Female by 6MM Female 90° Miniature Elbow Adapter
FEF-M3MX8MM	M3 Female by 8MM Female 90° Miniature Elbow Adapter
FEF-M5MX1032F	M5 Female by 10-32 Female 90° Miniature Elbow Adapter
FEF-M5MX1428F	M5 Female by 1/4-28 Female 90° Miniature Elbow Adapter
FEF-M5MX1F	M5 Female by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-M5MX2F	M5 Female by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-M5MX4F	M5 Female by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-M5MX3MM	M5 Female by 3MM Female 90° Miniature Elbow Adapter
FEF-M5MX5MM	M5 Female by 5MM Female 90° Miniature Elbow Adapter
FEF-M5MX6MM	M5 Female by 6MM Female 90° Miniature Elbow Adapter
FEF-M5MX8MM	M5 Female by 8MM Female 90° Miniature Elbow Adapter
FEF-M6MX1032F	M6 Female by 10-32 Female 90° Miniature Elbow Adapter
FEF-M6MX1428F	M6 Female by 1/4-28 Female 90° Miniature Elbow Adapter
FEF-M6MX1F	M6 Female by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-M6MX2F	M6 Female by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-M6MX4F	M6 Female by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-M6MX3MM	M6 Female by 3MM Female 90° Miniature Elbow Adapter
FEF-M6MX5MM	M6 Female by 5MM Female 90° Miniature Elbow Adapter
FEF-M6MX6MM	M6 Female by 6MM Female 90° Miniature Elbow Adapter
FEF-M6MX8MM	M6 Female by 8MM Female 90° Miniature Elbow Adapter
FEF-M8MX1032F	M8 Female by 10-32 Female 90° Miniature Elbow Adapter
FEF-M8MX1428F	M8 Female by 1/4-28 Female 90° Miniature Elbow Adapter
FEF-M8MX1F	M8 Female by 1/16 inch Female 90° Miniature Elbow Adapter
FEF-M8MX2F	M8 Female by 1/8 inch Female 90° Miniature Elbow Adapter
FEF-M8MX4F	M8 Female by 1/4 inch Female 90° Miniature Elbow Adapter
FEF-M8MX3MM	M8 Female by 3MM Female 90° Miniature Elbow Adapter

SKU	Description
FEF-M8MX5MM	M8 Female by 5MM Female 90° Miniature Elbow Adapter
FEF-M8MX6MM	M8 Female by 6MM Female 90° Miniature Elbow Adapter
FEF-M8MX8MM	M8 Female by 8MM Female 90° Miniature Elbow Adapter

## FE SERIES



The FE Series are Brass female by bite-style barb adapter elbows in 90° and 45° angles. Female NPT thread sizes available are 1/16 inch, 1/8 inch, 3/8 inch, and 1/4 inch. Barbs come in a wide range of sizes, which are listed below. Also available in 303 Stainless Steel.

SKU	Description
FE-2F078B	1/8 inch FNPT by .078 inch Barb Brass Elbow Adapter
FE-2F332B	1/8 inch FNPT by 3/32 inch Barb Brass Elbow Adapter
FE-2F170B	1/8 inch FNPT by .170 inch Barb Brass Elbow Adapter
FE-2F1B	1/8 inch FNPT by 1/16 inch Barb Brass Elbow Adapter
FE-2F532B	1/8 inch FNPT by 5/32 inch Barb Brass Elbow Adapter
FE-2F2B	1/8 inch FNPT by 1/8 inch Barb Brass Elbow Adapter
FE-2F3B	1/8 inch FNPT by 3/16 inch Barb Brass Elbow Adapter
FE-2F4B	1/8 inch FNPT by 1/4 inch Barb Brass Elbow Adapter
FE-2F564B	1/8 inch FNPT by 5/64 inch Barb Brass Elbow Adapter
FE-2F5B	1/8 inch FNPT by 5/16 inch Barb Brass Elbow Adapter
FE-2F6B	1/8 inch FNPT by 3/8 inch Barb Brass Elbow Adapter
FE-4F1B	1/4 inch FNPT by 1/16 inch Barb Brass Elbow Adapter
FE-4F2B	1/4 inch FNPT by 1/8 inch Barb Brass Elbow Adapter
FE-4F3B	1/4 inch FNPT by 3/16 inch Barb Brass Elbow Adapter
FE-4F4B	1/4 inch FNPT by 1/4 inch Barb Brass Elbow Adapter
FE-4F564B	1/4 inch FNPT by 5/64 inch Barb Brass Elbow Adapter
FE-4F6B	1/4 inch FNPT by 3/8 inch Barb Brass Elbow Adapter
FE-4F732B	1/4 inch FNPT by 7/32 inch Barb Brass Elbow Adapter
FE-4F170B	1/4 inch FNPT by .170 inch Barb Brass Elbow Adapter
FE-6F170B	3/8 inch FNPT by .170 inch Barb Brass Elbow Adapter
FE-6F1B	3/8 inch FNPT by 1/16 inch Barb Brass Elbow Adapter
FE-6F2B	3/8 inch FNPT by 1/8 inch Barb Brass Elbow Adapter
FE-6F332B	3/8 inch FNPT by 3/32 inch Barb Brass Elbow Adapter
FE-6F3B	3/8 inch FNPT by 3/16 inch Barb Brass Elbow Adapter
FE-6F4B	3/8 inch FNPT by 1/4 inch Barb Brass Elbow Adapter
FE-6F532B	3/8 inch FNPT by 5/32 inch Barb Brass Elbow Adapter
FE-6F564B	3/8 inch FNPT by 5/64 inch Barb Brass Elbow Adapter
FE-6F5B	3/8 inch FNPT by 5/16 inch Barb Brass Elbow Adapter

# PNEULINE SUPPLY INC.

SKU	Description
FE-6F6B	3/8 inch FNPT by 3/8 inch Barb Brass Elbow Adapter
FE45-1F170B	1/16 inch FNPT by .170 inch Barb Brass 45° Elbow Adapter
FE45-1F1B	1/16 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-1F2B	1/16 inch FNPT by 1/8 inch Barb Brass 45° Elbow Adapter
FE45-1F332B	1/16 inch FNPT by 3/32 inch Barb Brass 45° Elbow Adapter
FE45-1F3B	1/16 inch FNPT by 3/16 inch Barb Brass 45° Elbow Adapter
FE45-1F4B	1/16 inch FNPT by 1/4 inch Barb Brass 45° Elbow Adapter
FE45-1F532B	1/16 inch FNPT by 5/32 inch Barb Brass 45° Elbow Adapter
FE45-1F564B	1/16 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-1F5B	1/16 inch FNPT by 5/16 inch Barb Brass 45° Elbow Adapter
FE45-1F6B	1/16 inch FNPT by 3/8 inch Barb Brass 45° Elbow Adapter
FE45-1F732B	1/16 inch FNPT by 7/32 inch Barb Brass 45° Elbow Adapter
FE45-1F8B	1/16 inch FNPT by 1/2 inch Barb Brass 45° Elbow Adapter
FE45-2F170B	1/8 inc FNPT by .170 inch Barb Brass 45° Elbow Adapter
FE45-2F1B	1/8 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-2F2B	1/8 inch FNPT by 1/8 inch Barb Brass 45° Elbow Adapter
FE45-2F332B	1/8 inch FNPT by 3/32 inch Barb Brass 45° Elbow Adapter
FE45-2F3B	1/8 inch FNPT by 3/16 inch Barb Brass 45° Elbow Adapter
FE45-2F4B	1/8 inch FNPT by 1/4 inch Barb Brass 45° Elbow Adapter
FE45-2F532B	1/8 inch FNPT by 5/32 inch Barb Brass 45° Elbow Adapter
FE45-2F564B	1/8 inch FNPT by 5/64 inch Barb Brass 45° Elbow Adapter
FE45-2F5B	1/8 inch FNPT by 5/16 inch Barb Brass 45° Elbow Adapter
FE45-2F6B	1/8 inch FNPT by 3/8 inch Barb Brass 45° Elbow Adapter
FE45-2F732B	1/8 inch FNPT by 7/32 inch Barb Brass 45° Elbow Adapter
FE45-2F8B	1/8 inch FNPT by 1/2 inch Barb Brass 45° Elbow Adapter
FE45-4F170B	1/4 inch FNPT by .170 inch Barb Brass 45° Elbow Adapter
FE45-4F1B	1/4 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-4F2B	1/4 inch FNPT by 1/8 inch Barb Brass 45° Elbow Adapter
FE45-4F332B	1/4 inch FNPT by 3/32 inch Barb Brass 45° Elbow Adapter
FE45-4F3B	1/4 inch FNPT by 3/16 inch Barb Brass 45° Elbow Adapter
FE45-4F4B	1/4 inch FNPT by 1/4 inch Barb Brass 45° Elbow Adapter
FE45-4F532B	1/4 inch FNPT by 5/32 inch Barb Brass 45° Elbow Adapter
FE45-4F564B	1/4 inch FNPT by 5/64 inch Barb Brass 45° Elbow Adapter
FE45-4F5B	1/4 inch FNPT by 5/16 inch Barb Brass 45° Elbow Adapter
FE45-4F6B	1/4 inch FNPT by 3/8 inch Barb Brass 45° Elbow Adapter
FE45-4F732B	1/4 inch FNPT by 7/32 inch Barb Brass 45° Elbow Adapter
FE45-4F8B	1/4 inch FNPT by 1/2 inch Barb Brass 45° Elbow Adapter
FE45-6F170B	3/8 inch FNPT by .170 inch Barb Brass 45° Elbow Adapter
FE45-6F1B	3/8 inch FNPT by 1/16 inch Barb Brass 45° Elbow Adapter
FE45-6F2B	3/8 inch FNPT by 1/8 inch Barb Brass 45° Elbow Adapter

SKU	Description
FE45-6F332B	3/8 inch FNPT by 3/32 inch Barb Brass 45° Elbow Adapter
FE45-6F3B	3/8 inch FNPT by 3/16 inch Barb Brass 45° Elbow Adapter
FE45-6F4B	3/8 inch FNPT by 1/4 inch Barb Brass 45° Elbow Adapter
FE45-6F532B	3/8 inch FNPT by 5/32 inch Barb Brass 45° Elbow Adapter
FE45-6F564B	3/8 inch FNPT by 5/64 inch Barb Brass 45° Elbow Adapter
FE45-6F5B	3/8 inch FNPT by 5/16 inch Barb Brass 45° Elbow Adapter
FE45-6F6B	3/8 inch FNPT by 3/8 inch Barb Brass 45° Elbow Adapter
FE45-6F732B	3/8 inch FNPT by 7/32 inch Barb Brass 45° Elbow Adapter
FE45-6F8B	3/8 inch FNPT by 1/2 inch Barb Brass 45° Elbow Adapter



## FBH BRASS BULKHEADS

The FBH Series Straight and Elbow Bulkheads are made of Brass, Nickel-Plated Brass, or Zinc-Plated Steel sizes ranging 1/8 inch to 3/8 inch Female to UNF, Male to Female, and Female to Female.

SKU	Description
FBH-12F	1/2 inch Female 1-1/8, 14 UNS Bulkhead
FBH-12F12M	1/2 inch Female by 1/2 inch Male Bulkhead
FBH-12M	1/2 inch Male by 1/2 inch Male Bulkhead
FBH-12M14F	1/2 inch Male 1/4 inch Female Bulkhead
FBH-12M38F	1/2 inch Male 3/8 inch Female Bulkhead
FBH-14F	1/4 inch Female 3/4-16 UNF Bulkhead
FBH-14X	1/4 inch Female 3/4-16 UNF 1 1/2 inch length Bulkhead
FBH-18F	1/8 Female 5/8-18 UNF Bulkhead
FBH-38F	3/8 inch Female 1/14 UNF Bulkhead
FBH-38F12M	3/8 inch Female by 1/2 inch Male Bulkhead
FBH-38F-E	3/8 inch Female by 3/8 inch Female Elbow Bulkhead



## FAE SERIES

The FAE Series are Brass Elbows with female bite-style barbs in 1/8 inch or 1/4 inch to 1/16 inch up to 3/8 inch.

SKU	Description
FAE-2F732B	1/8 inch FNPT by 7/32 inch Barb Brass Elbow Adapter
FAE-2F170B	1/8 inch FNPT by .170 inch Barb Brass Elbow Adapter
FAE-2F078B	1/8 inch FNPT by .078 inch Barb Brass Elbow Adapter
FAE-2F332B	1/8 inch FNPT by 3/32 inch Barb Brass Elbow Adapter
FAE-2F1B	1/8 inch FNPT by 1/16 inch Barb Brass Elbow Adapter
FAE-2F2B	1/8 inch FNPT by 1/8 inch Barb Brass Elbow Adapter
FAE-2F3B	1/8 inch FNPT by 3/16 inch Barb Brass Elbow Adapter
FAE-2F564B	1/8 inch FNPT by 5/64 inch Barb Brass Elbow Adapter
FAE-4F1B	1/4 inch FNPT by 1/16 inch Barb Brass Elbow Adapter
FAE-4F564B	1/4 inch FNPT by 5/64 inch Barb Brass Elbow Adapter
FAE-4F332B	1/4 inch FNPT by 3/32 inch Barb Brass Elbow Adapter
FAE-4F2B	1/4 inch FNPT by 1/8 inch Barb Brass Elbow Adapter
FAE-4F170B	1/4 inch FNPT by .170 inch Barb Brass Elbow Adapter
FAE-4F3B	1/4 inch FNPT by 3/16 inch Barb Brass Elbow Adapter
FAE-4F4B	1/4 inch FNPT by 1/4 inch Barb Brass Elbow Adapter

## FA & FE SERIES



The FA Series are Brass Female by bite-style barb adapters in sizes ranging from 1/8 inch to 3/8 inch FNPT threads and 1/16 inch to 3/8 inch Barbs. Also available in 303 Stainless Steel.

SKU	Description
FA-2F078B	1/8 inch FNPT by .078 inch Barb Brass Straight Adapter
FA-2F332B	1/8 inch FNPT by 3/32 inch Barb Brass Straight Adapter
FA-2F170B	1/8 inch FNPT by .170 inch Barb Brass Straight Adapter
FA-2F1B	1/8 inch FNPT by 1/16 inch Barb Brass Straight Adapter
FA-2F532B	1/8 inch FNPT by 5/32 inch Barb Brass Straight Adapter
FA-2F2B	1/8 inch FNPT by 1/8 inch Barb Brass Straight Adapter
FA-2F3B	1/8 inch FNPT by 3/16 inch Barb Brass Straight Adapter
FA-2F4B	1/8 inch FNPT by 1/4 inch Barb Brass Straight Adapter
FA-2F564B	1/8 inch FNPT by 5/64 inch Barb Brass Straight Adapter
FA-2F5B	1/8 inch FNPT by 5/16 inch Barb Brass Straight Adapter
FA-2F6B	1/8 inch FNPT by 3/8 inch Barb Brass Straight Adapter



SKU	Description
FA-4F1B	1/4 inch FNPT by 1/16 inch Barb Brass Straight Adapter
FA-4F2B	1/4 inch FNPT by 1/8 inch Barb Brass Straight Adapter
FA-4F3B	1/4 inch FNPT by 3/16 inch Barb Brass Straight Adapter
FA-4F4B	1/4 inch FNPT by 1/4 inch Barb Brass Straight Adapter
FA-4F564B	1/4 inch FNPT by 5/64 inch Barb Brass Straight Adapter
FA-4F6B	1/4 inch FNPT by 3/8 inch Barb Brass Straight Adapter
FA-4F732B	1/4 inch FNPT by 7/32 inch Barb Brass Straight Adapter
FA-4F170B	1/4 inch FNPT by by .170 inch Barb Brass Straight Adapter
FA-6F170B	3/8 inch FNPT by .170 inch Barb Brass Straight Adapter
FA-6F1B	3/8 inch FNPT by 1/16 inch Barb Brass Straight Adapter
FA-6F2B	3/8 inch FNPT by 1/8 inch Barb Brass Straight Adapter
FA-6F332B	3/8 inch FNPT by 3/32 inch Barb Brass Straight Adapter
FA-6F3B	3/8 inch FNPT by 3/16 inch Barb Brass Straight Adapter
FA-6F4B	3/8 inch FNPT by 1/4 inch Barb Brass Straight Adapter
FA-6F532B	3/8 inch FNPT by 5/32 inch Barb Brass Straight Adapter
FA-6F564B	3/8 inch FNPT by 5/64 inch Barb Brass Straight Adapter
FA-6F5B	3/8 inch FNPT by 5/16 inch Barb Brass Straight Adapter
FA-6F6B	3/8 inch FNPT by 3/8 inch Barb Brass Straight Adapter

## EBHF SERIES



The EBHF Series is a tank flange 90° elbow Bulkhead. This series is available in Aluminum, Brass and Stainless Steel. Female NPT thread sizes for this series are 1/4 inch, 3/8 inch, and 1/2 inch. Barb sizes for this series are 5/16 inch and 3/8 inch.

SKU	Description
EBHF-4F5B	1/4 inch Female NPT by 5/16 inch Barbed Bulkhead
EBHF-4FE5B	1/4 inch Female NPT by 5/16 inch Barbed 90° Elbow Bulkhead
EBHF-6FE6B	3/8 inch Female NPT by 3/8 inch Barbed 90° Elbow Brass Bulkhead
EBHF-6FE6B-SS	3/8 inch Female NPT by 3/8 inch Barbed 90° Elbow Stainless Steel Bulkhead
EBHF-8FE6B	1/2 inch Female NPT by 3/8 inch Barbed 90° Elbow Bulkhead

DTP-S FOUR PORT ELBOW FITTINGS



The DTP-S Series fittings are in four-port elbow tee configurations. Included in this series is the DTP-S Series, which is a six-port double tee configuration. Both series have single barbs with no parting line, and the barbs will expand tubing 50% above its normal size. The materials available are White Nylon and Natural Polypropylene. All the barbs on each fitting are equal 1/16 inch, 3/32 inch, and 1/8 inch. These fittings are recommended for medical and laboratory environments.

SKU	Description
DTP-S-1B	1/16 Single Barb Double Tee
DTP-S-2B	1/8 Single Barb Double Tee
DTP-S-332	3/32 Single Barb Double Tee
DTTP-S-1B	1/16 Single Barb Quad Tee
DTTP-S-2B	1/8 Single Barb Quad Tee
DTTP-S-332B	3/32 Single Barb Quad Tee

DME BITE-STYLE THREAD TO BARB ELBOW ADAPTER



The DME Series Brass male NPT thread by ID bite-style barb elbow adapter works well with Polyethylene tubing. Available in a MNPT size range from 1/16 inch to 3/8 inch, and in a ID size range from .170 inch to .375 inch. This fitting has excellent vibration resistance and requires no clamp. The maximum working pressure is 150 psi and the temperature range is -65° F to 90° F. This fitting can be used in climate control situations, pneumatic systems and filters.

SKU	Description
DME-14250	1/4 inch MNPT by .250 inch ID Brass Multi-Barbed Elbow Adapter
DME-14375	1/4 inch MNPT by .375 inch ID Brass Multi-Barbed Elbow Adapter
DME-16170	1/16 inch MNPT by .170 inch ID Brass Multi-Barbed Elbow Adapter
DME-18170	1/8 inch MNPT by .170 inch ID Brass Multi-Barbed Elbow Adapter
DME-18250	1/8 inch MNPT by .250 inch ID Brass Multi-Barbed Elbow Adapter
DME-183332	1/8 inch MNPT by 3/32 inch ID Brass Multi-Barbed Elbow Adapter
DME-38375	3/8 inch MNPT by .375 inch ID Brass Multi-Barbed Elbow Adapter

DFE SERIES



The DFE Series is a Brass female NPT thread to bite-style barb elbow adapter. Available in sizes 1/4 inch by .250 inch or 1/8 inch by .170 inch. This fitting has excellent vibration resistance and requires no clamp. The maximum working pressure is 150 psi and the temperature range is -65° F to 90° F. This fitting can be used in humidifiers, pneumatic systems and filters.

SKU	Description
DFE-14250	1/4 inch FNPT by .250 inch ID Brass Elbow Adapter
DFE-18170	1/8 inch FNPT by .170 inch ID Brass Elbow Adapter


DCE SERIES



The DCE Series is a rigid male Check Valve elbow made of Acetal that is NSF 51® certified and meets NSF 61® requirements. The available male threads are: 1/8 inch, 1/4 inch, and 3/8 inch. OD tubing sizes are 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, and 1/2 inch. The working pressure at 77° F is 232 psi, and at 158° F it is 145 psi. The working temperature range is from 32° F to 158° F. It can be used for compressed air, inert gases, water, and other fluids.

SKU	Description
DCE-2M-14	1/8 MNPT by 1/4 OD Push-in Elbow Spring-loaded Check Valve
DCE-4M-14	1/4 MNPT by 1/4 OD Push-to Connect Elbow Check Valve
DCE-6M-14	3/8 MNPT by 1/4 OD Push-to Connect Elbow Check Valve

## CAE SERIES



The CAE Series are Brass 10-32 inch UNF by bite-style single barb adjustable fitting with slotted adjustment flush to the surface. Elbow and Tee configurations. Also available in Nickel-Plated.

SKU	Description
CAE-10170B	10-32 inch UNF by .170 inch Brass Adjustable Elbow
CAE-10X2B	10-32 inch UNF by .170 inch Brass Adjustable Elbow
CAE-101B	10-32 inch UNF by 1/16 inch Brass Adjustable Elbow
CAE-10332B	10-32 inch UNF by 3/32 inch Brass Adjustable Elbow
CAE-102B	10-32 inch UNF by 1/8 inch Brass Adjustable Elbow
CAE-10170B	10-32 inch UNF by .170 inch Brass Adjustable Elbow

## BSTE SERIES



The BSTE Series are 90° Brass Street Elbows, available as both forged and barstock. The barstock fitting is available in a short version. The forged is available as a reducer. Available MNPT and FNPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch. The temperature range is -65° F to 250° F. The operating pressure is 1200 psi. They can be used for grease, fuels, refrigeration and hydraulic applications. They meet ASA, ASME and SAE specifications.

SKU	Description
BSTE-2-S-NP	1/8 inch NPT Nickel Plated Short Street Elbow
BSTE-2	1/8 inch MNPT by 1/8 inch FNPT Brass Street Elbow
BSTE-4	1/4 inch MNPT by 1/4 inch FNPT Brass Street Elbow
BSTE-6	3/8 inch MNPT by 3/8 inch FNPT Brass Street Elbow
BSTE-8	1/2 inch MNPT by 1/2 inch FNPT Brass Street Elbow
BSTE-12	3/4 inch MNPT by 3/4 inch FNPT Brass Street Elbow
BSTE-2M4F	1/8 inch MNPT by 1/4 inch FNPT Brass Street Elbow
BSTE-4M6F	1/4 inch MNPT by 3/8 inch FNPT Brass Street Elbow
BSTE-4M2F	1/4 inch MNPT by 1/8 inch FNPT Brass Street Elbow Reducer



## BSE45 SERIES

The BSE45 Series are 45° Brass Elbows available as both forged and barstock. The temperature range is -65° F to 250° F. The operating pressure is 1200 psi. They can be used for grease, fuels, refrigeration and hydraulic applications. They meet ASA, ASME and SAE specifications.

SKU	Description
BSE45-2M2F	1/8 MNPT by 1/8 FNPT Brass 45° Elbow B F
BSE45-4M4F	1/4 MNPT by 1/4 FNPT Brass 45° Elbow B F
BSE45-6M6F	3/8 MNPT by 3/8 FNPT Brass 45° Elbow B F
BSE45-8M8F	1/2 MNPT by 1/2 FNPT Brass 45° Elbow B
BSE45-12M12F	3/4 MNPT by 3/4 FNPT Brass 45° Elbow B

SKU	Description
BSE45-2M2F	1/8 MNPT by 1/8 FNPT Brass 45° Elbow B F
BSE45-4M4F	1/4 MNPT by 1/4 FNPT Brass 45° Elbow B F
BSE45-6M6F	3/8 MNPT by 3/8 FNPT Brass 45° Elbow B F
BSE45-8M8F	1/2 MNPT by 1/2 FNPT Brass 45° Elbow B
BSE45-12M12F	3/4 MNPT by 3/4 FNPT Brass 45° Elbow B



## BME SERIES

The BME Series is a 90° Brass forged Elbow, available in both equal and reducing sizes. Available Male NPT thread sizes are 1/8 inch, 1/4 inch, 3/8 inch, and 1/2 inch. The temperature range is -65° F to 250° F. The operating pressure is 1200 psi. They can be used for grease, fuels, refrigeration and hydraulic applications. They meet ASA, ASME and SAE specifications. Nickel-Plated Brass is available.

SKU	Description
BME-2	1/8 MNPT Forged Brass Elbow NP
BME-4	1/4 MNPT Forged Brass Elbow NP
BME-6	3/8 MNPT Forged Brass Elbow NP
BME-8	1/2 MNPT Forged Brass Elbow NP
BME-8-4	1/2 MNPT by 1/4 MNPT Forged Elbow Reducer
BME-6-4	3/8 MNPT by 1/4 MNPT Forged Elbow Reducer
BME-8-6	3/8 MNPT by 1/4 MNPT Forged Elbow Reducer



BHME45 SERIES

Forged Brass multi-barbed 45° Elbow with male NPT threads. Flow can be equal or reducing. The temperature range is -40° F to 160° F and the working pressure is 150 psi. Barstock is optional on the sizes shown below.

SKU	Description
BHME45-2M6B	1/8 inch MNPT by 3/8 inch Brass Multi-Barbed 45 Degree Elbow Adapter
BHME45-2M4B	1/8 inch MNPT by 1/4 inch Brass Multi-Barbed 45 Degree Elbow Adapter
BHME45-4M4B	1/4 inch MNPT by 1/4 inch Brass Multi-Barbed 45 Degree Elbow Adapter
BHME45-4M4B-B	1/4 inch MNPT by 1/4 inch Brass Multi-Barbed 45 Degree Barstock Elbow Adapter
BHME45-4M6B	1/4 inch MNPT by 3/8 inch Brass Multi-Barbed 45 Degree Elbow Adapter
BHME45-4M8B	1/4 inch MNPT by 1/2 inch Brass Multi-Barbed 45 Degree Elbow Adapter
BHME45-6M6B	3/8 inch MNPT by 3/8 inch Brass Multi-Barbed 45 Degree Elbow Adapter
BHME-456M8B	3/8 inch MNPT by 1/2 inch Brass Multi-Barbed 45 Degree Elbow Adapter
BHME-456M10B	3/8 inch MNPT by 5/8 inch Brass Multi-Barbed 45 Degree Elbow Adapter



BHME SERIES

The BHME Series is a forged Brass multi-barbed 90° Elbow Adapter with male NPT threads. Available MNPT thread sizes range from 1/8 inch to 1 inch. Available barb sizes range from 3/16 inch to 3/4 inch. Flow can be equal or reducing. The working temperature range is -40° to 160° and the working pressure is 150 psi. Barstock is optional for some sizes (see list below).

SKU	Description
BHME-2M3B	1/8 MNPT by 3/16 Hose Barb Elbow Forged
BHME-2M4B	1/8 MNPT By 1/4 Hose Barb Elbow Forged B
BHME-2M5B	1/8 MNPT By 5/16 Hose Barb Elbow Forged
BHME-2M6B	1/8 MNPT By 3/8 Barb Elbow Forged
BHME-38M18B-R2	3/8 MNPT By 1/8 Hose Barb Elbow Forged 2 Piece Unit
BHME-4M3B	1/4 MNPT by 3/16 Hose Barb Elbow Forged
BHME-4M4B	1/4 MNPT By 1/4 Hose Barb Elbow Forged B
BHME-4M5B	1/4 MNPT by 5/16 Hose Barb Elbow Forged
BHME-4M6B	1/4 MNPT by 3/8 Hose Barb Elbow Forged B
BHME-4M8B	1/4 MNPT By 1/2 Hose Barb Elbow Forged
BHME-6M4B-B	3/8 MNPT By 1/4 Hose Barb Elbow Barstock
BHME-6M5B	3/8 MNPT By 5/16 Hose Barb Elbow Forged
BHME-6M6B	3/8 MNPT By 3/8 Hose Barb Elbow Forged B

SKU	Description
BHME-6M8B	3/8 MNPT By 1/2 Hose Barb Elbow Forged B
BHME-8M6B	1/2 MNPT By 3/8 Hose Barb Elbow Forged
BHME-8M8B	1/2 MNPT By 1/2 Hose Barb Elbow Forged
BHME-12M12B	3/4 MNPT by 3/4 Barb Elbow
BHME-16M12B	1 Inch MNPT by 3/4 Barb Elbow

BHFE SERIES



The BHFE Series is a Brass 90° Elbow, Female NPT threads to multi-barb Adapter. Available FNPT sizes are 1/8 inch, 1/4 inch, and 3/8 inch. Available barb sizes are 1/4 inch, 5/16 inch, 3/8 inch, and 1/2 inch. The temperature range is -40° F to 160° F. The maximum working pressure is 150 psi. This fitting is intended for use with a hose clamp.

SKU	Description
BHFE-2F4B	1/8 inch FNPT by 1/4 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-2F5B	1/8 inch FNPT by 5/16 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-2F6B	1/8 inch FNPT by 3/8 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-4F4B	1/4 inch FNPT by 1/4 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-4F5B	1/4 inch FNPT by 5/16 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-4F6B	1/4 inch FNPT by 3/8 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-4F8B	1/4 inch FNPT by 1/2 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-6F4B	3/8 inch FNPT by 1/4 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-6F6B	3/8 inch FNPT by 3/8 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-6F8B	3/8 inch FNPT by 1/2 inch Brass Multi-Barbed 90° Elbow Adapter
BHFE-8F6B	1/2 inch FNPT by 3/8 inch Brass Multi-Barbed 90° Elbow Adapter



## BHBE SERIES

The BHBE Series is a forged Brass multi-barbed 90° Elbow connector. Barb sizes range from 1/8 inch to 1/2 inch. The working temperature range is -40° F to 160° F. Maximum pressure rating is 150 psi. This fitting is designed to be used with a hose clamp.

SKU	Description
BHBE-4-2	1/4 inch by 1/8 inch Brass Multi-Barbed Reducing Elbow Connector
BHBE-4-4	1/4 inch by 1/4 inch Brass Multi-Barbed Elbow Connector
BHBE-5-5	5/16 inch by 5/16 inch Brass Multi-Barbed Elbow Connector
BHBE-6-2	3/8 inch by 1/8 inch Brass Multi-Barbed Reducing Elbow Connector
BHBE-6-4	3/8 inch by 1/4 inch Brass Multi-Barbed Reducing Elbow Connector
BHBE-6-6	3/8 inch by 3/8 inch Brass Multi-Barbed Elbow Connector
BHBE-8-4	1/2 inch by 1/4 inch Brass Multi-Barbed Reducing Elbow Connector
BHBE-8-6	1/2 inch by 3/8 inch Brass Multi-Barbed Reducing Elbow Connector
BHBE-8-8	1/2 inch by 1/2 inch Brass Multi-Barbed Elbow Connector



## BFE 90° THREADED BRASS ELBOW

90° Brass Elbow with female NPT threads. It is available in equal and reducing sizes. It is also available in Forged and Barstock. (As noted below in size list.)

Some sizes are also available in nickel plate.

SKU	Description
BFE-2	1/8 FNPT 90° Brass Elbow B F NP
BFE-4	1/4 FNPT 90° Brass Elbow B F NP
BFE-6	3/8 FNPT 90° Brass Elbow B F
BFE-8	1/2 FNPT 90° Brass Elbow B F
BFE-12	3/4 FNPT 90° Brass Elbow B F
BFE-1	1 inch FNPT 90° Brass Elbow F
BFE-4-2	1/4 FNPT by 1/8 FNPT 90° Brass Elbow Reducer F
BFE-6-4	3/8 FNPT by 1/4 FNPT 90° Brass Elbow Reducer F
BFE-8-6	1/2 FNPT by 3/8 FNPT 90° Brass Elbow Reducer F



## BE SERIES



The BE Series Brass 90° Elbow bite-style connectors are fabricated with silver solder that complies with FDA, NSF and medical grades VT lead-free and cadmium-free solder. Also available in 303 Stainless Steel. Included with the BE series is the BER series, which is the reducing version of the BE series.

SKU	Description
BE-170B	.170 inch Equal 90° Elbow
BE-170B1B	.170 inch by 1/16 inch 90° Elbow
BE-170B564B	.170 inch by 5/64 inch 90° Elbow
BE-170B332B	.170 inch by 3/32 inch 90° Elbow
BE-170B2B	.170 inch by 1/8 inch 90° Elbow
BE-170B532B	.170 inch by 5/32 inch 90° Elbow
BE-1B	1/16 inch Equal 90° Elbow
BE-332B	3/32 inch Equal 90° Elbow
BE-332B1B	3/32 inch by 1/16 inch 90° Elbow
BE-332B564B	3/32 inch by 5/64 inch 90° Elbow
BE-3B	3/16 inch Equal 90° Elbow
BE-3B1B	3/16 inch by 1/16 inch 90° Elbow
BE-3B564B	3/16 inch by 5/64 inch 90° Elbow
BE-3B332B	3/16 inch by 3/32 inch 90° Elbow
BE-3B2B	3/16 inch by 1/8 inch 90° Elbow
BE-3B532B	3/16 inch by 5/32 inch 90° Elbow
BE-3B170B	3/16 inch by .170 inch 90° Elbow
BE-4B	1/4 inch Equal 90° Elbow
BE-4B1B	1/4 inch by 1/16 inch 90° Elbow
BE-4B564B	1/4 inch by 5/64 inch 90° Elbow
BE-4B332B	1/4 inch by 3/32 inch 90° Elbow
BE-4B2B	1/4 inch by 1/8 inch 90° Elbow
BE-4B532B	1/4 inch by 5/32 inch 90° Elbow
BE-4B170B	1/4 inch by .170 inch 90° Elbow
BE-4B3B	1/4 inch by 3/16 inch 90° Elbow
BE-4B732B	1/4 inch by 7/32 inch 90° Elbow
BE-2B	1/8 inch Equal 90° Elbow
BE-2B1B	1/8 inch by 1/16 inch 90° Elbow
BE-2B564B	1/8 inch by 5/64 inch 90° Elbow
BE-2B332B	1/8 inch by 3/32 inch 90° Elbow
BE-5B	5/16 inch Equal 90° Elbow
BE-5B1B	5/16 inch by 1/16 inch 90° Elbow
BE-5B564B	5/16 inch by 5/64 inch 90° Elbow
BE-5B332B	5/16 inch by 3/32 inch 90° Elbow

SKU	Description
BE-5B2B	5/16 inch by 1/8 inch 90° Elbow
BE-5B532B	5/16 inch by 5/32 inch 90° Elbow
BE-5B170B	5/16 inch by .170 inch 90° Elbow
BE-5B3B	5/16 inch by 3/16 inch 90° Elbow
BE-5B732B	5/16 inch by 7/32 inch 90° Elbow
BE-5B4B	5/16 inch by 1/4 inch 90° Elbow
BE-6B	3/8 inch Equal 90° Elbow
BE-6B1B	3/8 inch by 1/16 inch 90° Elbow
BE-6B564B	3/8 inch by 5/64 inch 90° Elbow
BE-6B332B	3/8 inch by 3/32 inch 90° Elbow
BE-6B2B	3/8 inch by 1/8 inch 90° Elbow
BE-6B532B	3/8 inch by 5/32 inch 90° Elbow
BE-6B170B	3/8 inch by .170 inch 90° Elbow
BE-6B3B	3/8 inch by 3/16 inch 90° Elbow
BE-6B732B	3/8 inch by 7/32 inch 90° Elbow
BE-6B4B	3/8 inch by 1/4 inch 90° Elbow
BE-6B5B	3/8 inch by 5/16 inch 90° Elbow
BE-532B	5/32 inch Equal 90° Elbow
BE-532B1B	5/32 inch by 1/16 inch 90° Elbow
BE-532B564B	5/32 inch by 5/64 inch 90° Elbow
BE-532B332B	5/32 inch by 3/32 inch 90° Elbow
BE-532B2B	5/32 inch by 1/8 inch 90° Elbow
BE-564B	5/64 inch Equal 90° Elbow
BE-564B1B	5/64 inch by 1/16 inch 90° Elbow
BE-732B	7/32 inch Equal 90° Elbow
BE-732B1B	7/32 inch by 1/16 inch 90° Elbow
BE-732B564B	7/32 inch by 5/64 inch 90° Elbow
BE-732B332B	7/32 inch by 3/32 inch 90° Elbow
BE-732B2B	7/32 inch by 1/8 inch 90° Elbow
BE-732B532B	7/32 inch by 5/32 inch 90° Elbow
BE-732B170B	7/32 inch by .170 inch 90° Elbow
BE-732B3B	7/32 inch by 3/16 inch 90° Elbow
BER-170B1B	.170 inch by 1/16 inch 90° Elbow
BER-170B2B	.170 inch by 1/8 inch 90° Elbow
BER-170B332B	.170 inch by 3/32 inch 90° Elbow
BER-170B532B	.170 inch by 5/32 inch 90° Elbow
BER-170B564B	.170 inch by 5/64 inch 90° Elbow
BER-2B1B	1/8 inch by 1/16 inch 90° Elbow
BER-2B332B	1/8 inch by 3/32 inch 90° Elbow
BER-2B564B	1/8 inch by 5/64 inch 90° Elbow

SKU	Description
BER-332B1B	3/32 inch by 1/16 inch 90° Elbow
BER-332B564B	3/32 inch by 5/64 inch 90° Elbow
BER-3B170B	3/16 inch by .170 inch 90° Elbow
BER-3B1B	3/16 inch by 1/16 inch 90° Elbow
BER-3B2B	3/16 inch by 1/8 inch 90° Elbow
BER-3B332B	3/16 inch by 3/32 inch 90° Elbow
BER-3B532B	3/16 inch by 5/32 inch 90° Elbow
BER-3B564B	3/16 inch by 5/64 inch 90° Elbow
BER-4B170B	1/4 inch by .170 inch 90° Elbow
BER-4B1B	1/4 inch by 1/16 inch 90° Elbow
BER-4B2B	1/4 inch by 1/8 inch 90° Elbow
BER-4B332B	1/4 inch by 3/32 inch 90° Elbow
BER-4B3B	1/4 inch by 3/16 inch 90° Elbow
BER-4B532B	1/4 inch by 5/32 inch 90° Elbow
BER-4B564B	1/4 inch by 5/64 inch 90° Elbow
BER-4B732B	1/4 inch by 7/32 inch 90° Elbow
BER-532B1B	5/32 inch by 1/16 inch 90° Elbow
BER-532B2B	5/32 inch by 1/8 inch 90° Elbow
BER-532B332B	5/32 inch by 3/32 inch 90° Elbow
BER-532B564B	5/32 inch by 5/64 inch 90° Elbow
BER-564B1B	5/64 inch by 1/16 inch 90° Elbow
BER-5B170B	5/16 inch by .170 inch 90° Elbow
BER-5B1B	5/16 inch by 1/16 inch 90° Elbow
BER-5B2B	5/16 inch by 1/8 inch 90° Elbow
BER-5B332B	5/16 inch by 3/32 inch 90° Elbow
BER-5B3B	5/16 inch by 3/16 inch 90° Elbow
BER-5B4B	5/16 inch by 1/4 inch 90° Elbow
BER-5B532B	5/16 inch by 5/32 inch 90° Elbow
BER-5B564B	5/16 inch by 5/64 inch 90° Elbow
BER-5B732B	5/16 inch by 7/32 inch 90° Elbow
BER-6B170B	3/8 inch by .170 inch 90° Elbow
BER-6B1B	3/8 inch by 1/16 inch 90° Elbow
BER-6B2B	3/8 inch by 1/8 inch 90° Elbow
BER-6B332B	3/8 inch by 3/32 inch 90° Elbow
BER-6B3B	3/8 inch by 3/16 inch 90° Elbow
BER-6B4B	3/8 inch by 1/4 inch 90° Elbow
BER-6B532B	3/8 inch by 5/32 inch 90° Elbow
BER-6B564B	3/8 inch by 5/64 inch 90° Elbow
BER-6B5B	3/8 inch by 5/16 inch 90° Elbow
BER-6B732B	3/8 inch by 7/32 inch 90° Elbow

SKU	Description
BER-732B170B	7/32 inch by .170 inch 90° Elbow
BER-732B1B	7/32 inch by 1/16 inch 90° Elbow
BER-732B2B	7/32 inch by 1/8 inch 90° Elbow
BER-732B332B	7/32 inch by 3/32 inch 90° Elbow
BER-732B3B	7/32 inch by 3/16 inch 90° Elbow
BER-732B532B	7/32 inch by 5/32 inch 90° Elbow
BER-732B564B	7/32 inch by 5/64 inch 90° Elbow
BER-8B332B	1/2 inch by 3/32 inch 90° Elbow

BCE SERIES



SKU	Description
BCE-170B	.170 inch Bite-Style Barb Brass Sweep Elbow
BCE-1B	1/16 inch Bite-Style Barb Brass Sweep Elbow
BCE-2B	1/8 inch Bite-Style Barb Brass Sweep Elbow
BCE-332B	3/32 inch Bite-Style Barb Brass Sweep Elbow
BCE-4B	1/4 inch Bite-Style Barb Brass Sweep Elbow
BCE-6B	3/8 inch Bite-Style Barb Brass Sweep Elbow



BBE SERIES

Brass Bulkheads with Bite-Style Barbs. 10-32 inch UNF mounting Threads for 1/16 inch, .078 inch, and 3/32 inch. 1/4-28 inch mounting Thread with 1/16 inch thru hole to 5/32 inch Barb. 5/16-24 inch mounting Thread with a 1/16 inch thru hole to 3/16 inch Barb. 3/8-24 inch mounting Thread with a 1/16 inch thru hole to 3/8 inch Barb. Mixed sizes are available for Straight and Elbow models.

SKU	Description
BBE10-1B	10-32 by 1/16 Barbed Elbow Bulkhead
BBE10-332B	10-32 by 3/32 Barbed Elbow Bulkhead
BBE10-78B	10-32 by .078 Barbed Elbow Bulkhead
BBE14-170B	1/4-28 by .170 Barbed Elbow Bulkhead
BBE14-2B	1/4-28 by 1/8 Barbed Elbow Bulkhead
BBE14-532B	1/4-28 by 5/32 Barbed Elbow Bulkhead
BBE38-4B	3/8-24 by 1/4 Barbed Elbow Bulkhead
BBE516-170B	5/16-24 by .170 Barbed Elbow Bulkhead
BBE516-2B	5/16-24 by 1/8 Barbed Elbow Bulkhead
BBE516-532B	5/16-24 by 5/32 Barbed Elbow Bulkhead

BB SERIES



Brass Bulkheads with Bite-Style Barbs. 10-32 mounting Threads for 1/16 inch, .078, and 3/32 inch. ¼-28 mounting Thread with 1/16 inch thru hole to 5/32 inch Barb. 5/16-24 mounting Thread with 1/16 inch thru hole to 3/16 inch Barb. 3//8-24 mounting Thread with 1/16 inch thru hole to 3/8 inch Barb. Mixed sizes are available for Straight and Elbow models.

SKU	Description
BB-10-170B078B	10-32 by .170 by .078 Barb Brass Reducing Bulkhead
BB-10-170B332B	10-32 by .170 by 3/32 Barb Brass Reducing Bulkhead
BB-10-1B	10-32 by 1/16 Barb Brass Bulkhead
BB-10-2B1B	10-32 by 1/8 by 1/16 Barb Brass Reducing Bulkhead
BB-10-332B	10-32 by 3/32 Barb Brass Bulkhead
BB-10-332B1B	10-32 by 3/32 by 1/16 Barb Brass Reducing Bulkhead
BB-10-332B1B-NP	10-32 by 3/32 by 1/16 Barb Nickel Plated Bulkhead
BB-14-2B	1/4-28 by 1/8 Barb Brass Bulkhead
BB-14-6B1B	1/4-28 by 3/8 by 1/16 Barb Brass Reducing Bulkhead
BB-14-O-2B	1/4-28 by 1/8 Barb Brass Reducing Bulkhead O-ring
BB-1M-5B332B	1/16 NPT 5/16 by 3/32 Barb Brass Reducing Bulkhead
BB-2M-5B332B	1/8 NPT 5/16 by 3/32 Barb Brass Reducing Bulkhead

SKU	Description
BB-2M-6B4B	1/8 NPT 3/8 by 1/4 Barb Brass Reducing Bulkhead
BB-38-3B-SS	3/8-24 3/16 Barb 303 Stainless Bulkhead
BB-38-4B	3/8-24 1/4 Barb Brass Bulkhead
BB-38-4B-170B	3/8-24 by 1/4 by .170 Barb Brass Reducing Bulkhead
BB-38-4B-170B-SS	3/8-24 by 1/4 by .170 Barb Stainless Steel Bulkhead
BB-38-4B-3B	3/8-24 by 1/4 by 3/16 Barb Brass Reducing Bulkhead
BB-38-4B-NP	3/8-24 by 1/4 Barb Brass Nickel Plated Bulkhead
BB-38-4B-SS	3/8-24 by 1/4 Barb 303 Stainless Bulkhead
BB-38-6B1B	3/8-24 by 3/8 by 1/16 Barb Brass Reducing Bulkhead
BB-38-6B2DB	3/8-24 by 3/8 by 1/8 Double Barb Brass Reducing Bulkhead
BB-38-6B2DB-020	3/8-24 by 3/8 by 1/8 Double Barb, 020 Orifice Brass Reducing Bulkhead
BB-38-6B4B	3/8-24 by 3/8 by 1/4 Barb Brass Reducing Bulkhead
BB-516-170532	5/16-24 by .170 by 5/32 Barb Brass Reducing Bulkhead
BB-516-170732	5/16-24 by .170 by .732 Barb Brass Reducing Bulkhead
BB-516-170B	5/16-24 by .170 Barb Bulkhead



## AML-S SERIES

The AML-S Series are Male NPT threads by single barbed Elbow Adapters. Available materials are White and Black Nylon, and Natural Polypropylene. There is no parting line on the barb. The male NPT thread size is 1/8 inch and the barb sizes are 1/16 inch, 1/8 inch, 3/32 inch, 3/16 inch, and 1/4 inch.

SKU	Description
AML-S-2M1B-BN	1/8 inch MNPT by 1/16 inch Black Nylon
AML-S-2M1B-NPP	1/8 inch MNPT by 1/16 inch Natural Polypropylene
AML-S-2M1B-WN	1/8 inch MNPT by 1/16 inch White Nylon
AML-S-2M332B-BN	1/8 inch MNPT by 3/32 inch Black Nylon
AML-S-2M332B-NPP	1/8 inch MNPT by 3/32 inch Natural Polypropylene
AML-S-2M332B-WN	1/8 inch MNPT by 3/32 inch White Nylon
AML-S-2M2B-BN	1/8 inch MNPT by 1/8 inch Black Nylon
AML-S-2M2B-NPP	1/8 inch MNPT by 1/8 inch Natural Polypropylene
AML-S-2M2B-WN	1/8 inch MNPT by 1/8 inch White Nylon
AML-S-2M3B-BN	1/8 inch MNPT by 3/16 inch Black Nylon
AML-S-2M3B-NPP	1/8 inch MNPT by 3/16 inch Natural Polypropylene
AML-S-2M3B-WN	1/8 inch MNPT by 3/16 inch White Nylon
AML-S-2M4B-BN	1/8 inch MNPT by 1/4 inch Black Nylon
AML-S-2M4B-NPP	1/8 inch MNPT by 1/4 inch Natural Polypropylene
AML-S-2M4B-WN	1/8 inch MNPT by 1/4 inch White Nylon

ALS-IG SWIVEL ADAPTER ELBOW



The ALS-IG Series Swivel Adapter Elbow allows tubing to be rotated 360° into position without crimping. These Swivel Elbows are made of Black Nylon. The male threads are 10-32 inch UNF or 1/8 inch and 1/4 inch male NPT. The barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch. The 10-32 inch UNF threads are self-sealing, the 1/8 inch and 1/4 inch threads seal with a Buna-N, EPDM or Viton® O-Ring. The working pressure is 125 psi and the working temperature range is -50° F to 180° F.

SKU	Description
ALS-IG-10X1B	10-32 inch Male UNF by 1/16 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-10X332B	10-32 inch Male UNF by 3/32 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-10X2B	10-32 inch Male UNF by 1/8 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-2MX1B	1/8 inch MNPT by 1/16 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-2MX332B	1/8 inch MNPT by 3/32 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-2MX2B	1/8 inch MNPT by 1/8 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-4MX1B	1/4 inch MNPT by 1/16 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-4MX332B	1/4 inch MNPT by 3/32 inch Black Nylon Single Barbed Elbow Swivel
ALS-IG-4MX2B	1/4 inch MNPT by 1/8 inch Black Nylon Single Barbed Elbow Swivel

AL-S THREADED ELBOW ADAPTER



The AL-S Series is a male UNF threaded elbow adapter, and is available in White and Black Nylon, Natural and Black Polypropylene, and Natural PVDF. Available in 10-32 inch UNF straight and tapered threads, and the barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.


SKU	Description
AL-S-101B	10-32 by 1/16 Barb Elbow
AL-S-102B	10-32 by 1/8 Barb Elbow
AL-S-10332B	10-32 by 3/32 Barb Elbow
AL-S-10T1B	10-32 Taper by 1/16 Barb Elbow
AL-S-10T2B	10-32 Taper by 1/8 Barb Elbow
AL-S-10T332B	10-32 Taper by 3/32 Barb Elbow



AL-I SERIES

The AL-I Series is an industrial male NPT thread by single barb Elbow Adapter. The three available sizes are: 1/8 inch MNPT by 1/8 inch barb in Polypropylene, 1/8 inch MNPT by 3/16 inch barb in Natural Nylon, and 1/8 inch MNPT by 1/4 inch barb in Natural Nylon.

SKU	Description
AL-I-2M2B-PP	1/8 inch MNPT by 1/8 inch Polypropylene Single Barbed Adapter
AL-I-2M3B-NN	1/8 inch MNPT by 3/16 inch Natural Nylon Single Barbed Adapter
AL-I-2M4B-NN	1/8 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter



AED SERIES

The AED Series are Adjustable 10-32 inch male UNF to barb Brass elbows in 1/16 inch or 1/8 inch single barbs.

SKU	Description
AED-1018	10-32 inch Male UNF by 1/8 inch Barbed Adjustable Elbow
AED-10X1B	10-32 inch Male UNF by 1/16 inch Barbed Adjustable Elbow
AED-10X2B	10-32 inch Male UNF by 1/8 inch Barbed Adjustable Elbow



## INDEX

### A

AED Series 40  
AL-I Series 40  
AL-S THREADED ELBOW ADAPTER 39  
ALS-IG SWIVEL ADAPTER ELBOW 39  
AML-S Series 38

### B

BB Series 37  
BBE Series 37  
BCE Series 36  
BE Series 33  
BFE 90° THREADED BRASS ELBOW 32  
BHBE Series 32  
BHFE Series 31  
BHME Series 30  
BHME45 Series 30  
BME Series 29  
BSE45 Series 29  
BSTE Series 28

### C

CAE Series 28

### D

DCE Series 27  
DFE Series 27  
DME BITE-STYLE THREAD TO BARB ELBOW ADAPTER 26  
DTP-S FOUR PORT ELBOW FITTINGS 26

### E

EBHF Series 25

### F

FA & FE Series 24  
FAE Series 24  
FBH BRASS BULKHEADS 23  
FE Series 21  
FEF Series 19  
FEP45 Series 18  
FEU Series 18  
FFG Series 17  
FMA Series 17

### G

GHE Series 16

### L

L Series 15

## **M**

MAE Series 14  
MBFL Series 13  
ME & MA SERIES 10  
MEF Series 7  
MEV Series 4

## **P**

PE Series 4  
PEB Series 3  
PME THREADED PUSH-TO-CONNECT ELBOW 3  
PMES Series 2

## **S**

SBHE Series 2  
SPE - Push-to-Connect Elbow Stem Connector 1