

GRAY PVDF



Y-R SERIES

The Y-R Series are single barbed equal and enlarging Wye tube fittings. The equal Wye barb sizes are: 1/8 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, and 3/4 inch. The enlarging Wye barb sizes are: 1/8 inch by 1/4 inch; 3/16 inch by 5/16 inch; 1/4 inch by 3/8 inch; 3/8 inch by 1/2 inch; 5/8 inch by 3/4 inch, and 3/4 inch by 1 inch. Available materials are Natural and Black Nylon, Glass-Filled Black Nylon, Natural and White High-Density Polyethylene, Polypropylene, and Natural and Gray PVDF.

The flow is from the bottom of the Wye and through the two smaller barbs.

SKU	Description
Y-R-2B-NN	1/8 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-2B-BN	1/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-2B-GFBN	1/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-2B-NPP	1/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-2B-WPP	1/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-2B-PVDF	1/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-2B-GPVDF	1/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-2B-HDPE	1/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-3B-NN	3/16 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-3B-BN	3/16 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-3B-GFBN	3/16 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-3B-NPP	3/16 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-3B-WPP	3/16 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-3B-PVDF	3/16 inch PVDF Equal Single Barbed Wye Connector
Y-R-3B-GPVDF	3/16 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-3B-HDPE	3/16 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-4B-NN	1/4 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-4B-BN	1/4 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-4B-GFBN	1/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-4B-NPP	1/4 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-4B-WPP	1/4 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-4B-PVDF	1/4 inch PVDF Equal Single Barbed Wye Connector
Y-R-4B-GPVDF	1/4 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-4B-HDPE	1/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-6B-NN	3/8 inch Natural Nylon Equal Single Barbed Wye Connector

SKU	Description
Y-R-6B-BN	3/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-6B-GFBN	3/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-6B-NPP	3/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-6B-WPP	3/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-6B-PVDF	3/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-6B-GPVDF	3/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-6B-HDPE	3/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-8B-NN	1/2 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-8B-BN	1/2 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-8B-GFBN	1/2 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-8B-NPP	1/2 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-8B-WPP	1/2 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-8B-PVDF	1/2 inch PVDF Equal Single Barbed Wye Connector
Y-R-8B-GPVDF	1/2 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-8B-HDPE	1/2 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-10B-NN	5/8 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-10B-BN	5/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-10B-GFBN	5/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-10B-NPP	5/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-10B-WPP	5/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-10B-PVDF	5/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-10B-GPVDF	5/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-10B-HDPE	5/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-12B-NN	3/4 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-12B-BN	3/4 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-12B-GFBN	3/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-12B-NPP	3/4 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-12B-WPP	3/4 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-12B-PVDF	3/4 inch PVDF Equal Single Barbed Wye Connector
Y-R-12B-GPVDF	3/4 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-12B-HDPE	3/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-2B4B-NN	1/8 inch by 1/4 inch Natural Nylon Single Barbed Wye Connector
Y-R-2B4B-BN	1/8 inch by 1/4 inch Black Nylon Single Barbed Wye Connector
Y-R-2B4B-GFBN	1/8 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-2B4B-NPP	1/8 inch by 1/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-2B4B-WPP	1/8 inch by 1/4 inch White Polypropylene Single Barbed Wye Connector
Y-R-2B4B-PVDF	1/8 inch by 1/4 inch PVDF Single Barbed Wye Connector
Y-R-2B4B-GPVDF	1/8 inch by 1/4 inch Gray PVDF Single Barbed Wye Connector
Y-R-2B4B-HDPE	1/8 inch by 1/4 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-3B5B-NN	3/16 inch by 5/16 inch Natural Nylon Single Barbed Wye Connector

SKU	Description
Y-R-3B5B-BN	3/16 inch by 5/16 inch Black Nylon Single Barbed Wye Connector
Y-R-3B5B-GFBN	3/16 inch by 5/16 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-3B5B-NPP	3/16 inch by 5/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-3B5B-WPP	3/16 inch by 5/16 inch White Polypropylene Single Barbed Wye Connector
Y-R-3B5B-PVDF	3/16 inch by 5/16 inch PVDF Single Barbed Wye Connector
Y-R-3B5B-GPVDF	3/16 inch by 5/16 inch Gray PVDF Single Barbed Wye Connector
Y-R-3B5B-HDPE	3/16 inch by 5/16 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-4B6B-NN	1/4 inch by 3/8 inch Natural Nylon Single Barbed Wye Connector
Y-R-4B6B-BN	1/4 inch by 3/8 inch Black Nylon Single Barbed Wye Connector
Y-R-4B6B-GFBN	1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-4B6B-NPP	1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-4B6B-WPP	1/4 inch by 3/8 inch White Polypropylene Single Barbed Wye Connector
Y-R-4B6B-PVDF	1/4 inch by 3/8 inch PVDF Single Barbed Wye Connector
Y-R-4B6B-GPVDF	1/4 inch by 3/8 inch Gray PVDF Single Barbed Wye Connector
Y-R-4B6B-HDPE	1/4 inch by 3/8 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-6B8B-NN	3/8 inch by 1/2 inch Natural Nylon Single Barbed Wye Connector
Y-R-6B8B-BN	3/8 inch by 1/2 inch Black Nylon Single Barbed Wye Connector
Y-R-6B8B-GFBN	3/8 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-6B8B-NPP	3/8 inch by 1/2 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-6B8B-WPP	3/8 inch by 1/2 inch White Polypropylene Single Barbed Wye Connector
Y-R-6B8B-PVDF	3/8 inch by 1/2 inch PVDF Single Barbed Wye Connector
Y-R-6B8B-GPVDF	3/8 inch by 1/2 inch Gray PVDF Single Barbed Wye Connector
Y-R-6B8B-HDPE	3/8 inch by 1/2 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-10B12B-NN	5/8 inch by 3/4 inch Natural Nylon Single Barbed Wye Connector
Y-R-10B12B-BN	5/8 inch by 3/4 inch Black Nylon Single Barbed Wye Connector
Y-R-10B12B-GFBN	5/8 inch by 3/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-10B12B-NPP	5/8 inch by 3/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-10B12B-WPP	5/8 inch by 3/4 inch White Polypropylene Single Barbed Wye Connector
Y-R-10B12B-PVDF	5/8 inch by 3/4 inch PVDF Single Barbed Wye Connector
Y-R-10B12B-GPVDF	5/8 inch by 3/4 inch Gray PVDF Single Barbed Wye Connector
Y-R-10B12B-HDPE	5/8 inch by 3/4 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-12B16B-NN	3/4 inch by 1 inch Natural Nylon Single Barbed Wye Connector
Y-R-12B16B-BN	3/4 inch by 1 inch Black Nylon Single Barbed Wye Connector
Y-R-12B16B-GFBN	3/4 inch by 1 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-12B16B-NPP	3/4 inch by 1 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-12B16B-WPP	3/4 inch by 1 inch White Polypropylene Single Barbed Wye Connector
Y-R-12B16B-PVDF	3/4 inch by 1 inch PVDF Single Barbed Wye Connector
Y-R-12B16B-GPVDF	3/4 inch by 1 inch Gray PVDF Single Barbed Wye Connector
Y-R-12B16B-HDPE	3/4 inch by 1 inch High-Density Polyethylene Single Barbed Wye Connector



TR-R SERIES

The TR-R Series are standard single barbed reducing and enlarging tee connectors. Materials available are: Natural and Black Nylon, Natural and Gray PVDF, Natural and White Polypropylene, Glass-Filled Black Nylon and Polyethylene that is NSF 51/61 certified.

SKU	Description
TR-R-532B6B-NN	5/32 inch by 3/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-532B6B-BN	5/32 inch by 3/8 inch Black Nylon Single Barbed Tee Connector
TR-R-532B6B-PVDF	5/32 inch by 3/8 inch PVDF Single Barbed Tee Connector
TR-R-532B6B-GPVDF	5/32 inch by 3/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-532B6B-NPP	5/32 inch by 3/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-532B6B-WPP	5/32 inch by 3/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-532B6B-GFBN	5/32 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-532B6B-PE-NSF	5/32 inch by 3/8 inch NSF Polyethylene Single Barbed Tee Connector
TR-R-4B10B-NN	1/4 inch by 5/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-4B10B-BN	1/4 inch by 5/8 inch Black Nylon Single Barbed Tee Connector
TR-R-4B10B-PVDF	1/4 inch by 5/8 inch PVDF Single Barbed Tee Connector
TR-R-4B10B-GPVDF	1/4 inch by 5/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-4B10B-NPP	1/4 inch by 5/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-4B10B-WPP	1/4 inch by 5/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-4B10B-GFBN	1/4 inch by 5/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-4B10B-PE-NSF	1/4 inch by 5/8 inch NSF Polyethylene Single Barbed Tee Connector
TR-R-4B6B-NN	1/4 inch by 3/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-4B6B-BN	1/4 inch by 3/8 inch Black Nylon Single Barbed Tee Connector
TR-R-4B6B-PVDF	1/4 inch by 3/8 inch PVDF Single Barbed Tee Connector
TR-R-4B6B-GPVDF	1/4 inch by 3/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-4B6B-NPP	1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-4B6B-WPP	1/4 inch by 3/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-4B6B-GFBN	1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-4B6B-PE-NSF	1/4 inch by 3/8 inch NSF Polyethylene Single Barbed Tee Connector
TR-R-4B3B-NN	1/4 inch by 3/16 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-BN	1/4 inch by 3/16 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-PVDF	1/4 inch by 3/16 inch PVDF Single Barbed Reducing Tee Connector
TR-R-4B3B-GPVDF	1/4 inch by 3/16 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-4B3B-NPP	1/4 inch by 3/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-4B3B-WPP	1/4 inch by 3/16 inch White Polypropylene Single Barbed Reducing Tee Connector

SKU	Description
TR-R-4B3B-GFBN	1/4 inch by 3/16 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-PE-NSF	1/4 inch by 3/16 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-8B4B-NN	1/2 inch by 1/4 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-8B4B-BN	1/2 inch by 1/4 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B4B-PVDF	1/2 inch by 1/4 inch PVDF Single Barbed Reducing Tee Connector
TR-R-8B4B-GPVDF	1/2 inch by 1/4 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-8B4B-NPP	1/2 inch by 1/4 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B4B-WPP	1/2 inch by 1/4 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B4B-GFBN	1/2 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B4B-PE-NSF	1/2 inch by 1/4 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-8B6B-NN	1/2 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-BN	1/2 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-PVDF	1/2 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-8B6B-GPVDF	1/2 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-8B6B-NPP	1/2 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B6B-WPP	1/2 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B6B-GFBN	1/2 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-PE-NSF	1/2 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-10B6B-NN	5/8 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-PVDF	5/8 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-10B6B-GPVDF	5/8 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-10B6B-NPP	5/8 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-10B6B-WPP	5/8 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-10B6B-GFBN	5/8 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-PE-NSF	5/8 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-12B6B-NN	3/4 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-12B6B-BN	3/4 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B6B-PVDF	3/4 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-12B6B-GPVDF	3/4 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-12B6B-NPP	3/4 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector

SKU	Description
TR-R-12B6B-WPP	3/4 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B6B-GFBN	3/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B6B-PE-NSF	3/4 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-12B8B-NN	3/4 inch by 1/2 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-BN	3/4 inch by 1/2 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-PVDF	3/4 inch by 1/2 inch PVDF Single Barbed Reducing Tee Connector
TR-R-12B8B-GPVDF	3/4 inch by 1/2 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-12B8B-NPP	3/4 inch by 1/2 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B8B-WPP	3/4 inch by 1/2 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B8B-GFBN	3/4 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-PE-NSF	3/4 inch by 1/2 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-16B10B-NN	1 inch by 5/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-BN	1 inch by 5/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-PVDF	1 inch by 5/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-16B10B-GPVDF	1 inch by 5/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-16B10B-NPP	1 inch by 5/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-16B10B-WPP	1 inch by 5/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-16B10B-GFBN	1 inch by 5/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-PE-NSF	1 inch by 5/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector



T-R SERIES

The T-R Series is a standard industrial grade, single barbed Tee connector. There is a rib behind the barb to prevent the tubing from rotating. There is no parting line on the barb. This Tee is available in Natural and Black Nylon, Natural and Gray PVDF, Polyethylene certified NSF 51/61, Natural and White Polypropylene, HDPE, and Glass-Filled Black Nylon. Equal barb connectors come in a range of sizes from 3/32 inch to 1 inch (see list below). The reducing barb sizes available for this series is 5/8 inch by 3/8 inch.

SKU	Description
T-R-10B6B-NN	5/8 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
T-R-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
T-R-10B6B-PVDF	5/8 inch by 3/8 inch PVDF Single Barbed Reducing Connector
T-R-10B6B-GPVDF	5/8 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
T-R-10B6B-PE-NSF	5/8 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Connector
T-R-10B6B-HDPE	5/8 inch by 3/8 inch High-Density Polyethylene Single Barbed Reducing Tee Connector
T-R-10B6B-NPP	5/8 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
T-R-10B6B-WPP	5/8 inch by 3/8 inch White Polypropylene Single Barbed Reducing Connector
T-R-10B6B-GFBN	5/8 inch by 3/8 inch Glass Filled Black Nylon Single Barbed Reducing Tee Connector
T-R-2B-NN	1/8 inch Natural Nylon Single Barbed Tee Connector
T-R-2B-BN	1/8 inch Black Nylon Single Barbed Tee Connector
T-R-2B-PVDF	1/8 inch PVDF Single Barbed Tee Connector
T-R-2B-GPVDF	1/8 inch Gray PVDF Single Barbed Tee Connector
T-R-2B-PE-NSF	1/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-2B-HDPE	1/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-2B-NPP	1/8 inch Natural Polypropylene Single Barbed Tee Connector
T-R-2B-WPP	1/8 inch White Polypropylene Single Barbed Tee Connector
T-R-2B-GFBN	1/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-332B-NN	3/32 inch Natural Nylon Single Barbed Tee Connector
T-R-332B-BN	3/32 inch Black Nylon Single Barbed Tee Connector
T-R-332B-PVDF	3/32 inch PVDF Single Barbed Tee Connector
T-R-332B-GPVDF	3/32 inch Gray PVDF Single Barbed Tee Connector
T-R-332B-PE-NSF	3/32 inch NSF Polyethylene Singly Barbed Tee Connector
T-R-332B-HDPE	3/32 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-332B-NPP	3/32 inch Natural Polypropylene Single Barbed Tee Connector
T-R-332B-WPP	3/32 inch White Polypropylene Single Barbed Tee Connector
T-R-332B-GFBN	3/32 inch Glass Filled Black Nylon Single Barbed Tee Connector
T-R-3B-NN	3/16 inch Natural Nylon Single Barbed Tee Connector
T-R-3B-BN	3/16 inch Black Nylon Single Barbed Tee Connector
T-R-3B-PVDF	3/16 inch PVDF Single Barbed Tee Connector

SKU	Description
T-R-3B-GPVDF	3/16 inch Gray PVDF Single Barbed Tee Connector
T-R-3B-PE-NSF	3/16 inch NSF Polyethylene Single Barbed Tee Connector
T-R-3B-HDPE	3/16 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-3B-NPP	3/16 inch Natural Polypropylene Single Barbed Tee Connector
T-R-3B-WPP	3/16 inch White Polypropylene Single Barbed Tee Connector
T-R-3B-GFBN	3/16 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-4B-NN	1/4 inch Natural Nylon Single Barbed Tee Connector
T-R-4B-BN	1/4 inch Black Nylon Single Barbed Tee Connector
T-R-4B-PVDF	1/4 inch PVDF Single Barbed Tee Connector Natural
T-R-4B-GPVDF	1/4 inch Gray PVDF Single Barbed Tee Connector
T-R-4B-PE-NSF	1/4 inch NSF Polyethylene Single Barbed Tee Connector
T-R-4B-HDPE	1/4 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-4B-NPP	1/4 inch Natural Polypropylene Single Barbed Tee Connector
T-R-4B-WPP	1/4 inch White Polypropylene Single Barbed Tee Connector
T-R-4B-GFBN	1/4 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-532B-NN	5/32 inch Natural Nylon Single Barbed Tee Connector
T-R-532B-BN	5/32 inch Black Nylon Single Barbed Tee Connector
T-R-532B-PVDF	5/32 inch PVDF Single Barbed Tee Connector
T-R-532B-GPVDF	5/32 inch Gray PVDF Single Barbed Tee Connector
T-R-532B-PE-NSF	5/32 inch NSF Polyethylene Single Barbed Tee Connector
T-R-532B-HDPE	5/32 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-532B-NPP	5/32 inch Natural Polypropylene Single Barbed Tee Connector
T-R-532B-WPP	5/32 inch White Polypropylene Single Barbed Tee Connector
T-R-532B-GFBN	5/32 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-5B-NN	5/16 inch Natural Nylon Single Barbed Tee Connector
T-R-5B-BN	5/16 inch Black Nylon Single Barbed Tee Connector
T-R-5B-PVDF	5/16 inch PVDF Single Barbed Tee Connector
T-R-5B-GPVDF	5/16 inch Gray PVDF Single Barbed Tee Connector
T-R-5B-PE-NSF	5/16 inch NSF Polyethylene Single Barbed Tee Connector
T-R-5B-HDPE	5/16 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-5B-NPP	5/16 inch Natural Polypropylene Single Barbed Tee Connector
T-R-5B-WPP	5/16 inch White Polypropylene Single Barbed Tee Connector
T-R-5B-GFBN	5/16 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-6B-NN	3/8 inch Natural Nylon Single Barbed Tee Connector
T-R-6B-BN	3/8 inch Black Nylon Single Barbed Tee Connector
T-R-6B-PVDF	3/8 inch PVDF Single Barbed Tee Connector
T-R-6B-GPVDF	3/8 inch Gray PVDF Single Barbed Tee Connector
T-R-6B-PE-NSF	3/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-6B-HDPE	3/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-6B-NPP	3/8 inch Natural Polypropylene Single Barbed Tee Connector

SKU	Description
T-R-6B-WPP	3/8 inch White Polypropylene Single Barbed Tee Connector
T-R-6B-GFBN	3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-8B-NN	1/2 inch Natural Nylon Single Barbed Tee Connector
T-R-8B-BN	1/2 inch Black Nylon Single Barbed Tee Connector
T-R-8B-PVDF	1/2 inch PVDF Single Barbed Tee Connector
T-R-8B-GPVDF	1/2 inch Gray PVDF Single Barbed Tee Connector
T-R-8B-PE-NSF	1/2 inch NSF Polyethylene Single Barbed Tee Connector
T-R-8B-HDPE	1/2 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-8B-NPP	1/2 inch Natural Polypropylene Single Barbed Tee Connector
T-R-8B-WPP	1/2 inch White Polypropylene Single Barbed Tee Connector
T-R-8B-GFBN	1/2 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-10B-NN	5/8 inch Natural Nylon Single Barbed Tee Connector
T-R-10B-BN	5/8 inch Black Nylon Single Barbed Tee Connector
T-R-10B-PVDF	5/8 inch PVDF Single Barbed Tee Connector
T-R-10B-GPVDF	5/8 inch Gray PVDF Single Barbed Tee Connector
T-R-10B-PE-NSF	5/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-10B-HDPE	5/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-10B-NPP	5/8 inch Natural Polypropylene Single Barbed Tee Connector
T-R-10B-WPP	5/8 inch White Polypropylene Single Barbed Tee Connector
T-R-10B-GFBN	5/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-12B-NN	3/4 inch Natural Nylon Single Barbed Tee Connector
T-R-12B-BN	3/4 inch Black Nylon Single Barbed Tee Connector
T-R-12B-PVDF	3/4 inch PVDF Single Barbed Tee Connector
T-R-12B-GPVDF	3/4 inch Gray PVDF Single Barbed Tee Connector
T-R-12B-PE-NSF	3/4 inch NSF Polyethylene Single Barbed Tee Connector
T-R-12B-HDPE	3/4 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-12B-NPP	3/4 inch Natural Polypropylene Single Barbed Tee Connector
T-R-12B-WPP	3/4 inch White Polypropylene Single Barbed Tee Connector
T-R-12B-GFBN	3/4 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-16B-NN	1 inch Natural Nylon Single Barbed Tee Connector
T-R-16B-BN	1 inch Black Nylon Single Barbed Tee Connector
T-R-16B-PVDF	1 inch PVDF Single Barbed Tee Connector
T-R-16B-GPVDF	1 inch Gray PVDF Single Barbed Tee Connector
T-R-16B-PE-NSF	1 inch NSF Polyethylene Single Barbed Tee Connector
T-R-16B-HDPE	1 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-16B-NPP	1 inch Natural Polypropylene Single Barbed Tee Connector
T-R-16B-WPP	1 inch White Polypropylene Single Barbed Tee Connector
T-R-16B-GFBN	1 inch Glass-Filled Black Nylon Single Barbed Tee Connector

L-R STANDARD SINGLE BARB ELBOW CONNECTOR



The L-R Series is a standard, single barbed Elbow connector made of Natural and Black Nylon, Gray PVDF, and NSF 51/61 certified Polyethylene. It is also available in high-density Polyethylene, Natural and White Polypropylene, and Glass-Filled Black Nylon. This elbow is available in equal barbs as well as in a reducing configuration. Equal barb sizes are 1/8 inch, 3/32 inch, 3/16 inch, 1/4 inch, 5/32 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing sizes are 5/16 inch by 1/4 inch and 1/2 inch by 3/8 inch.

SKU	Description
L-R-2B	1/8 Barb Elbow
L-R-332B	3/32 Barb Elbow
L-R-3B	3/16 Barb Elbow
L-R-4B	1/4 Barb Elbow
L-R-532B	5/32 Barb Elbow
L-R-5B	5/16 Barb Elbow
L-R-6B	3/8 Barb Elbow
L-R-8B	1/2 Barb Elbow
L-R-10B	5/8 Barb Elbow
L-R-12B	3/4 Barb Elbow
L-R-16B	1 inch Barb Elbow
L-R-5B4B	5/16 by 1/4 Barb Elbow Reducer
L-R-8B6B	1/2 by 3/8 Barb Elbow Reducer

HP-R SERIES



The HP-R Series is a standard Pipe Plug. Available in Natural, Black, and Glass-Filled Black Nylon, Natural and Gray PVDF, Natural, Black and White Polypropylene, PTFE, and Polyethylene certified NSF 51/61. Male NPT thread sizes range from 1/4 inch to 1 inch. Schedule 80 is available.

SKU	Description
HP-R-4M-NN	1/4 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-4M-BN	1/4 inch MNPT Black Nylon Pipe Hex Plug
HP-R-4M-GFBN	1/4 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-4M-NPP	1/4 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-4M-BPP	1/4 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-4M-WPP	1/4 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-4M-PTFE	1/4 inch MNPT PTFE Pipe Hex Plug
HP-R-4M-PPE	1/4 inch MNPT Polyethylene Pipe Hex Plug
HP-R-4M-PVDF	1/4 inch MNPT PVDF Pipe Hex Plug
HP-R-4M-GPVDF	1/4 inch MNPT Gray PVDF Pipe Hex Plug
HP-R-6M-NN	3/8 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-6M-BN	3/8 inch MNPT Black Nylon Pipe Hex Plug
HP-R-6M-GFBN	3/8 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-6M-NPP	3/8 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-6M-BPP	3/8 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-6M-WPP	3/8 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-6M-PTFE	3/8 inch MNPT PTFE Pipe Hex Plug
HP-R-6M-PPE	3/8 inch MNPT Polyethylene Pipe Hex Plug
HP-R-6M-PVDF	3/8 inch MNPT PVDF Pipe Hex Plug
HP-R-6M-GPVDF	3/8 inch MNPT Gray PVDF Pipe Hex Plug
HP-R-8M-NN	1/2 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-8M-BN	1/2 inch MNPT Black Nylon Pipe Hex Plug
HP-R-8M-GFBN	1/2 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-8M-NPP	1/2 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-8M-BPP	1/2 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-8M-WPP	1/2 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-8M-PTFE	1/2 inch MNPT PTFE Pipe Hex Plug
HP-R-8M-PPE	1/2 inch MNPT Polyethylene Pipe Hex Plug
HP-R-8M-PVDF	1/2 inch MNPT PVDF Pipe Hex Plug
HP-R-8M-GPVDF	1/2 inch MNPT Gray PVDF Pipe Hex Plug
HP-R-12M-NN	3/4 inch MNPT Natural Nylon Pipe Hex Plug

SKU	Description
HP-R-12M-BN	3/4 inch MNPT Black Nylon Pipe Hex Plug
HP-R-12M-GFBN	3/4 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-12M-NPP	3/4 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-12M-BPP	3/4 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-12M-WPP	3/4 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-12M-PTFE	3/4 inch MNPT PTFE Pipe Hex Plug
HP-R-12M-PPE	3/4 inch MNPT Polyethylene Pipe Hex Plug
HP-R-12M-PVDF	3/4 inch MNPT PVDF Pipe Hex Plug
HP-R-12M-GPVDF	3/4 inch MNPT Gray PVDF Pipe Hex Plug
HP-R-16M-NN	1 inch MNPT Natural Nylon Pipe Hex Plug
HP-R-16M-BN	1 inch MNPT Black Nylon Pipe Hex Plug
HP-R-16M-GFBN	1 inch MNPT Glass-Filled Black Nylon Pipe Hex Plug
HP-R-16M-NPP	1 inch MNPT Natural Polypropylene Pipe Hex Plug
HP-R-16M-BPP	1 inch MNPT Black Polypropylene Pipe Hex Plug
HP-R-16M-WPP	1 inch MNPT White Polypropylene Pipe Hex Plug
HP-R-16M-PTFE	1 inch MNPT PTFE Pipe Hex Plug
HP-R-16M-PPE	1 inch MNPT Polyethylene Pipe Hex Plug
HP-R-16M-PVDF	1 inch MNPT PVDF Pipe Hex Plug
HP-R-16M-GPVDF	1 inch MNPT Gray PVDF Pipe Hex Plug



HN-R STANDARD MALE TO MALE HEX NIPPLE

The HN-R Series is a male-by-male NPT Hex Nipple and Hex Nipple reducer. It comes in Natural, Black, and Glass-Filled Black Nylon, Natural Polypropylene, Gray PVDF, and Polyethylene. The Polyethylene is certified NSF 51/61. Available sizes range from 1/8 inch to 1 inch.

SKU	Description
HN-R-2M	1/8 MNPT Hex Nipple
HN-R-4M	1/4 MNPT Hex Nipple
HN-R-6M	3/8 MNPT Hex Nipple
HN-R-8M	1/2 MNPT Hex Nipple
HN-R-12M	3/4 MNPT Hex Nipple
HN-R-16M	1 inch MNPT Hex Nipple
HN-R-6M2M	3/8 MNPT by 1/8 MNPT Standard Pipe Hex Reducer Nipple

SKU	Description
HN-R-6M4M	3/8 MNPT by 1/4 MNPT Standard Pipe Hex Reducer Nipple
HN-R-8M2M	1/2 MNPT by 1/8 MNPT Standard Pipe Hex Reducer Nipple
HN-R-8M4M	1/2 MNPT by 1/4 MNPT Standard Pipe Hex Reducer Nipple
HN-R-8M6M	1/2 MNPT by 3/8 MNPT Standard Pipe Hex Reducer Nipple
HN-R-16M12M	1 inch MNPT by 3/4 MNPT Standard Pipe Hex Reducer Nipple



CNR SINGLE BARB CONNECTORS AND REDUCERS

The CNR Series is a series of single barbed straight and reducing connectors. Available materials are Black Glass-Filled and Natural Nylon, White and Natural Polypropylene, Gray and Natural PVDF, and NSF 51/61 listed High-Density Polyethylene. Equal barb sizes include 3/32 inch, 5/32 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing barb sizes come in combinations of 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch.

SKU	Description
CNR-332B1B	3/32 Single Barb by 1/16 Single Barb Reducer
CNR-3B2B	3/16 Single Barb by 1/8 Single Barb Reducer
CNR-4B2B	1/4 Single Barb by 1/8 Single Barb Reducer
CNR-4B332B	1/4 Single Barb by 3/32 Single Barb Reducer
CNR-4B3B	1/4 Single Barb by 1/8 Single Barb Reducer
CNR-4B532B	1/4 Single Barb by 5/32 Single Barb Reducer
CNR-5B4B	5/16 Single Barb by 1/4 Single Barb Reducer
CNR-6B4B	3/8 Single Barb by 1/4 Single Barb Reducer
CNR-6B5B	3/8 Single Barb by 5/16 Single Barb Reducer
CNR-8B4B	1/2 Single Barb by 1/4 Single Barb Reducer
CNR-8B5B	1/2 Single Barb by 5/16 Single Barb Reducer
CNR-8B6B	1/2 Single Barb by 3/8 Single Barb Reducer
CNR-10B4B	5/8 Single Barb by 1/4 Single Barb Reducer
CNR-10B5B	5/8 Single Barb by 5/16 Single Barb Reducer
CNR-10B6B	5/8 Single Barb by 3/8 Single Barb Reducer
CNR-10B8B	5/8 Single Barb by 1/2 Single Barb Reducer
CNR-12B10B	3/4 Single Barb by 5/8 Single Barb Reducer
CNR-12B6B	3/4 Single Barb by 3/8 Single Barb Reducer
CNR-12B8B	3/4 Single Barb by 1/2 Single Barb Reducer
CNR-16B10B	1 inch Single Barb by 5/8 Single Barb Reducer

SKU	Description
CNR-16B12B	1 inch Single Barb by 3/4 Single Barb Reducer
CNR-16B8B	1 inch Single Barb by 1/2 Single Barb Reducer
CNR-332B	3/32 Standard Single Barb Connector
CNR-3B	3/16 Standard Single Barb Connector
CNR-4B	1/4 Standard Single Barb Connector
CNR-532B	5/32 Standard Single Barb Connector
CNR-6B	3/8 Standard Single Barb Connector
CNR-8B	1/2 Standard Single Barb Connector
CNR-10B	5/8 Standard Single Barb Connector
CNR-12B	3/4 Standard Single Barb Connector
CNR-16B	1 inch Standard Single Barb Connector



AL-R THREAD TO BARB PLASTIC ELBOW ADAPTER

The AL-R Series standard Elbow Adapters have male NPT threads of 1/8 inch, 1/4 inch, 3/8 inch, 1/2 inch, 3/4 inch, and 1 inch. The single barb sizes range from 1/8 inch to 1 inch. This adapter is available in Natural, White, and Black Nylon, Glass-Filled Black Nylon, Natural and White Polypropylene, Natural and Gray PVDF, and High-Density Polyethylene. BSPT threads are also available. Material availability may vary with size.

SKU	Description
AL-R-2M2B-NN	1/8 inch MNPT by 1/8 inch Natural Nylon Single Barbed Adapter
AL-R-2M2B-WN	1/8 inch MNPT by 1/8 inch White Nylon Single Barbed Adapter
AL-R-2M2B-NPP	1/8 inch MNPT by 1/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M2B-WPP	1/8 inch MNPT by 1/8 inch White Polypropylene Single Barbed Adapter
AL-R-2M2B-PVDF	1/8 inch MNPT by 1/8 inch PVDF Single Barbed Adapter
AL-R-2M2B-PVDFG	1/8 inch MNPT by 1/8 inch Gray PVDF Single Barbed Adapter
AL-R-2M4B-AC	1/8 inch MNPT by 1/4 inch Acetal Single Barbed Adapter
AL-R-2M4B-NN	1/8 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-2M4B-WN	1/8 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-2M4B-BN	1/8 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-2M4B-GFBN	1/8 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M4B-NPP	1/8 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M4B-WPP	1/8 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-2M4B-PVDF	1/8 inch MNPT by 1/4 inch PVDF Single Barbed Adapter

SKU	Description
AL-R-2M4B-PVDFG	1/8 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-2M4B-HDPE	1/8 inch MNPT by 1/4 inch Gray High-Density Polyethylene Single Barbed Adapter
AL-R-2M532B-NN	1/8 inch MNPT by 5/32 inch Natural Nylon Single Barbed Adapter
AL-R-2M532B-WN	1/8 inch MNPT by 5/32 inch White Nylon Single Barbed Adapter
AL-R-2M532B-BN	1/8 inch MNPT by 5/32 inch Black Nylon Single Barbed Adapter
AL-R-2M532B-GFBN	1/8 inch MNPT by 5/32 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M532B-NPP	1/8 inch MNPT by 5/32 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M532B-WPP	1/8 inch MNPT by 5/32 inch White Polypropylene Single Barbed Adapter
AL-R-2M532B-PVDF	1/8 inch MNPT by 5/32 inch PVDF Single Barbed Adapter
AL-R-2M532B-PVDFG	1/8 inch MNPT by 5/32 inch Gray PVDF Single Barbed Adapter
AL-R-2M532B-HDPE	1/8 inch MNPT by 5/32 inch High-Density Polyethylene Single Barbed Adapter
AL-R-2M5B-NN	1/8 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-2M5B-WN	1/8 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-2M5B-BN	1/8 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-2M5B-GFBN	1/8 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M5B-NPP	1/8 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M5B-WPP	1/8 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-2M5B-PVDF	1/8 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-2M5B-PVDFG	1/8 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-2M5B-HDPE	1/8 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-2M6B-NN	1/8 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-2M6B-WN	1/8 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-2M6B-BN	1/8 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-2M6B-GFBN	1/8 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M6B-NPP	1/8 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M6B-WPP	1/8 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-2M6B-PVDF	1/8 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-2M6B-PVDFG	1/8 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-2M6B-HDPE	1/8 inch MNPT by 3/8 inch Polyethylene Single Barbed Adapter
AL-R-4M2B-NN	1/4 inch MNPT by 1/8 inch Natural Nylon Single Barbed Adapter
AL-R-4M2B-WN	1/4 inch MNPT by 1/8 inch White Nylon Single Barbed Adapter
AL-R-4M2B-BN	1/4 inch MNPT by 1/8 inch Black Nylon Single Barbed Adapter
AL-R-4M2B-GFBN	1/4 inch MNPT by 1/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M2B-NPP	1/4 inch MNPT by 1/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M2B-WPP	1/4 inch MNPT by 1/8 inch White Polypropylene Single Barbed Adapter
AL-R-4M2B-PVDF	1/4 inch MNPT by 1/8 inch PVDF Single Barbed Adapter
AL-R-4M2B-PVDFG	1/4 inch MNPT by 1/8 inch Gray PVDF Single Barbed Adapter
AL-R-4M2B-HDPE	1/4 inch MNPT by 1/8 inch High-Density Polyethylene Single Barbed Adapter

SKU	Description
AL-R-4M3B-NN	1/4 inch MNPT by 3/16 inch Natural Nylon Single Barbed Adapter
AL-R-4M3B-WN	1/4 inch MNPT by 3/16 inch White Nylon Single Barbed Adapter
AL-R-4M3B-BN	1/4 inch MNPT by 3/16 inch Black Nylon Single Barbed Adapter
AL-R-4M3B-GFBN	1/4 inch MNPT by 3/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M3B-NPP	1/4 inch MNPT by 3/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M3B-WPP	1/4 inch MNPT by 3/16 inch White Polypropylene Single Barbed Adapter
AL-R-4M3B-PVDF	1/4 inch MNPT by 3/16 inch PVDF Single Barbed Adapter
AL-R-4M3B-PVDFG	1/4 inch MNPT by 3/16 inch Gray PVDF Single Barbed Adapter
AL-R-4M3B-HDPE	1/4 inch MNPT by 3/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M4B-NN	1/4 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-4M4B-WN	1/4 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-4M4B-BN	1/4 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-4M4B-GFBN	1/4 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M4B-NPP	1/4 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M4B-WPP	1/4 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-4M4B-PVDF	1/4 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-4M4B-PVDFG	1/4 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-4M4B-HDPE	1/4 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M532-NN	1/4 inch MNPT by 5/32 inch Natural Nylon Single Barbed Adapter
AL-R-4M532-WN	1/4 inch MNPT by 5/32 inch White Nylon Single Barbed Adapter
AL-R-4M532-BN	1/4 inch MNPT by 5/32 inch Black Nylon Single Barbed Adapter
AL-R-4M532-GFBN	1/4 inch MNPT by 5/32 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M532-NPP	1/4 inch MNPT by 5/32 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M532-WPP	1/4 inch MNPT by 5/32 inch White Polypropylene Single Barbed Adapter
AL-R-4M532-PVDF	1/4 inch MNPT by 5/32 inch PVDF Single Barbed Adapter
AL-R-4M532-PVDFG	1/4 inch MNPT by 5/32 inch Gray PVDF Single Barbed Adapter
AL-R-4M532-HDPE	1/4 inch MNPT by 5/32 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M5B-NN	1/4 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-4M5B-WN	1/4 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-4M5B-BN	1/4 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-4M5B-GFBN	1/4 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M5B-NPP	1/4 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M5B-WPP	1/4 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-4M5B-PVDF	1/4 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-4M5B-PVDFG	1/4 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-4M5B-HDPE	1/4 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M6B-BN	1/4 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-4M6B-GFBN	1/4 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter

SKU	Description
AL-R-4M8B-NN	1/4 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-4M8B-WN	1/4 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-4M8B-BN	1/4 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-4M8B-GFBN	1/4 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M8B-NPP	1/4 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M8B-WPP	1/4 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-4M8B-PVDF	1/4 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-4M8B-PVDFG	1/4 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-4M8B-HDPE	1/4 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M4B-NN	3/8 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-6M4B-WN	3/8 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-6M4B-BN	3/8 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-6M4B-GFBN	3/8 inch MNPT by 1/4 inch Natural Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M4B-NPP	3/8 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M4B-WPP	3/8 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-6M4B-PVDF	3/8 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-6M4B-PVDFG	3/8 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-6M4B-HDPE	3/8 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M5B-NN	3/8 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-6M5B-WN	3/8 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-6M5B-BN	3/8 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-6M5B-GFBN	3/8 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M5B-NPP	3/8 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M5B-WPP	3/8 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-6M5B-PVDF	3/8 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-6M5B-PVDFG	3/8 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-6M5B-HDPE	3/8 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M6B-NN	3/8 NPT by 3/8 Barb Elbow Natural Nylon Single Barbed Adapter
AL-R-6M6B-WN	3/8 NPT by 3/8 Barb Elbow White Nylon Single Barbed Adapter
AL-R-6M6B-BN	3/8 NPT by 3/8 Barb Elbow Black Nylon Single Barbed Adapter
AL-R-6M6B-GFBN	3/8 NPT by 3/8 Barb Elbow Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M6B-NPP	3/8 NPT by 3/8 Barb Elbow Natural Polypropylene Single Barbed Adapter
AL-R-6M6B-WPP	3/8 NPT by 3/8 Barb Elbow White Polypropylene Single Barbed Adapter
AL-R-6M6B-PVDF	3/8 NPT by 3/8 Barb Elbow PVDF Single Barbed Adapter
AL-R-6M6B-PVDFG	3/8 NPT by 3/8 Barb Elbow Gray PVDF Single Barbed Adapter
AL-R-6M6B-HDPE	3/8 NPT by 3/8 Barb Elbow High-Density Polyethylene Single Barbed Adapter
AL-R-6M8B-NN	3/8 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-6M8B-WN	3/8 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-6M8B-BN	3/8 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter

SKU	Description
AL-R-6M8B-GFBN	3/8 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M8B-NPP	3/8 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M8B-WPP	3/8 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-6M8B-PVDF	3/8 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-6M8B-PVDFG	3/8 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-6M8B-HDPE	3/8 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M4B-NN	1/2 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-8M4B-WN	1/2 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-8M4B-BN	1/2 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-8M4B-GFBN	1/2 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M4B-NPP	1/2 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M4B-WPP	1/2 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-8M4B-PVDF	1/2 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-8M4B-PVDFG	1/2 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-8M4B-HDPE	1/2 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M6B-NN	1/2 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-8M6B-WN	1/2 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-8M6B-BN	1/2 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-8M6B-GFBN	1/2 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M6B-NPP	1/2 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M6B-WPP	1/2 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-8M6B-PVDF	1/2 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-8M6B-PVDFG	1/2 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-8M6B-HDPE	1/2 inch MNPT by 3/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M8B-NN	1/2 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-8M8B-WN	1/2 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-8M8B-BN	1/2 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-8M8B-GFBN	1/2 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M8B-NPP	1/2 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M8B-WPP	1/2 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-8M8B-PVDF	1/2 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-8M8B-PVDFG	1/2 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-8M8B-HDPE	1/2 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M10B-NN	1/2 inch MNPT by 5/8 inch Natural Nylon Single Barbed Adapter
AL-R-8M10B-WN	1/2 inch MNPT by 5/8 inch White Nylon Single Barbed Adapter
AL-R-8M10B-BN	1/2 inch MNPT by 5/8 inch Black Nylon Single Barbed Adapter
AL-R-8M10B-GFBN	1/2 inch MNPT by 5/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M10B-NPP	1/2 inch MNPT by 5/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M10B-WPP	1/2 inch MNPT by 5/8 inch White Polypropylene Single Barbed Adapter
AL-R-8M10B-PVDF	1/2 inch MNPT by 5/8 inch PVDF Single Barbed Adapter

SKU	Description
AL-R-8M10B-PVDFG	1/2 inch MNPT by 5/8 inch Gray PVDF Single Barbed Adapter
AL-R-8M10B-HDPE	1/2 inch MNPT by 5/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M12B-NN	1/2 inch MNPT by 3/4 inch Natural Nylon Single Barbed Adapter
AL-R-8M12B-WN	1/2 inch MNPT by 3/4 inch White Nylon Single Barbed Adapter
AL-R-8M12B-BN	1/2 inch MNPT by 3/4 inch Black Nylon Single Barbed Adapter
AL-R-8M12B-GFBN	1/2 inch MNPT by 3/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M12B-NPP	1/2 inch MNPT by 3/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M12B-WPP	1/2 inch MNPT by 3/4 inch White Polypropylene Single Barbed Adapter
AL-R-8M12B-PVDF	1/2 inch MNPT by 3/4 inch PVDF Single Barbed Adapter
AL-R-8M12B-PVDFG	1/2 inch MNPT by 3/4 inch Gray PVDF Single Barbed Adapter
AL-R-8M12B-HDPE	1/2 inch MNPT by 3/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M4B-NN	3/4 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-12M4B-WN	3/4 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-12M4B-BN	3/4 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-12M4B-GFBN	3/4 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M4B-NPP	3/4 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M4B-WPP	3/4 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-12M4B-PVDF	3/4 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-12M4B-PVDFG	3/4 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-12M4B-HDPE	3/4 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M6B-NN	3/4 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-12M6B-WN	3/4 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-12M6B-BN	3/4 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-12M6B-GFBN	3/4 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M6B-NPP	3/4 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M6B-WPP	3/4 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-12M6B-PVDF	3/4 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-12M6B-PVDFG	3/4 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-12M6B-HDPE	3/4 inch MNPT by 3/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M8B-NN	3/4 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-12M8B-WN	3/4 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-12M8B-BN	3/4 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-12M8B-GFBN	3/4 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M8B-NPP	3/4 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M8B-WPP	3/4 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-12M8B-PVDF	3/4 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-12M8B-PVDFG	3/4 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-12M8B-HDPE	3/4 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M10B-NN	3/4 inch MNPT by 5/8 inch Natural Nylon Single Barbed Adapter
AL-R-12M10B-WN	3/4 inch MNPT by 5/8 inch White Nylon Single Barbed Adapter

SKU	Description
AL-R-12M10B-BN	3/4 inch MNPT by 5/8 inch Black Nylon Single Barbed Adapter
AL-R-12M10B-GFBN	3/4 inch MNPT by 5/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M10B-NPP	3/4 inch MNPT by 5/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M10B-WPP	3/4 inch MNPT by 5/8 inch White Polypropylene Single Barbed Adapter
AL-R-12M10B-PVDF	3/4 inch MNPT by 5/8 inch PVDF Single Barbed Adapter
AL-R-12M10B-PVDFG	3/4 inch MNPT by 5/8 inch Gray PVDF Single Barbed Adapter
AL-R-12M10B-HDPE	3/4 inch MNPT by 5/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M12B-NN	3/4 inch MNPT by 3/4 inch Natural Nylon Single Barbed Adapter
AL-R-12M12B-WN	3/4 inch MNPT by 3/4 inch White Nylon Single Barbed Adapter
AL-R-12M12B-BN	3/4 inch MNPT by 3/4 inch Black Nylon Single Barbed Adapter
AL-R-12M12B-GFBN	3/4 inch MNPT by 3/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M12B-NPP	3/4 inch MNPT by 3/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M12B-WPP	3/4 inch MNPT by 3/4 inch White Polypropylene Single Barbed Adapter
AL-R-12M12B-PVDF	3/4 inch MNPT by 3/4 inch PVDF Single Barbed Adapter
AL-R-12M12B-PVDFG	3/4 inch MNPT by 3/4 inch Gray PVDF Single Barbed Adapter
AL-R-12M12B-HDPE	3/4 inch MNPT by 3/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M16B-NN	3/4 inch MNPT by 1 inch Natural Nylon Single Barbed Adapter
AL-R-12M16B-WN	3/4 inch MNPT by 1 inch White Nylon Single Barbed Adapter
AL-R-12M16B-BN	3/4 inch MNPT by 1 inch Black Nylon Single Barbed Adapter
AL-R-12M16B-GFBN	3/4 inch MNPT by 1 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M16B-NPP	3/4 inch MNPT by 1 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M16B-WPP	3/4 inch MNPT by 1 inch White Polypropylene Single Barbed Adapter
AL-R-12M16B-PVDF	3/4 inch MNPT by 1 inch PVDF Single Barbed Adapter
AL-R-12M16B-PVDFG	3/4 inch MNPT by 1 inch Gray PVDF Single Barbed Adapter
AL-R-12M16B-HDPE	3/4 inch MNPT by 1 inch High-Density Polyethylene Single Barbed Adapter
AL-R-16M16B-NN	1 inch MNPT by 1 inch Natural Nylon Single Barbed Adapter
AL-R-16M16B-WN	1 inch MNPT by 1 inch White Nylon Single Barbed Adapter
AL-R-16M16B-BN	1 inch MNPT by 1 inch Black Nylon Single Barbed Adapter
AL-R-16M16B-GFBN	1 inch MNPT by 1 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-16M16B-NPP	1 inch MNPT by 1 inch Natural Polypropylene Single Barbed Adapter
AL-R-16M16B-WPP	1 inch MNPT by 1 inch White Polypropylene Single Barbed Adapter
AL-R-16M16B-PVDF	1 inch MNPT by 1 inch PVDF Single Barbed Adapter
AL-R-16M16B-PVDFG	1 inch MNPT by 1 inch Gray PVDF Single Barbed Adapter
AL-R-16M16B-HDPE	1 inch MNPT by 1 inch High-Density Polyethylene Single Barbed Adapter



ACE SERIES

The ACE Series are 90° elbow adapters. Materials available include Natural and Black Nylon, Glass-Filled Black Nylon, Natural and White Polypropylene, PVDF and Gray PVDF, and High-Density Polyethylene. Available in 10-32 inch Male UNF threads, 1/4-28 inch Male UNF threads, 10-32 inch Male UNF taper threads, and in 1/16 inch MNPT. Also available in barb sizes of 1/16 inch, 3/32 inch, 5/32 inch, 1/8 inch, and 3/16 inch.

SKU	Description
ACE-101B-BN	10-32 inch Male UNF by 1/16 inch Black Nylon Barbed Elbow Adapter
ACE-101B-GFBN	10-32 inch Male UNF by 1/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-101B-GPVDF	10-32 inch Male UNF by 1/16 inch Gray PVDF Barbed Elbow Adapter
ACE-101B-HDPE	10-32 inch Male UNF by 1/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-101B-NN	10-32 inch Male UNF by 1/16 inch Natural Nylon Barbed Elbow Adapter
ACE-101B-NPP	10-32 inch Male UNF by 1/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-101B-PVDF	10-32 inch Male UNF by 1/16 inch PVDF Barbed Elbow Adapter
ACE-101B-WPP	10-32 inch Male UNF by 1/16 inch White Polypropylene Barbed Elbow Adapter
ACE-102B-BN	10-32 inch Male UNF by 1/8 inch Black Nylon Barbed Elbow Adapter
ACE-102B-GFBN	10-32 inch Male UNF by 1/8 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-102B-GPVDF	10-32 inch Male UNF by 1/8 inch Gray PVDF Barbed Elbow Adapter
ACE-102B-HDPE	10-32 inch Male UNF by 1/8 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-102B-NN	10-32 inch Male UNF by 1/8 inch Natural Nylon Barbed Elbow Adapter
ACE-102B-NPP	10-32 inch Male UNF by 1/8 inch Natural Polypropylene Barbed Elbow Adapter
ACE-102B-PVDF	10-32 inch Male UNF by 1/8 inch PVDF Barbed Elbow Adapter
ACE-102B-WPP	10-32 inch Male UNF by 1/8 inch White Polypropylene Barbed Elbow Adapter
ACE-10332B-BN	10-32 inch Male UNF by 3/32 inch Black Nylon Barbed Elbow Adapter
ACE-10332B-GFBN	10-32 inch Male UNF by 3/32 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-10332B-GPVDF	10-32 inch Male UNF by 3/32 inch Gray PVDF Barbed Elbow Adapter
ACE-10332B-HDPE	10-32 inch Male UNF by 3/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10332B-NN	10-32 inch Male UNF by 3/32 inch Natural Nylon Barbed Elbow Adapter

SKU	Description
ACE-10332B-NPP	10-32 inch Male UNF by 3/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10332B-PVDF	10-32 inch Male UNF by 3/32 inch PVDF Barbed Elbow Adapter
ACE-10332B-WPP	10-32 inch Male UNF by 3/32 inch White Polypropylene Barbed Elbow Adapter
ACE-10532B-BN	10-32 inch Male UNF by 5/32 inch Black Nylon Barbed Elbow Adapter
ACE-10532B-GFBN	10-32 inch Male UNF by 5/32 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-10532B-GPVDF	10-32 inch Male UNF by 5/32 inch Gray PVDF Barbed Elbow Adapter
ACE-10532B-HDPE	10-32 inch Male UNF by 5/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10532B-NN	10-32 inch Male UNF by 5/32 inch Natural Nylon Barbed Elbow Adapter
ACE-10532B-NPP	10-32 inch Male UNF by 5/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10532B-PVDF	10-32 inch Male UNF by 5/32 inch PVDF Barbed Elbow Adapter
ACE-10532B-WPP	10-32 inch Male UNF by 5/32 inch White Polypropylene Barbed Elbow Adapter
ACE-10T1B-BN	10-32 inch Male UNF Taper by 1/16 inch Black Nylon Barbed Elbow Adapter
ACE-10T1B-GFBN	10-32 inch Male UNF Taper by 1/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-10T1B-GPVDF	10-32 inch Male UNF Taper by 1/16 inch Gray PVDF Barbed Elbow Adapter
ACE-10T1B-HDPE	10-32 inch Male UNF Taper by 1/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10T1B-NN	10-32 inch Male UNF Taper by 1/16 inch Natural Nylon Barbed Elbow Adapter
ACE-10T1B-NPP	10-32 inch Male UNF Taper by 1/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10T1B-PVDF	10-32 inch Male UNF Taper by 1/16 inch PVDF Barbed Elbow Adapter
ACE-10T1B-WPP	10-32 inch Male UNF Taper by 1/16 inch White Polypropylene Barbed Elbow Adapter
ACE-10T2B-BN	10-32 inch Male UNF Taper by 1/8 inch Black Nylon Barbed Elbow Adapter
ACE-10T2B-GFBN	10-32 inch Male UNF Taper by 1/8 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-10T2B-GPVDF	10-32 inch Male UNF Taper by 1/8 inch Gray PVDF Barbed Elbow Adapter
ACE-10T2B-HDPE	10-32 inch Male UNF Taper by 1/8 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10T2B-NN	10-32 inch Male UNF Taper by 1/8 inch Natural Nylon Barbed Elbow Adapter
ACE-10T2B-NPP	10-32 inch Male UNF Taper by 1/8 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10T2B-PVDF	10-32 inch Male UNF Taper by 1/8 inch PVDF Barbed Elbow Adapter
ACE-10T2B-WPP	10-32 inch Male UNF Taper by 1/8 inch White Polypropylene Barbed Elbow Adapter
ACE-10T332B-BN	10-32 inch Male UNF Taper by 3/32 inch Black Nylon Barbed Elbow Adapter

SKU	Description
ACE-10T332B-GFBN	10-32 inch Male UNF Taper by 3/32 inch Glass-Filled Black Nylon Barbed Elbow
ACE-10T332B-GPVDF	10-32 inch Male UNF Taper by 3/32 inch Gray PVDF Barbed Elbow Adapter
ACE-10T332B-HDPE	10-32 inch Male UNF Taper by 3/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-10T332B-NN	10-32 inch Male UNF Taper by 3/32 inch Natural Nylon Barbed Elbow Adapter
ACE-10T332B-NPP	10-32 inch Male UNF Taper by 3/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-10T332B-PVDF	10-32 inch Male UNF Taper by 3/32 inch PVDF Barbed Elbow Adapter
ACE-10T332B-WPP	10-32 inch Male UNF Taper by 3/32 inch White Polypropylene Barbed Elbow Adapter
ACE-142B-BN	14-28 inch Male UNF by 1/8 inch Black Nylon Barbed Elbow Adapter
ACE-142B-GFBN	14-28 inch Male UNF by 1/8 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-142B-GPVDF	14-28 inch Male UNF by 1/8 inch Gray PVDF Barbed Elbow Adapter
ACE-142B-HDPE	14-28 inch Male UNF by 1/8 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-142B-NN	14-28 inch Male UNF by 1/8 inch Natural Nylon Barbed Elbow Adapter
ACE-142B-NPP	14-28 inch Male UNF by 1/8 inch Natural Polypropylene Barbed Elbow Adapter
ACE-142B-PVDF	14-28 inch Male UNF by 1/8 inch PVDF Barbed Elbow Adapter
ACE-142B-WPP	14-28 inch Male UNF by 1/8 inch White Polypropylene Barbed Elbow Adapter
ACE-143B-BN	1/4-28 inch Male UNF by 3/16 inch Black Nylon Barbed Elbow Adapter
ACE-143B-GFBN	1/4-28 inch Male UNF by 3/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-143B-GPVDF	1/4-28 inch Male UNF by 3/16 inch Gray PVDF Barbed Elbow Adapter
ACE-143B-HDPE	1/4-28 inch Male UNF by 3/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-143B-NN	1/4-28 inch Male UNF by 3/16 inch Natural Nylon Barbed Elbow Adapter
ACE-143B-NPP	1/4-28 inch Male UNF by 3/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-143B-PVDF	1/4-28 inch Male UNF by 3/16 inch PVDF Barbed Elbow Adapter
ACE-143B-WPP	1/4-28 inch Male UNF by 3/16 inch White Polypropylene Barbed Elbow Adapter
ACE-1M1B-BN	1/16 inch MNPT by 1/16 inch Black Nylon Barbed Elbow Adapter
ACE-1M1B-GFBN	1/16 inch MNPT by 1/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M1B-GPVDF	1/16 inch MNPT by 1/16 inch Gray PVDF Barbed Elbow Adapter
ACE-1M1B-HDPE	1/16 inch MNPT by 1/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M1B-NN	1/16 inch MNPT by 1/16 inch Natural Nylon Barbed Elbow Adapter
ACE-1M1B-NPP	1/16 inch MNPT by 1/16 inch Natural Polypropylene Barbed Elbow Adapter

SKU	Description
ACE-1M1B-PVDF	1/16 inch MNPT by 1/16 inch PVDF Barbed Elbow Adapter
ACE-1M1B-WPP	1/16 inch MNPT by 1/16 inch White Polypropylene Barbed Elbow Adapter
ACE-1M2B-BN	1/16 inch MNPT by 1/8 inch Black Nylon Barbed Elbow Adapter
ACE-1M2B-GFBN	1/16 inch MNPT by 1/8 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M2B-GPVDF	1/16 inch MNPT by 1/8 inch Gray PVDF Barbed Elbow Adapter
ACE-1M2B-HDPE	1/16 inch MNPT by 1/8 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M2B-NN	1/16 inch MNPT by 1/8 inch Natural Nylon Barbed Elbow Adapter
ACE-1M2B-NPP	1/16 inch MNPT by 1/8 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M2B-PVDF	1/16 inch MNPT by 1/8 inch PVDF Barbed Elbow Adapter
ACE-1M2B-WPP	1/16 inch MNPT by 1/8 inch White Polypropylene Barbed Elbow Adapter
ACE-1M332B-BN	1/16 inch MNPT by 3/32 inch Black Nylon Barbed Elbow Adapter
ACE-1M332B-GFBN	1/16 inch MNPT by 3/32 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M332B-GPVDF	1/16 inch MNPT by 3/32 inch Gray PVDF Barbed Elbow Adapter
ACE-1M332B-HDPE	1/16 inch MNPT by 3/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M332B-NN	1/16 inch MNPT by 3/32 inch Natural Nylon Barbed Elbow Adapter
ACE-1M332B-NPP	1/16 inch MNPT by 3/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M332B-PVDF	1/16 inch MNPT by 3/32 inch PVDF Barbed Elbow Adapter
ACE-1M332B-WPP	1/16 inch MNPT by 3/32 inch White Polypropylene Barbed Elbow Adapter
ACE-1M3B-BN	1/16 inch MNPT by 3/16 inch Black Nylon Barbed Elbow Adapter
ACE-1M3B-GFBN	1/16 inch MNPT by 3/16 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M3B-GPVDF	1/16 inch MNPT by 3/16 inch Gray PVDF Barbed Elbow Adapter
ACE-1M3B-HDPE	1/16 inch MNPT by 3/16 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M3B-NK	1/16 inch MNPT by 3/16 inch PVDF Barbed Elbow Adapter
ACE-1M3B-NN	1/16 inch MNPT by 3/16 inch Natural Nylon Barbed Elbow Adapter
ACE-1M3B-NPP	1/16 inch MNPT by 3/16 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M3B-WPP	1/16 inch MNPT by 3/16 inch White Polypropylene Barbed Elbow Adapter
ACE-1M532B-BN	1/16 inch MNPT by 5/32 inch Black Nylon Barbed Elbow Adapter
ACE-1M532B-GFBN	1/16 inch MNPT by 5/32 inch Glass-Filled Black Nylon Barbed Elbow Adapter
ACE-1M532B-GPVDF	1/16 inch MNPT by 5/32 inch Gray PVDF Barbed Elbow Adapter
ACE-1M532B-HDPE	1/16 inch MNPT by 5/32 inch High-Density Polyethylene Barbed Elbow Adapter
ACE-1M532B-NN	1/16 inch MNPT by 5/32 inch Natural Nylon Barbed Elbow Adapter
ACE-1M532B-NPP	1/16 inch MNPT by 5/32 inch Natural Polypropylene Barbed Elbow Adapter
ACE-1M532B-PVDF	1/16 inch MNPT by 5/32 inch PVDF Barbed Elbow Adapter
ACE-1M532B-WPP	1/16 inch MNPT by 5/32 inch White Polypropylene Barbed Elbow Adapter

INDEX

A

ACE Series 21

AL-R THREAD TO BARB PLASTIC ELBOW ADAPTER 14

C

CNR SINGLE BARB CONNECTORS AND REDUCERS 13

H

HN-R STANDARD MALE TO MALE HEX NIPPLE 12

HP-R Series 11

L

L-R STANDARD SINGLE BARB ELBOW CONNECTOR 10

T

T-R Series 7

TR-R Series 4

Y

Y-R Series 1