## **METRIC**



### **YA SERIES**

The YA Series are multi-barbed wye connectors, and are made of Acetal. There is a 90° span between the top two legs of this wye connector. Available barb sizes are 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 7/16 inch, 1/2 inch, 9/16 inch, 3/4 inch, 5/32 inch by 1/4 inch, and 1/4 inch by 5/6 inch. Barb sizes can also be used for metric tubing, see our inches to metric conversion table.

SKU	Description
YA-2	1/8 inch (3 mm) Acetal Multi-Barbed Wye Connector
YA-3	3/16 inch (5 mm) Acetal Multi-Barbed Wye Connector
YA-4	1/4 inch (6 mm) Acetal Multi-Barbed Wye Connector
YA-5	5/16 inch (8 mm) Acetal Multi-Barbed Wye Connector
YA-532	5/32 inch (4 mm) Acetal Multi-Barbed Wye Connector
YA-6	3/8 inch (10 mm) Acetal Multi-Barbed Wye Connector
YA-7	7/16 inch (11 mm) Acetal Multi-Barbed Wye Connector
YA-8	1/2 inch (13 mm) Acetal Multi-Barbed Wye Connector
YA-9	9/16 inch (14 mm) Acetal Multi-Barbed Wye Connector
YA-10	5/8 inch (16 mm) Acetal Multi-Barbed Wye Connector
YA-12	3/4 inch (19 mm) Acetal Multi-Barbed Wye Connector
YA-532-4	5/32 inch by 1/4 inch Acetal Multi-Barbed Wye Connector
YA-4-5	1/4 inch by 5/16 inch Acetal Multi-Barbed Wye Connector

### PNEULINE SUPPLY INC.



#### **PPF SERIES**

The PPF Series is a push-to-connect cap for use with all push-to-connect fittings to block a port. The body is PBT with a Buna-N O-Ring. This fitting is also available in metric sizes.

SKU	Description
PPF-14	1/4 inch PBT Push-to-Connect Cap
PPF-38	3/8 inch PBT Push-to-Connect Cap
PPF-532	5/32 inch PBT Push-to-Connect Cap



# A-S & A-S-M SINGLE BARB THREADED ADAPTERS

The A-S Series is a series of single barbed adapters with 10-32 inch and 1/4-28 inch male UNF threads, available either tapered or straight. Combined with this series is the A-S-M Series, which are available in Metric thread sizes of 5m and 6m. Both adapters are available in Black and White Nylon, Natural Polypropylene, and PVDF.

SKU	Description
A-S-10332B-BN	10-32 inch Male UNF by 3/32 inch Black Nylon Single Barbed Adapter
A-S-10332B-WN	10-32 inch Male UNF by 3/32 inch White Nylon Single Barbed Adapter
A-S-10332B-NPP	10-32 inch Male UNF by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-10332B-PVDF	10-32 inch Male UNF by 3/32 inch PVDF Single Barbed Adapter
A-S-101B-BN	10-32 inch Male UNF by 1/16 inch Black Nylon Single Barbed Adapter
A-S-101B-WN	10-32 inch Male UNF by 1/16 inch White Nylon Single Barbed Adapter
A-S-101B-NPP	10-32 inch Male UNF by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-101B-PVDF	10-32 inch Male UNF by 1/16 inch PVDF Single Barbed Adapter
A-S-10532B-WN	10-32 inch Male UNF by 5/32 inch White Nylon Single Barbed Adapter
A-S-10532B-PP	10-32 inch Male UNF by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-10532B-PVDF	10-32 inch Male UNF by 5/32 inch PVDF Single Barbed Adapter
A-S102B-BN	10-32 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-S-102B-WN	10-32 inch Male UNF by 1/8 inch White Nylon Single Barbed Adapter

# PNEULINE SUPPLY INC.

SKU	Description
A-S-102B-PP	10-32 inch Male UNF by 1/8 inch Polypropylene Single Barbed Adapter
A-S-102B-PVDF	10-32 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-S-14332B-WN	1/4-28 inch Male UNF by 3/32 inch White Nylon Single Barbed Adapter
A-S-14332B-NPP	1/4-28 inch Male UNF by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-14332B-PVDF	1/4-28 inch Male UNF byb 3/32 inch PVDF Single Barbed Adapter
A-S-141B-NPP	1/4-28 inch Male UNF by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-141B-WN	1/4-28 inch Male UNF by 1/16 inch White Nylon Single Barbed Adapter
A-S-14532B-WN	1/4-28 inch Male UNF by 5/32 inch White Nylon Single Barbed Adapter
A-S-14532B-BK	1/4-28 inch Male UNF by 5/32 inch Black Nylon Single Barbed Adapter
A-S-14532B-NPP	1/4-28 inch Male UNF by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-14532B-PVDF	1/4-28 inch Male UNF by 5/32 inch PVDF Single Barbed Adapter
A-S-142B-WN	1/4-28 inch Male UNF by 1/8 inch White Nylon Single Barbed Adapter
A-S-142B-BN	1/4-28 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-S-142B-NPP	1/4-28 inch Male UNF by 1/8 inch Natural Polypropylene Single Barbed Adapter
A-S-142B-PVDF	1/4-28 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-S-143B-WN	1/4-28 inch Male UNF by 3/16 inch White Nylon Single Barbed Adapter
A-S-143B-BN	1/4-28 inch Male UNF by 3/16 inch Black Nylon Single Barbed Adapter
A-S-143B-NPP	1/4-28 inch Male UNF by 3/16 inch Natural Polypropylene Single Barbed Adapter
A-S-143B-PVDF	1/4-28 inch Male UNF by 3/16 inch PVDF Single Barbed Adapter
A-S-M5-1B-WN	5M Metric Thread by 1/16 inch White Nylon Single Barbed Adapter
A-S-M5-1B-BN	5M Metric Thread by 1/16 inch Black Nylon Single Barbed Adapter
A-S-M5-1B-NPP	5M Metric Thread by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-M5-332B-WN	5M Metric Thread by 3/32 inch White Nylon Single Barbed Adapter
A-S-M5-332B-BN	5M Metric Thread by 3/32 inch Black Nylon Single Barbed Adapter
A-S-M5-332B-NPP	5M Metric Thread by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-M5-532B-WN	5M Metric Thread by 5/32 inch White Nylon Single Barbed Adapter
A-S-M5-532B-NPP	5M Metric Thread by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-2B-WN	6M Metric Thread by 1/8 inch White Nylon Single Barbed Adapter
A-S-M6-2B-BN	6M Metric Thread by 1/8 inch Black Nylon Single Barbed Adapter
A-S-M6-2B-NPP	6M Metric Thread by 1/8 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-3B-NPP	6M Metric Thread by 3/16 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-3B-BN	6M Metric Thread by 3/16 inch Black Nylon Single Barbed Adapter
A-S-M6-3B-PVDF	6M Metric Thread by 3/16 inch PVDF Single Barbed Adapter

# PNEULINE SUPPLY INC.

## **INDEX**

Α

A-S & A-S-M SINGLE BARB THREADED ADAPTERS 2

Ρ

PPF Series 2

Y

YA Series 1