

MULTI-BARB



YSP SERIES

The YSP Series is a low pressure wye connector made of FDA listed Natural Polypropylene. This wye connector comes in six equal barb sizes: 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, and 1/2 inch. The maximum pressure is 20 psi and the maximum working temperature is 198°F. This wye is autoclavable.

SKU	Description
YSP-2B-FDA	1/8 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-3B-FDA	3/16 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-4B-FDA	1/4 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-5B-FDA	5/16 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-6B-FDA	3/8 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-8B-FDA	1/2 inch FDA Polypropylene Multi-Barbed Wye Connector



SSBM SERIES

The SSBM Series Multi-Barbed Hose Splicer Fitting is made of 303 Stainless Steel and is available in straight barb sizes of 1/4 inch and 3/8 inch. The available reducing barb size is 3/8 inch by 1/4 inch.

SKU	Description
SSBM-4B4B	1/4 Barb by 1/4 Barb Stainless Steel Splicer
SSBM-6B6B	3/8 Barb by 3/8 Barb Stainless Steel Splicer
SSBM-6B4B	3/8 Barb by 1/4 Barb Stainless Steel Splicer Reducer



SKHB SERIES

The SKHB Series is a cast 316 Stainless Steel adapter from male NPT threads to barb. The available MNPT thread sizes and barb sizes are: 1/4 inch, 3/8 inch, 1/2 inch, 3/4 inch, 1 inch, 1-1/4 inch, 1-1/2 inch, 2 inch, 2-1/2 inch, 3 inch, and 4 inch.

SKU	Description
SKHB-4M4B	1/4 MNPT by 1/4 Barb Cast 316 Stainless Steel Adapter
SKHB-6M6B	3/8 MNPT by 3/8 Barb Cast 316 Stainless Steel Adapter
SKHB-8M8B	1/2 MNPT by 1/2 Barb Cast 316 Stainless Steel Adapter
SKHB-12M12B	3/4 MNPT by 3/4 Barb Cast 316 Stainless Steel Adapter
SKHB-16M16B	1 inch MNPT by 1 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-20M20B	1-1/4 inch MNPT by 1-1/4 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-24M24B	1-1/2 inch MNPT by 1-1/2 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-32M32B	2 inch MNPT by 2 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-40M40B	2-1/2 inch MNPT by 2-1/2 Inch Barb Cast 316 Stainless Steel Adapter
SKHB-48M48B	3 inch MNPT by 3 Inch Barb Cast 316 Stainless Steel Adapter



SCHB THREADED BARB TO BARB ADAPTER (304 STAINLESS STEEL)

The SCHB Series is a cast 304 Stainless Steel Male NPT threads by barb adapter. Also available are barb to MNPT thread reducers. The available MNPT thread sizes are 1/4 inch, 3/8 inch, 1/2 inch, 1/8 inch, and 3/8 inch. The available barb sizes are 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch.

SKU	Description
SCHB-4M4B	1/4 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M6B	3/8 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M8B	1/2 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-2M4B	1/8 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-4B6B	1/4 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M8B	3/8 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M12B	1/2 inch MNPT by 3/4 inch Cast 304 Stainless Steel Barbed Adapter



SAMGB SERIES

Male garden hose by barb. Barb sizes available 3/16", 3/8", 1/2", 5/8" and 3/4". Machined of 316 Stainless Steel.

SKU	Description
SAMGB-10B	3/4 MGH by 5/8 Barb 316 Stainless Steel
SAMGB-12B	3/4 MGH by 3/4 Barb 316 Stainless Steel
SAMGB-8B	3/4 MGH by 1/2 Barb 316 Stainless Steel



SAFGB SERIES

316 Stainless Steel garden hose Adapter, barbed. Barb sizes are: 1/2", 5/8" and 3/4".

SKU	Description
SAFGB-8B	3/4 inch FGH by 1/2 inch 316 Stainless Steel Multi-Barbed Garden Hose Adapter
SAFGB-10B	3/4 inch FGH by 5/8 inch 316 Stainless Steel Multi-Barbed Garden Hose Adapter
SAFGB-12B	3/4 inch FGH by 3/4 inch 316 Stainless Steel Multi-Barbed Garden Hose Adapter

DC SERIES



The DC Series Brass bite-style multi-barb male connector comes in barb sizes of 5/32 inch, 1/4 inch, 3/8 inch, and 1/2 inch for ID tube sizes of .096 inch, .170 inch, .250 inch, and .375 inch. Also available in a reducer connector. The barb sizes for the reducer connector are 1/4 inch by 5/32 inch, 1/4 inch by 3/8 inch, 1/4 inch by 1/2 inch, and 3/8 inch by 1/2 inch for ID tube sizes of .096 inch, .170 inch, .250 inch, and .375 inch. Working temperatures are from -65° F to 90° F. The maximum working pressure is 150 psi. Made for Polyethylene tubing.

SKU	Description
DC-332	3/32 inch Bite-Style Multi-Barbed Brass Connector
DC-250	1/4 inch Bite-Style Multi-Barbed Brass Connector
DC-375	3/8 inch Bite-Style Multi-Barbed Brass Connector
DC-170	.170 inch Bite-Style Multi-Barbed Brass Connector
DC-375250	.375 inch by .250 inch Bite-Style Multi-Barbed Brass Connector
DC-375170	.375 inch by .170 inch Bite-Style Multi-Barbed Brass Connector
DC-250170	.250 inch by .170 inch Bite-Style Multi-Barbed Brass Connector
DC-170332	.170 inch by 3/32 inch Bite-Style Multi-Barbed Brass Connector

BHFT SERIES



The BHFT Series is a multi-barbed Brass Tee Adapter with female NPT threads to barbs. FNPT thread sizes are: 1/8 inch, 1/4 inch, and 3/8 inch. Barb sizes are 1/4 inch, 5/16 inch, and 3/8 inch. This series is in Barstock only. Available in Nickel Plate.

SKU	Description
BHFT-2F4B	1/8 inch FNPT by 1/4 inch Brass Multi-Barbed Tee Adapter
BHFT-2F5B	1/8 inch FNPT by 5/16 inch Brass Multi-Barbed Tee Adapter
BHFT-2F6B	1/8 inch FNPT by 3/8 inch Brass Multi-Barbed Tee Adapter
BHFT-4F4B	1/4 inch FNPT by 1/4 inch Brass Multi-Barbed Tee Adapter
BHFT-4F6B	1/4 inch FNPT by 3/8 inch Brass Multi-Barbed Tee Adapter
BHFT-6F6B	3/8 inch FNPT by 3/8 inch Brass Multi-Barbed Tee Adapter

AO-IG SERIES



The AO-IG Series is a thread-to-barb fitting made of FDA-approved Polysulfone with an integral precision orifice. The threads are 10-32 inch male UNF threads and the barbs are either 1/8 inch or 1/16 inch. The maximum operating pressure is 100 psi.

SKU	Description
AO-IG-10X1B-004	10-32 inch Male UNF by 1/16 inch, .004 Polysulfone Adapter Orifice
AO-IG-10X1B-005	10-32 inch Male UNF by 1/16 inch, .005 Polysulfone Adapter Orifice
AO-IG-10X1B-006	10-32 inch Male UNF by 1/16 inch, .006 Polysulfone Adapter Orifice
AO-IG-10X1B-007	10-32 inch Male UNF by 1/16 inch, .007 Polysulfone Adapter Orifice
AO-IG-10X1B-010	10-32 inch Male UNF by 1/16 inch, .010 Polysulfone Adapter Orifice
AO-IG-10X1B-012	10-32 inch Male UNF by 1/16 inch, .012 Polysulfone Adapter Orifice
AO-IG-10X1B-016	10-32 inch Male UNF by 1/16 inch, .016 Polysulfone Adapter Orifice
AO-IG-10X1B-020	10-32 inch Male UNF by 1/16 inch, .020 Polysulfone Adapter Orifice
AO-IG-10X1B-025	10-32 inch Male UNF by 1/16 inch, .025 Polysulfone Adapter Orifice
AO-IG-10X1B-030	10-32 inch Male UNF by 1/16 inch, .030 Polysulfone Adapter Orifice
AO-IG-10X1B-040	10-32 inch Male UNF by 1/16 inch, .040 Polysulfone Adapter Orifice
AO-IG-10X2B-004	10-32 inch Male UNF by 1/8 inch, .004 Polysulfone Adapter Orifice
AO-IG-10X2B-005	10-32 inch Male UNF by 1/8 inch, .005 Polysulfone Adapter Orifice
AO-IG-10X2B-006	10-32 inch Male UNF by 1/8 inch, .006 Polysulfone Adapter Orifice
AO-IG-10X2B-007	10-32 inch Male UNF by 1/8 inch, .007 Polysulfone Adapter Orifice
AO-IG-10X2B-010	10-32 inch Male UNF by 1/8 inch, .010 Polysulfone Adapter Orifice
AO-IG-10X2B-012	10-32 inch Male UNF by 1/8 inch, .012 Polysulfone Adapter Orifice
AO-IG-10X2B-016	10-32 inch Male UNF by 1/8 inch, .016 Polysulfone Adapter Orifice
AO-IG-10X2B-020	10-32 inch Male UNF by 1/8 inch, .020 Polysulfone Adapter Orifice
AO-IG-10X2B-025	10-32 inch Male UNF by 1/8 inch, .025 Polysulfone Adapter Orifice
AO-IG-10X2B-030	10-32 inch Male UNF by 1/8 inch, .030 Polysulfone Adapter Orifice
AO-IG-10X2B-040	10-32 inch Male UNF by 1/8 inch, .040 Polysulfone Adapter Orifice

INDEX

A

AO-IG Series 5

B

BHFT Series 4

D

DC Series 4

S

SAFGB Series 3

SAMGB Series 3

SCHB THREADED BARB TO BARB ADAPTER (304 STAINLESS STEEL) 2

SKHB Series 2

SSBM Series 1

Y

YSP Series 1