

RED NYLON

VC-T SINGLE BARB VACUUM REDUCING TEES



The VC-T Series is a series of single barbed vacuum Tees, available materials are Natural Nylon and Red Nylon. Reducing Tees (VC-TR) are available in Natural, White, and Black Nylon 6/6. The temperature range for these tees is -20° F to 212° F. They can be used for air, liquid, and vapor.

Limited quantities.

SKU	Description
VC-T-3B4B	3/16 by 1/4 Vacuum Reducing Tee
VC-T-6B4B	3/8 by 1/4 Vacuum Reducing Tee
VC-TR-2B3B	1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B3B	3/16 by 1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B	3/16 by 1/8 Vacuum Reducing Tee
VC-TR-4B3B	1/4 by 3/16 Vacuum Reducing Tee
VC-TR-6B3B6B	3/8 by 3/16 by 3/8 Vacuum Reducing Tee



CR-S SERIES

The CR-S Series are standard equal and reducing single barbed straight connectors with no parting line on the barb. These are ideal for medical and laboratory environments. The barbs will expand tubing up to 50% above its normal size. Both equal and reducing connectors are produced of White and Black Nylon, Natural Polypropylene, PVDF, and Polycarbonate. Equal connectors also have the options of Red and Blue Nylon. Orifices are also available. Equal barb sizes: 1/8 inch. Reducing barb sizes: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CR-S-2B2B-WN	1/8 inch White Nylon Single Barbed Straight Connector
CR-S-2B2B-BN	1/8 inch Black Nylon Single Barbed Straight Connector
CR-S-2B2B-NPP	1/8 inch Natural Polypropylene Single Barbed Straight Connector
CR-S-2B2B-PVDF	1/8 inch PVDF Single Barbed Straight Connector

SKU	Description
CR-S-2B2B-PC	1/8 inch Polycarbonate Single Barbed Straight Connector
CR-S-2B2B-BL	1/8 inch Blue Nylon Single Barbed Straight Connector
CR-S-2B2B-RD	1/8 inch Red Nylon Single Barbed Straight Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B1B-NPP	1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B1B-PC	1/8 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B1B-PVDF	1/8 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-2B1B-WN	1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B332B-BN	1/8 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B332B-NPP	1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B332B-PC	1/8 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B332B-PVDF	1/8 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-2B332B-WN	1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Connector
CR-S-2B332B-YEL	1/8 inch by 3/32 inch Yellow Nylon Single Barbed Reducing Connector
CR-S-332B1B-BN	3/32 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-332B1B-NPP	3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-332B1B-PC	3/32 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-332B1B-PVDF	3/32 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-332B1B-WN	3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-532B332B-BN	5/32 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector
CR-S-532B332B-NPP	5/32 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-532B332B-PC	5/32 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-532B332B-PVDF	5/32 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-532B332B-WN	5/32 inch by 3/32 inch White Nylon Single Barbed Reducing Connector

AM-U SERIES



The AM-U Series is a 1/4-28 inch UNF bottom sealing Swivel fitting. It is available with Polypropylene or PVDF interiors with a Nylon encasement. The Nylon comes in five colors: white, black, red, blue, or green. There are three barb sizes: 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
AM-U-14S1B-NP	1/4-28 inch UNF by 1/16 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S1B-PVDF	1/4-28 inch UNF by 1/16 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S1B-WN	1/4-28 inch UNF by 1/16 inch White Nylon Single Barbed Swivel
AM-U-14S1B-BN	1/4-28 inch UNF by 1/16 inch Black Nylon Single Barbed Swivel
AM-U-14S1B-RD	1/4-28 inch UNF by 1/16 inch Red Nylon Single Barbed Swivel
AM-U-14S1B-BL	1/4-28 inch UNF by 1/16 inch Blue Nylon Single Barbed Swivel
AM-U-14S1B-GN	1/4-28 inch UNF by 1/16 inch Green Nylon Single Barbed Swivel
AM-U-14S2B-NP	1/4-28 inch UNF by 1/8 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S2B-PVDF	1/4-28 inch UNF by 1/8 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S2B-WN	1/4-28 inch UNF by 1/8 inch White Nylon Single Barbed Swivel
AM-U-14S2B-BN	1/4-28 inch UNF by 1/8 inch Black Nylon Single Barbed Swivel
AM-U-14S2B-RD	1/4-28 inch UNF by 1/8 inch Red Nylon Single Barbed Swivel
AM-U-14S2B-BL	1/4-28 inch UNF by 1/8 inch Blue Nylon Single Barbed Swivel
AM-U-14S2B-GN	1/4-28 inch UNF by 1/8 inch Green Nylon Single Barbed Swivel
AM-U-14S332B-NPP	1/4-28 inch UNF by 3/32 inch Natural Polypropylene Single Barbed Swivel
AM-U-14S332B-WNP	1/4-28 inch UNF by 3/32 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S332B-BN	1/4-28 inch UNF by 3/32 inch Black Nylon Single Barbed Swivel
AM-U-14S332B-PVDF	1/4-28 inch UNF by 3/32 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S332B-RD	1/4-28 inch UNF by 3/32 inch Red Nylon Single Barbed Swivel
AM-U-14S332B-BL	1/4-28 inch UNF by 3/32 inch Blue Nylon Single Barbed Swivel
AM-U-14S332BGN	1/4-28 inch UNF by 3/32 inch Green Nylon Single Barbed Swivel

## INDEX

### **A**

AM-U Series 3

### **C**

CR-S Series 1

### **V**

VC-T SINGLE BARB VACUUM REDUCING TEES 1