

REDUCING

PC-IG SERIES- BULKHEAD



PC-IG Series is a reducing and equal bulkhead made of Black and White Nylon and Gray Polypropylene. Barb sizes are 1/16", 1/8", and .170" ID tubing. In addition, the external threads for panel mounting are 1/4-28" and a nut is supplied. The maximum supply pressure is 125 psi and the working temperature ranges are -50° F to 180° F for Nylon and -40° F to 200° F for Polypropylene.

SKU	DESCRIPTION
PC-IG-170B-BN	.170 Barb Black Nylon Bulkhead
PC-IG-170B-GYP	.170 Barb Gray Polypropylene Bulkhead
PC-IG-170B-WN	.170 Barb White Nylon Bulkhead
PC-IG-170BX1B-BN	.170 BY .062 Barb Black Nylon Bulkhead
PC-IG-170BX1B-GYP	.170 BY .062 Barb Gray Polypropylene Bulkhead
PC-IG-170X1B-WN	.170 BY .062 Barb White Nylon Bulkhead
PC-IG-1B-BN	.062 Barb Black Nylon Bulkhead
PC-IG-1B-GYP	.062 Barb Gray Polypropylene Bulkhead
PC-IG-1B-WN	.062 Barb White Nylon Bulkhead
PC-IG-2B-BN	.125 Barb Black Nylon Bulkhead
PC-IG-2B-GYP	.125 Barb Gray Polypropylene Bulkhead
PC-IG-2B-WN	.125 Barb White Nylon Bulkhead
PC-IG-2BX1B-BN	.125 BY .062 Barb Black Nylon Bulkhead
PC-IG-2BX1B-GYP	.125 BY .062 Barb Gray Polypropylene Bulkhead



PC-S SERIES

PC-S Series is a Panel mount reduction Bulkhead made of animal-free natural Polypropylene and White Nylon. The barb sizes are 1/16", 3/32", and 1/8". In addition, the panel mount connector sizes are 10-32" and 1/4-28". A Nylon nut is standard but a Stainless Steel nut is optional.

SKU	DESCRIPTION
PC-S10-1B332B-NPP	10-32 with 1/16 by 3/32 Natural Polypropylene Bulkhead
PC-S10-1B332B-WN	10-32 with 1/16 by 3/32 White Nylon Bulkhead
PC-S10-1B-NPP	10-32 with 1/16 Barb Natural Polypropylene Bulkhead
PC-S10-1B-WN	10-32 with 1/16 Barb White Nylon Bulkhead
PC-S10-332B-NPP	10-32 with 3/32 Barb Natural Polypropylene Bulkhead
PC-S10-332B-WN	10-32 with 3/32 by 3/32 White Nylon Bulkhead
PC-S14-1B2B-NPP	1/4-28 with 1/16 by 1/8 Natural Polypropylene Bulkhead
PC-S14-1B2B-WN	1/4-28 with 1/16 by 1/8 White Nylon Bulkhead
PC-S14-2B-NPP	1/4-28 with 1/8 Barb Natural Polypropylene Bulkhead
PC-S14-2B-WN	1/4-28 with 1/8 by 1/8 White Nylon Bulkhead
PC-S14-332B2B-NPP	1/4-28 with 1/16 by 1/8 Natural Polypropylene Bulkhead
PC-S14-332B2B-WN	1/4-28 with 1/16 by 1/8 White Nylon Bulkhead



PUYR SERIES- PBT REDUCER

The PUYR Series is a compact Straight Wye Reducer fitting that has three push-to-connect ports in a wye pattern with two smaller ports side by side opposite the third larger port. Also, the body is PBT resin with Nickel-plated Brass threads. The working pressure is 150 psi and the temperature range is 32° F to 140° F. For use with compressed air and inert gases.



HBNR SERIES

the HBNR Series is a Male NPT threaded Reducing Hex Nipple. It is available in Brass and Nickel-Plate. The fittings are ASA, ASME, and SAE certified.

SKU	DESCRIPTION
HBNR-4-2	1/4 MNPT by 1/8 MNPT Hex Nipple Reducer NP
HBNR-6-2	3/8 MNPT by 1/8 MNPT Hex Nipple Reducer NP
HBNR-6-4	3/8 MNPT by 1/4 MNPT Hex Nipple Reducer NP
HBNR-8-4	1/2 MNPT by 1/4 MNPT Hex Nipple Reducer NP
HBNR-8-6	1/2 MNPT by 3/8 MNPT Hex Nipple Reducer NP
HBNR-12-8	3/4 MNPT by 1/2 MNPT Hex Nipple Reducer



SSRC SERIES

The SSRC Series is a 304 Stainless Steel NPT threaded connector and reducing connector. It is also available in 316 Stainless Steel.

SKU	DESCRIPTION
SSRC-8	1/2 FNPT Connector
SSRC-12	3/4 FNPT Connector
SSRC-16	1 inch FNPT Connector
SSRC-24	1-1/2 inch FNPT Connector
SSRC-32	2 inch FNPT Connector
SSRC-4-2	1/4 FNPT by 1/8 FNPT Reducer
SSRC-6-2	3/8 FNPT by 1/8 FNPT Reducer
SSRC-6-4	3/8 FNPT by 1/4 FNPT Reducer
SSRC-8-2	1/2 FNPT by 1/8 FNPT Reducer
SSRC-8-4	1/2 FNPT by 1/4 FNPT Reducer
SSRC-8-6	1/2 FNPT by 3/8 FNPT Reducer
SSRC-12-2	3/4 FNPT by 1/8 FNPT Reducer
SSRC-12-4	3/4 FNPT by 1/4 FNPT Reducer
SSRC-12-6	3/4 FNPT by 3/8 FNPT Reducer

SKU	DESCRIPTION
SSRC-12-8	3/4 FNPT by 1/2 FNPT Reducer
SSRC-16-6	1 inch FNPT by 3/8 FNPT Reducer NA 304
SSRC-16-8	1 inch FNPT by 1/2 FNPT Reducer
SSRC-16-12	1 inch FNPT by 3/4 FNPT Reducer
SSRC-20-12	1-1/4 inch FNPT by 3/4 FNPT Reducer
SSRC-20-16	1-1/4 inch FNPT by 1 inch FNPT Reducer
SSRC-24-8	1-1/2 inch FNPT by 1/2 FNPT Reducer
SSRC-24-12	1-1/2 inch FNPT by 3/4 FNPT Reducer
SSRC-24-16	1-1/2 inch FNPT by 1 inch FNPT Reducer
SSRC-24-20	1-1/2 inch FNPT by 1-1/4 inch FNPT Reducer
SSRC-32-16	2 inch FNPT by 1 inch FNPT Reducer
SSRC-32-20	2 inch FNPT by 1-1/4 inch FNPT Reducer
SSRC-32-24	2 inch FNPT by 1-1/2 inch FNPT Reducer



BTR SERIES

The BTR Series bite-style Reducing Tee Fittings are available in Brass, Nickel-Plated Brass, or 303 Stainless are designed for use with Polyurethane or Polyethylene tubing for securely holding the tubing from slipping or pulling off. Available barb sizes range from 1/16 inch to 3/8 inch.

SKU	Description
BTR-078B1B	.078 to 1/16 inch Reducing Tee
BTR-170B1B	.170 to 1/16 inch Reducing Tee
BTR-170B78B	.170 to .78 Reducing Tee
BTR-1B2B	1/16 inch to 1/8 inch Reducing Tee
BTR-170B332B	.170 to 3/32 inch Reducing Tee
BTR-2B170B	1/8 inch by .170 Reducing Tee
BTR-2B1B	1/8 inch to 1/16 inch Reducing Tee
BTR-2B332B	1/8 inch to 3/32 inch Reducing Tee
BTR-2B732B	1/8 inch to 7/32 inch Reducing Tee
BTR-2B78B	1/8 inch to .078 Reducing Tee
BTR-3B2B	3/16 inch to 1/8 inch Reducing Tee
BTR-3B332B	3/16 inch to 3/32 inch Reducing Tee
BTR-3B78B	3/16 inch to .078 Reducing Tee
BTR-4B170B	1/4 inch to .170 Reducing Tee
BTR-4B2B	1/4 inch to 1/8 inch Reducing Tee

SKU	Description
BTR-4B332B	1/4 inch to 3/32 inch Reducing Tee
BTR-4B6B	1/4 inch to 3/8 inch Reducing Tee
BTR-4B732B	1/4 inch to 7/32 inch Reducing Tee
BTR-4B78B	1/4 inch to .078, 5/64 Reducing Tee
BTR-6B5B	3/8 inch to 5/16 inch Reducing Tee
BTR-732B1B	7/32 inch to 1/16 inch Reducing Tee
BTR-732B332B	7/32 inch to 3/32 inch Reducing Tee
BTR-732B078B	7/32 inch to .078 5/64, Reducing Tee
BTR-8B5B	1/2 inch to 5/16 inch Reducing Tee



SCHB SERIES

The SCHB Series is a cast 304 Stainless Steel Male NPT threads by barb adapter. Also available are barb to MNPT thread reducers. The available MNPT thread sizes are 1/4 inch, 3/8 inch, 1/2 inch, 1/8 inch, and 3/8 inch. The available barb sizes are 1/4 inch, 3/8 inch, 1/2 inch, and 3/4 inch.

SKU	Description
SCHB-4M4B	1/4 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M6B	3/8 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M8B	1/2 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-2M4B	1/8 inch MNPT by 1/4 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-4B6B	1/4 inch MNPT by 3/8 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-6M8B	3/8 inch MNPT by 1/2 inch Cast 304 Stainless Steel Barbed Adapter
SCHB-8M12B	1/2 inch MNPT by 3/4 inch Cast 304 Stainless Steel Barbed Adapter



TGA SERIES

TGA Series is a PFA compression reducer connector with male NPT threads to gripper rings. OD sizes range from 1/8 inch to 3/4 inch, the thread sizes are also from 1/8 inch to 3/4 inch.

SKU	Description
TGA-12M-8	PFA 3/4 inch MNPT by 1/2 inch OD Compression Adapter
TGA-12M-12	PFA 3/4 inch MNPT by 3/4 inch OD Compression Adapter
TGA-2M-2	PFA 1/8 inch MNPT by 1/8 inch OD Compression Adapter
TGA-2M-4	PFA 1/8 inch MNPT by 1/4 inch OD Compression Adapter
TGA-4M-2	PFA 1/4 inch MNPT by 1/8 inch OD Compression Adapter
TGA-4M-4	PFA 1/4 inch MNPT by 1/4 inch OD Compression Adapter
TGA-4M-6	PFA 1/4 inch MNPT by 3/8 inch OD Compression Adapter
TGA-4M-8	PFA 1/4 inch MNPT by 1/2 inch OD Compression Adapter
TGA-6M-4	PFA 3/8 inch MNPT by 1/4 inch OD Compression Adapter
TGA-6M-6	PFA 3/8 inch MNPT by 3/8 inch OD Compression Adapter
TGA-6M-8	PFA 3/8 inch MNPT by 1/2 inch OD Compression Adapter
TGA-8M-4	PFA 1/2 inch MNPT by 1/4 inch OD Compression Adapter
TGA-8M-6	PFA 1/2 inch MNPT by 3/8 inch OD Compression Adapter
TGA-8M8	PFA 1/2 inch MNPT by 1/2 inch OD Compression Adapter
TGA-8M-12	PFA 1/2 inch MNPT by 3/4 inch OD Compression Adapter



BHMA SERIES

The BHMA Series is a rigid multi-barbed Brass Barstock Adapter. It adapts from male NPT threads to barbs. Available MNPT sizes range from 1/16 inch to 1 inch. Available barb sizes range from 1/8 inch to 3/4 inch. Flow can be equal or reduced. The temperature range is -40° F to 160° F and the working pressure is 150 psi.

SKU	Description
BHMA-1M2B	1/16 inch MNPT by 1/8 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-1M4B	1/16 inch MNPT by 1/4 inch Brass Multi-Barbed Brass Straight Adapter


SKU	Description
BHMA-2M2B	1/8 inch MNPT by 1/8 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-2M2B-SH	1/8 inch MNPT by 1/8 inch Brass Multi-Barbed Brass Straight Adapter Short .475
BHMA-2M3B	1/8 inch MNPT by 3/16 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-2M4B	1/8 inch MNPT by 1/4 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-2M5B	1/8 inch MNPT by 5/16 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-2M6B	1/8 inch MNPT by 3/8 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-2M8B	1/8 inch MNPT by 1/2 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-4M2B	1/4 inch MNPT by 1/8 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-4M4B	1/4 inch MNPT by 1/4 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-4M6B	1/4 inch MNPT by 3/8 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-4M8B	1/4 inch MNPT by 1/2 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-6M4B	3/8 inch MNPT by 1/4 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-6M6B	3/8 inch MNPT by 3/8 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-6M8B	3/8 inch MNPT by 1/2 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-8M8B	1/2 inch MNPT by 1/2 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-12M12B	3/4 inch MNPT by 3/4 inch Brass Multi-Barbed Brass Straight Adapter
BHMA-12M8B	3/4 inch MNPT by 1/2 inch Brass Multi-Barbed Brass Straight Adapter

BHME SERIES



The BHME Series is a forged Brass multi-barbed 90° Elbow Adapter with male NPT threads. Available MNPT thread sizes range from 1/8 inch to 1 inch. In addition, available barb sizes range from 3/16 inches to 3/4 inches. Flow can be equal or reduced. The working temperature range is -40° to 160° and the working pressure is 150 psi. Barstock is optional for some sizes (see list below).

SKU	Description
BHME-2M3B	1/8 MNPT by 3/16 Hose Barb Elbow Forged
BHME-2M4B	1/8 MNPT By 1/4 Hose Barb Elbow Forged B
BHME-2M5B	1/8 MNPT By 5/16 Hose Barb Elbow Forged
BHME-2M6B	1/8 MNPT By 3/8 Barb Elbow Forged
BHME-38M18B-R2	3/8 MNPT By 1/8 Hose Barb Elbow Forged 2 Piece Unit
BHME-4M3B	1/4 MNPT by 3/16 Hose Barb Elbow Forged
BHME-4M4B	1/4 MNPT By 1/4 Hose Barb Elbow Forged B
BHME-4M5B	1/4 MNPT by 5/16 Hose Barb Elbow Forged
BHME-4M6B	1/4 MNPT by 3/8 Hose Barb Elbow Forged B
BHME-4M8B	1/4 MNPT By 1/2 Hose Barb Elbow Forged
BHME-6M4B-B	3/8 MNPT By 1/4 Hose Barb Elbow Barstock
BHME-6M5B	3/8 MNPT By 5/16 Hose Barb Elbow Forged
BHME-6M6B	3/8 MNPT By 3/8 Hose Barb Elbow Forged B
BHME-6M8B	3/8 MNPT By 1/2 Hose Barb Elbow Forged B
BHME-8M6B	1/2 MNPT By 3/8 Hose Barb Elbow Forged
BHME-8M8B	1/2 MNPT By 1/2 Hose Barb Elbow Forged
BHME-12M12B	3/4 MNPT by 3/4 Barb Elbow
BHME-16M12B	1 Inch MNPT by 3/4 Barb Elbow



RB SERIES

The RB Series are standard pipe Reducer Bushings. They are made of Natural Nylon, Natural and Black Polypropylene, PVDF, PTFE, and PVC. Available in combinations of sizes from 1/8 inch to 3 inches in UNF and NPT male and female threads.

SKU	Description
RB-102M	1/8 MNPT by 10-32 Female Bushing
RB-142M	1/8 MNPT by 1/4-28 Female Bushing
RB-144M	1/4 MNPT by 1/4-28 Female Bushing
RB-4M2F	1/4 MNPT 1/8 FNPT Bushing
RB-6M2F	3/8 MNPT by 1/8 FNPT Bushing
RB-6M4F	3/8 MNPT by 1/4 FNPT Bushing
RB-8M2F	1/2 MNPT by 1/8 FNPT Bushing
RB-8M4F	1/2 MNPT by 1/4 FNPT Bushing
RB-8M6F	1/2 MNPT by 3/8 FNPT Bushing
RB-12M2F	3/4 MNPT by 1/8 FNPT Bushing
RB-12M4F	3/4 MNPT by 1/4 FNPT Bushing
RB-12M6F	3/4 MNPT by 3/8 FNPT Bushing
RB-12M8F	3/4 MNPT by 1/2 FNPT Bushing
RB-16M12F	1 inch MNPT by 3/4 FNPT Bushing
RB-16M8F	1 inch MNPT by 1/2 FNPT Bushing
RB-114-12	1-1/4 MNPT by 3/4 FNPT Bushing
RB-114-16	1-1/4 MNPT by 1 inch FNPT Bushing
RB-112-114	1-1/2 MNPT by 1-1/4 FNPT Bushing
RB-112-12	1-1/2 MNPT by 3/4 FNPT Bushing
RB-112-16	1-1/2 MNPT by 1 inch FNPT Bushing
RB-2-112	2 inch MNPT by 1-1/2 FNPT Bushing
RB-2-114	2 inch MNPT by 1-1/4 FNPT Bushing
RB-2-16	2 inch MNPT by 1 inch FNPT Bushing
RB-3-2	3 inch MNPT by 2 inch FNPT Bushing



VC-Y SERIES

The VC-Y Series are vacuum-style Wye fittings. Available in Natural or Black Nylon 6/6. The equal barb sizes for this wye are 3/16 inch, 1/4 inch, and 3/8 inch. The available reducing barb size is 1/4 inch by 3/16 inch. The working temperature range is from -20° F to 212° F. This wye is recommended for air, liquid, and vapor applications.

SKU	Description
VC-Y-3B-NN	3/16 inch Natural Nylon Vacuum Wye Connector
VC-Y-3B-BN	3/16 inch Black Nylon Vacuum Wye Connector
VC-Y-4B-NN	1/4 inch Natural Nylon Vacuum Wye Connector
VC-Y-4B-BN	1/4 inch Black Nylon Vacuum Wye Connector
VC-Y-6B-NN	3/8 inch Natural Nylon Vacuum Wye Connector
VC-Y-6B-BN	3/8 inch Black Nylon Vacuum Wye Connector
VC-Y-4B3B-O-NN	1/4 inch by 3/16 inch Natural Nylon Vacuum Wye Connector
VC-Y-4B3B-O-BN	1/4 inch by 3/16 inch Black Nylon Vacuum Wye Connector



Y-R SERIES

Y-R Series are single barbed equal and enlarging Wye tube fittings. The equal Wye barb sizes are 1/8 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, and 3/4 inch. The enlarging Wye barb are oriented with 2 smaller branches to a larger inlet on the bottom. Current sizes are (2)1/8 inch by 1/4 inch; (2)3/16 inch by 5/16 inch; (2)1/4 inch by 3/8 inch; 3/8 inch by 1/2 inch; 5/8 inch by 3/4 inch, and 3/4 inch by 1 inch. Available materials are Natural and Black Nylon, Glass-Filled Black Nylon, Natural and White High-Density Polyethylene, and Natural and Gray PVDF.

*****The flow is from the bottom of the Wye and through the two smaller barbs.*****

Various Branches Wyes are also available. VC-Y series.

SKU	Description
Y-R-2B-NN	1/8 inch Natural Nylon Equal Single Barbed Wye Connector


SKU	Description
Y-R-2B-BN	1/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-2B-GFBN	1/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-2B-NPP	1/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-2B-WPP	1/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-2B-PVDF	1/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-2B-GPVDF	1/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-2B-HDPE	1/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-3B-NN	3/16 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-3B-BN	3/16 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-3B-GFBN	3/16 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-3B-NPP	3/16 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-3B-WPP	3/16 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-3B-PVDF	3/16 inch PVDF Equal Single Barbed Wye Connector
Y-R-3B-GPVDF	3/16 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-3B-HDPE	3/16 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-4B-NN	1/4 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-4B-BN	1/4 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-4B-GFBN	1/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-4B-NPP	1/4 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-4B-WPP	1/4 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-4B-PVDF	1/4 inch PVDF Equal Single Barbed Wye Connector
Y-R-4B-GPVDF	1/4 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-4B-HDPE	1/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-6B-NN	3/8 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-6B-BN	3/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-6B-GFBN	3/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-6B-NPP	3/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-6B-WPP	3/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-6B-PVDF	3/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-6B-GPVDF	3/8 inch Gray PVDF Equal Single Barbed Wye Connector

SKU	Description
Y-R-6B-HDPE	3/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-8B-NN	1/2 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-8B-BN	1/2 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-8B-GFBN	1/2 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-8B-NPP	1/2 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-8B-WPP	1/2 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-8B-PVDF	1/2 inch PVDF Equal Single Barbed Wye Connector
Y-R-8B-GPVDF	1/2 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-8B-HDPE	1/2 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-10B-NN	5/8 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-10B-BN	5/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-10B-GFBN	5/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-10B-NPP	5/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-10B-WPP	5/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-10B-PVDF	5/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-10B-GPVDF	5/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-10B-HDPE	5/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-12B-NN	3/4 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-12B-BN	3/4 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-12B-GFBN	3/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-12B-NPP	3/4 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-12B-WPP	3/4 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-12B-PVDF	3/4 inch PVDF Equal Single Barbed Wye Connector
Y-R-12B-GPVDF	3/4 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-12B-HDPE	3/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-2B4B-NN	1/8 inch by 1/4 inch Natural Nylon Single Barbed Wye Connector
Y-R-2B4B-BN	1/8 inch by 1/4 inch Black Nylon Single Barbed Wye Connector
Y-R-2B4B-GFBN	1/8 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-2B4B-NPP	1/8 inch by 1/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-2B4B-WPP	1/8 inch by 1/4 inch White Polypropylene Single Barbed Wye Connector

SKU	Description
Y-R-2B4B-PVDF	1/8 inch by 1/4 inch PVDF Single Barbed Wye Connector
Y-R-2B4B-GPVDF	1/8 inch by 1/4 inch Gray PVDF Single Barbed Wye Connector
Y-R-2B4B-HDPE	1/8 inch by 1/4 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-3B5B-NN	3/16 inch by 5/16 inch Natural Nylon Single Barbed Wye Connector
Y-R-3B5B-BN	3/16 inch by 5/16 inch Black Nylon Single Barbed Wye Connector
Y-R-3B5B-GFBN	3/16 inch by 5/16 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-3B5B-NPP	3/16 inch by 5/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-3B5B-WPP	3/16 inch by 5/16 inch White Polypropylene Single Barbed Wye Connector
Y-R-3B5B-PVDF	3/16 inch by 5/16 inch PVDF Single Barbed Wye Connector
Y-R-3B5B-GPVDF	3/16 inch by 5/16 inch Gray PVDF Single Barbed Wye Connector
Y-R-3B5B-HDPE	3/16 inch by 5/16 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-4B6B-NN	1/4 inch by 3/8 inch Natural Nylon Single Barbed Wye Connector
Y-R-4B6B-BN	1/4 inch by 3/8 inch Black Nylon Single Barbed Wye Connector
Y-R-4B6B-GFBN	1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-4B6B-NPP	1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-4B6B-WPP	1/4 inch by 3/8 inch White Polypropylene Single Barbed Wye Connector
Y-R-4B6B-PVDF	1/4 inch by 3/8 inch PVDF Single Barbed Wye Connector
Y-R-4B6B-GPVDF	1/4 inch by 3/8 inch Gray PVDF Single Barbed Wye Connector
Y-R-4B6B-HDPE	1/4 inch by 3/8 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-6B8B-NN	3/8 inch by 1/2 inch Natural Nylon Single Barbed Wye Connector
Y-R-6B8B-BN	3/8 inch by 1/2 inch Black Nylon Single Barbed Wye Connector
Y-R-6B8B-GFBN	3/8 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-6B8B-NPP	3/8 inch by 1/2 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-6B8B-WPP	3/8 inch by 1/2 inch White Polypropylene Single Barbed Wye Connector
Y-R-6B8B-PVDF	3/8 inch by 1/2 inch PVDF Single Barbed Wye Connector
Y-R-6B8B-GPVDF	3/8 inch by 1/2 inch Gray PVDF Single Barbed Wye Connector
Y-R-6B8B-HDPE	3/8 inch by 1/2 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-10B12B-NN	5/8 inch by 3/4 inch Natural Nylon Single Barbed Wye Connector
Y-R-10B12B-BN	5/8 inch by 3/4 inch Black Nylon Single Barbed Wye Connector
Y-R-10B12B-GFBN	5/8 inch by 3/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector

SKU	Description
Y-R-10B12B-NPP	5/8 inch by 3/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-10B12B-WPP	5/8 inch by 3/4 inch White Polypropylene Single Barbed Wye Connector
Y-R-10B12B-PVDF	5/8 inch by 3/4 inch PVDF Single Barbed Wye Connector
Y-R-10B12B-GPVDF	5/8 inch by 3/4 inch Gray PVDF Single Barbed Wye Connector
Y-R-10B12B-HDPE	5/8 inch by 3/4 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-12B16B-NN	3/4 inch by 1 inch Natural Nylon Single Barbed Wye Connector
Y-R-12B16B-BN	3/4 inch by 1 inch Black Nylon Single Barbed Wye Connector
Y-R-12B16B-GFBN	3/4 inch by 1 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-12B16B-NPP	3/4 inch by 1 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-12B16B-WPP	3/4 inch by 1 inch White Polypropylene Single Barbed Wye Connector
Y-R-12B16B-PVDF	3/4 inch by 1 inch PVDF Single Barbed Wye Connector
Y-R-12B16B-GPVDF	3/4 inch by 1 inch Gray PVDF Single Barbed Wye Connector
Y-R-12B16B-HDPE	3/4 inch by 1 inch High-Density Polyethylene Single Barbed Wye Connector

RT-S SERIES



The RT-S Series are standard single barbed reducing and enlarging tees. Available in White Nylon and Natural Polypropylene. Barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 3/16 inch, and 1/4 inch.

SKU	Description
RT-S-1B-2B-NPP	1/16 inch by 1/8 inch Natural Polypropylene Single Barbed Tee Connector
RT-S-1B-2B-WN	1/16 inch by 1/8 inch White Nylon Single Barbed Tee Connector
RT-S-2B-1B-NPP	1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-2B-1B-WN	1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-2B-332-NPP	1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-2B-332-WN	1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Tee Connector

SKU	Description
RT-S-332B-1B-NPP	3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-332B-1B-WN	3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-332B-2B-NPP	3/32 inch by 1/8 inch Natural Polypropylene Single Barbed Tee Connector
RT-S-332B-2B-WN	3/32 inch by 1/8 inch White Nylon Single Barbed Tee Connector
RT-S-4B-2B-NPP	1/4 inch by 1/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-2B-WN	1/4 inch by 1/8 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-4B-332B-NPP	1/4 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-332B-WN	1/4 inch by 3/32 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-4B-3B-NPP	1/4 inch by 3/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-3B-WN	1/4 inch by 3/16 inch White Nylon Single Barbed Reducing Tee Connector



C SERIES

The C Series are standard multi-barbed straight and reducing connectors. They are available in Black Nylon, NSF listed Natural Nylon and Black Polyethylene, and FDA listed Natural and Black Polypropylene. Also, A range of barb sizes from 1/8 inch to 1 1/2 inch are available.


SKU	Description
C-2B2B-NN-NSF	1/8 inch NSF Natural Nylon Multi-Barbed Connector
C-2B2B-BPE-NSF	1/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-2B2B-NPP-FDA	1/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-2B2B-BPP-FDA	1/8 inch FDA Black Polypropylene Multi-Barbed Connector
C-2B2B-BN	1/8 inch Black Nylon Multi-Barbed Connector
C-3B3B-NN-NSF	3/16 inch NSF Natural Nylon Multi-Barbed Connector
C-3B3B-BPE-NSF	3/16 inch NSF Black Polyethylene Multi-Barbed Connector
C-3B3B-NPP-FDA	3/16 inch FDA Natural Polypropylene Multi-Barbed Connector
C-3B3B-BPP-FDA	3/16 inch FDA Black Polypropylene Multi-Barbed Connector
C-3B3B-BN	3/16 inch Black Nylon Multi-Barbed Connector

SKU	Description
C-4B4B-NN-NSF	1/4 inch NSF Natural Nylon Multi-Barbed Connector
C-4B4B-BPE-NSF	1/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-4B4B-NPP-FDA	1/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-4B4B-BPP-FDA	1/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-4B4B-BN	1/4 inch Black Nylon Multi-Barbed Connector
C-5B5B-NN-NSF	5/16 inch NSF Natural Nylon Multi-Barbed Connector
C-5B5B-BPE-NSF	5/16 inch NSF Black Polyethylene Multi-Barbed Connector
C-5B5B-NPP-FDA	5/16 inch FDA Natural Polypropylene Multi-Barbed Connector
C-5B5B-BPP-FDA	5/16 inch FDA Black Polypropylene Multi-Barbed Connector
C-5B5B-BN	5/16 inch Black Nylon Multi-Barbed Connector
C-6B6B-NN-NSF	3/8 inch NSF Natural Nylon Multi-Barbed Connector
C-6B6B-BPE-NSF	3/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-6B6B-NPP-FDA	3/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-6B6B-BPP-FDA	3/8 inch FDA Black Polypropylene Multi-Barbed Connector
C-6B6B-BN	3/8 inch Black Nylon Multi-Barbed Connector
C-8B8B-NN-NSF	1/2 inch NSF Natural Nylon Multi-Barbed Connector
C-8B8B-BPE-NSF	1/2 inch NSF Black Polyethylene Multi-Barbed Connector
C-8B8B-NPP-FDA	1/2 inch FDA Natural Polypropylene Multi-Barbed Connector
C-8B8B-BPP-FDA	1/2 inch FDA Black Polypropylene Multi-Barbed Connector
C-8B8B-BN	1/2 inch Black Nylon Multi-Barbed Connector
C-10B10-NN-NSF	5/8 inch NSF Natural Nylon Multi-Barbed Connector
C-10B10B-BPE-NSF	5/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-10B10B-NPP-FDA	5/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-10B10B-BPP-FDA	5/8 inch FDA Black Polypropylene Multi-Barbed Connector
C-10B10B-BN	5/8 inch Black Nylon Multi-Barbed Connector
C-12B12B-NN-NSF	3/4 inch NSF Natural Nylon Multi-Barbed Connector
C-12B12B-BPE-NSF	3/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-12B12B-NPP-FDA	3/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-12B12B-BPP-FDA	3/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-12B12B-BN	3/4 inch Black Nylon Multi-Barbed Connector
C-16B16B-NN-NSF	1 inch NSF Natural Nylon Multi-Barbed Connector
C-16B16B-BPE-NSF	1 inch NSF Black Polyethylene Multi-Barbed Connector
C-16B16B-NPP-FDA	1 inch FDA Natural Polypropylene Multi-Barbed Connector
C-16B16B-BPP-FDA	1 inch FDA Black Polypropylene Multi-Barbed Connector
C-16B16B-BN	1 inch Black Nylon Multi-Barbed Connector
C-20B20B-NN-NSF	1-1/4 inch NSF Natural Nylon Multi-Barbed Connector
C-20B20B-BPE-NSF	1-1/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-20B20B-NPP-FDA	1-1/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-20B20B-BPP-FDA	1-1/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-20B20B-BN	1-1/4 inch Black Nylon Multi-Barbed Connector
C-24B24B-NN-NSF	1-1/2 inch NSF Natural Nylon Multi-Barbed Connector
C-24B24B-BPE	1-1/2 inch NSF Black Polyethylene Multi-Barbed Connector
C-24B24B-NPP-FDA	1-1/2 inch FDA Natural Polypropylene Multi-Barbed Connector

SKU	Description
C-24B24B-BPP-FDA	1-1/2 inch FDA Black Polypropylene Multi-Barbed Connector
C-24B24B-BN	1-1/2 inch Black Nylon Multi-Barbed Connector
C-4B2B-NN-NSF	1/4 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B2B-BPE-NSF	1/4 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B2B-NPP-FDA	1/4 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-4B2B-BPP-FDA	1/4 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B2B-BN	1/4 inch by 1/8 inch Black Nylon Multi-Barbed Reducing Connector
C-4B3B-NN-NSF	1/4 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B3B-BPE-NSF	1/4 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B3B-NPP-FDA	1/4 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-4B3B-BPP-FDA	1/4 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B3B-BN	1/4 inch by 3/16 inch Black Nylon Multi-Barbed Reducing Connector
C-4B532-NN-NSF	1/4 inch by 5/32 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B532-BPE-NSF	1/4 inch by 5/32 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B532-NPP-FDA	1/4 inch by 5/32 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-4B532-BPP-FDA	1/4 inch by 5/32 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B532-BN	1/4 inch by 5/32 inch Black Nylon Multi-Barbed Reducing Connector
C-5B2B-NN-NSF	5/16 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-5B2B-BPE-NSF	5/16 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-5B2B-NPP-FDA	5/16 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-5B2B-BPP-FDA	5/16 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-5B2B-BN	5/16 inch by 1/8 inch Black Nylon Multi-Barbed Reducing Connector
C-5B3B-NN-NSF	5/16 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-5B3B-BPE-NSF	5/16 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-5B3B-NPP-FDA	5/16 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector

SKU	Description
C-5B3B-BPP-FDA	5/16 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-5B3B-BN	5/16 inch by 3/16 inch Black Nylon Multi-Barbed Reducing Connector
C-6B4B-NN-NSF	3/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B4B-BPE-NSF	3/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B4B-NPP-FDA	3/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B4B-BPP-FDA	3/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B4B-BN	3/8 inch by 1/4 inch Black Nylon Multi-Barbed Reducing Connector
C-6B5B-NN-NSF	3/8 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B5B-BPE-NSF	3/8 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B5B-NPP-FDA	3/8 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B5B-BPP-FDA	3/8 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B5B-BN	3/8 inch by 5/16 inch Black Nylon Multi-Barbed Reducing Connector
C-6B8B-NN-NSF	3/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B8B-BPE-NSF	3/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B8B-NPP-FDA	3/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B8B-BPP-FDA	3/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B8B-BN	3/8 inch by 1/2 inch Black Nylon Multi-Barbed Reducing Connector
C-8B4B-NN-NSF	1/2 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-8B4B-BPE-NSF	1/2 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-8B4B-NPP-FDA	1/2 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-8B4B-BPP-FDA	1/2 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-8B4B-BN	1/2 inch by 1/4 inch Black Nylon Multi-Barbed Reducing Connector
C-8B6B-NN-NSF	1/2 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-8B6B-BPE-NSF	1/2 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector

SKU	Description
C-8B6B-NPP-FDA	1/2 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-8B6B-BPP-FDA	1/2 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-8B6B-BN	1/2 inch by 3/8 inch Black Nylon Multi-Barbed Reducing Connector
C-8B6B-PVDF	1/2 inch by 3/8 inch PVDF Multi-Barbed Reducing Connector
C-10B6B-NN-NSF	5/8 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-10B6B-BPE-NSF	5/8 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-10B6B-NPP-FDA	5/8 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-10B6B-BPP-FDA	5/8 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Multi-Barbed Reducing Connector
C-10B8B-BPE-NSF	5/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-10B8B-BPP-FDA	5/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-10B8B-NN-NSF	5/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-10B8B-NPP-FDA	5/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-10B8B-BN	5/8 inch by 1/2 inch Black Nylon Multi-Barbed Reducing Connector
C-12B8B-NN-NSF	3/4 inch by 1/2 inch NSF Natural Nylon
C-12B8B-BPE-NSF	3/4 inch by 1/2 inch NSF Black Polyethylene
C-12B8B-NPP-FDA	3/4 inch by 1/2 inch FDA Natural Polypropylene
C-12B8B-BPP-FDA	3/4 inch by 1/2 inch FDA Black Polypropylene
C-12B8B-BN	3/4 inch by 1/2 inch Black Nylon



TR-C SERIES

TR-C Series is a commercial-grade, single-barbed Tee connector. It is available in White Nylon. Barb sizes available are 1/8 inch by 3/16 inch, 1/8 inch by 1/4 inch, 5/32 inch by 3/16 inch, and 5/32 inch by 1/4 inch. Reducing barb sizes: 5/32 inch by 1/16 inch.

SKU	Description
TR-C-2B4B	1/8 by 1/4 Barb Reducing Tee
TR-C-532B1B	5/32 by 1/16 Barb Reducing Tee
TR-C-532B3B	5/32 by 3/16 Barb Reducing Tee
TR-C-532B4B	5/32 by 1/4 Barb Reducing Tee



CR-S SERIES

The CR-S Series are standard equal and reducing single barbed straight connectors with no parting line on the barb. These are ideal for medical and laboratory environments. The barbs will expand tubing up to 50% above its normal size. Both equal and reducing connectors are produced of White and Black Nylon, Natural Polypropylene, PVDF, and Polycarbonate. Equal connectors also have the options of Red and Blue Nylon. Orifices are also available. Equal barb sizes: 1/8 inch. Reducing barb sizes: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CR-S-2B2B-WN	1/8 inch White Nylon Single Barbed Straight Connector
CR-S-2B2B-BN	1/8 inch Black Nylon Single Barbed Straight Connector
CR-S-2B2B-NPP	1/8 inch Natural Polypropylene Single Barbed Straight Connector
CR-S-2B2B-PVDF	1/8 inch PVDF Single Barbed Straight Connector
CR-S-2B2B-PC	1/8 inch Polycarbonate Single Barbed Straight Connector
CR-S-2B2B-BL	1/8 inch Blue Nylon Single Barbed Straight Connector
CR-S-2B2B-RD	1/8 inch Red Nylon Single Barbed Straight Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B1B-NPP	1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector

SKU	Description
CR-S-2B1B-PC	1/8 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B1B-PVDF	1/8 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-2B1B-WN	1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B332B-BN	1/8 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B332B-NPP	1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B332B-PC	1/8 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B332B-PVDF	1/8 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-2B332B-WN	1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Connector
CR-S-2B332B-YEL	1/8 inch by 3/32 inch Yellow Nylon Single Barbed Reducing Connector
CR-S-332B1B-BN	3/32 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-332B1B-NPP	3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-332B1B-PC	3/32 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-332B1B-PVDF	3/32 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-332B1B-WN	3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-532B332B-BN	5/32 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector
CR-S-532B332B-NPP	5/32 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-532B332B-PC	5/32 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-532B332B-PVDF	5/32 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-532B332B-WN	5/32 inch by 3/32 inch White Nylon Single Barbed Reducing Connector



CPP SERIES

The CPP Series is a standard single-barbed connector with equal barbs. Included in this series is the CPR Series, which is the reducing connector. Both series are available in Natural, White, and Black Nylon, Polypropylene, PVDF, and Polyethylene. Equal barb sizes (CPP Series) are 1/16 inch, 3/32 inch, and 1/8 inch. Reducing barb sizes (CPR Series) are 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, 3/32 inch by 5/32 inch, 1/4 inch by 1/16 inch, 1/4 inch by 3/32 inch, 1/4 inch by 3/16 inch, 5/32 inch by 1/16 inch, 5/32 inch by 1/8 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CPP-1B	1/16 inch Standard Barbed Connector
CPP-2B	1/8 inch Standard Barbed Connector
CPP-332B	3/32 inch Standard Barbed Connector
CPR-2B1B	1/8 by 1/16 Standard Barbed Reducer
CPR-2B332B	1/8 by 3/32 Standard Barb Reducer
CPR-332B1B	3/32 by 1/16 Standard Barbed Reducer
CPR-3B532B	3/16 by 5/32 Standard Barbed Reducer
CPR-4B1B	1/4 by 1/16 Standard Barbed Reducer
CPR-4B2B	1/4 by 1/8 Standard Barbed Reducer
CPR-4B332B	1/4 by 3/32 Standard Barbed Reducer
CPR-4B3B	1/4 by 3/16 Standard Barbed Reducer
CPR-532B1B	5/32 by 1/16 Standard Barbed Reducer
CPR-532B2B	5/32 by 1/8 Standard Barbed Reducer
CPR-532B332B	5/32 by 3/32 Standard Barbed Reducer



CNR SERIES

The CNR Series is a series of single barbed straight and reducing connectors. Available materials are Black Glass-Filled and Natural Nylon, White and Natural Polypropylene, Gray and Natural PVDF, and NSF 51/61 listed High-Density Polyethylene. Furthermore, the equal barb sizes include 3/32 inch, 5/32 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing barb sizes come in combinations of 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch.

SKU	Description
CNR-332B1B	3/32 Single Barb by 1/16 Single Barb Reducer
CNR-3B2B	3/16 Single Barb by 1/8 Single Barb Reducer
CNR-4B2B	1/4 Single Barb by 1/8 Single Barb Reducer
CNR-4B332B	1/4 Single Barb by 3/32 Single Barb Reducer
CNR-4B3B	1/4 Single Barb by 1/8 Single Barb Reducer
CNR-4B532B	1/4 Single Barb by 5/32 Single Barb Reducer
CNR-5B4B	5/16 Single Barb by 1/4 Single Barb Reducer
CNR-6B4B	3/8 Single Barb by 1/4 Single Barb Reducer
CNR-6B5B	3/8 Single Barb by 5/16 Single Barb Reducer
CNR-8B4B	1/2 Single Barb by 1/4 Single Barb Reducer
CNR-8B5B	1/2 Single Barb by 5/16 Single Barb Reducer
CNR-8B6B	1/2 Single Barb by 3/8 Single Barb Reducer
CNR-10B4B	5/8 Single Barb by 1/4 Single Barb Reducer
CNR-10B5B	5/8 Single Barb by 5/16 Single Barb Reducer
CNR-10B6B	5/8 Single Barb by 3/8 Single Barb Reducer
CNR-10B8B	5/8 Single Barb by 1/2 Single Barb Reducer
CNR-12B10B	3/4 Single Barb by 5/8 Single Barb Reducer
CNR-12B6B	3/4 Single Barb by 3/8 Single Barb Reducer
CNR-12B8B	3/4 Single Barb by 1/2 Single Barb Reducer
CNR-16B10B	1 inch Single Barb by 5/8 Single Barb Reducer
CNR-16B12B	1 inch Single Barb by 3/4 Single Barb Reducer
CNR-16B8B	1 inch Single Barb by 1/2 Single Barb Reducer
CNR-332B	3/32 Standard Single Barb Connector
CNR-3B	3/16 Standard Single Barb Connector
CNR-4B	1/4 Standard Single Barb Connector
CNR-532B	5/32 Standard Single Barb Connector
CNR-6B	3/8 Standard Single Barb Connector
CNR-8B	1/2 Standard Single Barb Connector
CNR-10B	5/8 Standard Single Barb Connector
CNR-12B	3/4 Standard Single Barb Connector

SKU	Description
CNR-16B	1 inch Standard Single Barb Connector

VC-T SERIES



The VC-T Series is a series of single-barbed vacuum Tees, available materials are Natural Nylon and Red Nylon. Reducing Tees (VC-TR) are available in Natural, White, and Black Nylon 6/6. The temperature range for these tees is -20° F to 212° F. They can be used for air, liquid, and vapor.

SKU	Description
VC-T-3B4B	3/16 by 1/4 Vacuum Reducing Tee
VC-T-6B4B	3/8 by 1/4 Vacuum Reducing Tee
VC-TR-2B3B	1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B3B	3/16 by 1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B	3/16 by 1/8 Vacuum Reducing Tee
VC-TR-4B3B	1/4 by 3/16 Vacuum Reducing Tee
VC-TR-6B3B6B	3/8 by 3/16 by 3/8 Vacuum Reducing Tee

C-SO SERIES



The C-SO Series are original single barbed straight and reducing connectors. These connectors have no parting line on the barb and have a square center hub. Also, tubing can be started on the barb of this connector before any expansion begins. It will expand the tubing by 43% when it is completely inserted. Available materials are Black and White Nylon, Natural Polypropylene, Clear Polycarbonate, and Natural PVDF. Available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
C-SO-2B1B	1/8 to 1/16 Square Hub Reducer
C-SO-2B332B	1/8 by 3/32 Square Hub Reducer

SKU	Description
C-SO-332B1B	3/32 to 1/16 Square Hub Reducer
C-SO-1B	1/16 Square Hub Connector
C-SO-2B	1/8 Square Hub Connector
C-SO-332B	3/32 Square Hub Connector


EV SERIES



The EV Series are single barbed tube-to-tube elbows. These elbows are available in White and Black Nylon, Natural Polypropylene, Clear Polycarbonate, and PVDF. These elbows are available in equal or reduced sizes. Barb sizes are 1/16 inch, 1/8 inch, and 3/32 inch.

SKU	Description
EV-1B	1/16 Barb Elbow
EV-1B-400	1/16 Barb Elbow Low Profile
EV-2B	1/8 Barb Elbow
EV-332B	3/32 Barb Elbow
EV-2B1B	1/8 by 1/16 Barb Reducing Elbow
EV-2B332B	1/8 by 3/32 Barb Reducing Elbow
EV-332B1B	3/32 by 1/16 Barb Reducing Elbow

CPL SERIES



The CPL Series are equal or reducing elbow connectors. This series of single barbed elbows are available in Natural and Black Nylon, Natural Polypropylene, PVDF, and Polyethylene. The barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, and 1/4 inch.

SKU	Description
CPL-1B	1/16 Barb Elbow
CPL-2B	1/8 Barb Elbow
CPL-332B	3/32 Barb Elbow
CPL-2B1B	1/8 Barb to 1/16 Barb Elbow Reducer
CPL-2B332B	1/8 Barb by 3/32 Barb Elbow Reducer
CPL-332B1B	3/32 Barb by 1/16 Barb Elbow Reducer
CPL-3B1B	3/16 Barb by 1/8 Barb Elbow Reducer
CPL-3B2B	3/16 Barb by 1/8 Barb Elbow Reducer
CPL-4B1B	1/4 Barb by 1/16 Barb Elbow Reducer
CPL-4B2B	1/4 Barb by 1/8 Barb Elbow Reducer
CPL-4B332B	1/4 Barb by 3/32 Barb Elbow Reducer
CPL-532B1B	5/32 Barb by 1/16 Barb Elbow Reducer
CPL-532B2B	5/32 Barb by 1/8 Barb Elbow Reducer



C-O SERIES

The C-O Series are original single barbed straight and reducing connectors. These parts have no parting line on the barb. Tubing can be started on the barb before any expansion begins. Also, it will expand the tubing by 43% when completely inserted. Available materials are White Nylon and Natural Polypropylene. In addition, straight barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, and 1/4 inch. Reducing barb sizes come in combinations ranging from 1/16 inch to 3/8 inch (listed below).

SKU	Description
C-O-2B1B	1/8 Barb to 1/16 Barb Reducing Connector
C-O-332B1B	3/32 Barb to 1/16 Barb Reducing Connector
C-O-332B-2B	3/32 Barb to 1/8 Barb Reducing Connector

SKU	Description
C-O-3B1B	3/16 Barb to 1/16 Barb Reducing Connector
C-O-3B2B	3/16 Barb to 1/8 Barb Reducing Connector
C-O-3B332B	3/16 Barb to 3/32 Barb Reducing Connector
C-O-3B532B	3/16 Barb by 5/32 Barb Reducing Connector
C-O-4B2B	1/4 Barb to 1/8 Barb Reducing Connector
C-O-4B3B	1/4 Barb to 3/16 Barb Reducing Connector
C-O-4B532B	1/4 Barb to 5/32 Barb Reducing Connector
C-O-532B1B	5/32 Barb to 1/16 Barb Reducing Connector
C-O-532B2B	5/32 Barb to 1/8 Barb Reducing Connector
C-O-532B332B	5/32 Barb to 3/32 Barb Reducing Connector
C-O-1B	1/16 Barb Connector
C-O-2B	1/8 Barb Connector
C-O-332B	3/32 Barb Connector
C-O-3B	3/16 Barb Connector
C-O-4B	1/4 Barb Connector
C-O-532B	5/32 Barb Connector

L-R CONNECTOR SERIES



The L-R Series is a standard, single barbed Elbow connector made of Natural and Black Nylon, Gray PVDF, and NSF 51/61 certified Polyethylene. It is also available in high-density Polyethylene, Natural and White Polypropylene, and Glass-Filled Black Nylon. This elbow is available in equal barbs as well as in a reducing configuration. Equal barb sizes are 1/8 inch, 3/32 inch, 3/16 inch, 1/4 inch, 5/32 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing sizes are 5/16 inch by 1/4 inch and 1/2 inch by 3/8 inch.

SKU	Description
L-R-2B	1/8 Barb Elbow
L-R-332B	3/32 Barb Elbow
L-R-3B	3/16 Barb Elbow
L-R-4B	1/4 Barb Elbow
L-R-532B	5/32 Barb Elbow
L-R-5B	5/16 Barb Elbow
L-R-6B	3/8 Barb Elbow
L-R-8B	1/2 Barb Elbow
L-R-10B	5/8 Barb Elbow

SKU	Description
L-R-12B	3/4 Barb Elbow
L-R-16B	1 inch Barb Elbow
L-R-5B4B	5/16 by 1/4 Barb Elbow Reducer
L-R-8B6B	1/2 by 3/8 Barb Elbow Reducer

C-U SERIES- BARB FITTING



The C-U series is the ultimate high-flow single barb fitting for soft plastic tubing. The barb will expand the tubing up to 40%. This series is available as an equal or reducing fitting. Sizes ranging from 1/16 inch to 1 inch are available. Optional materials include Natural Nylon, Black Nylon, White Nylon, Polycarbonate, Polypropylene, and PVDF.

SKU	Description
C-U-2B	1/8 Barb Connector
C-U-3B	3/16 Barb Connector
C-U-4B	1/4 Barb Connector
C-U-532B	5/32 Barb Connector
C-U-5B	5/16 Barb Connector
C-U-6B	3/8 Barb Connector
C-U-8B	1/2 Barb Connector
C-U-10B	5/8 Barb Connector
C-U-12B	3/4 Barb Connector
C-U-16B	1 inch Barb Connector
C-U-2B1B	1/8 Barb by 1/16 Barb Reducer
C-U-2B332B	1/8 Barb by 3/32 Barb Reducer
C-U-3B2B	3/16 Barb by 1/8 Barb Reducer
C-U-3B332B	3/16 Barb by 3/32 Barb Reducer
C-U-3B532B	3/16 Barb by 5/32 Barb Reducer
C-U-4B2B	1/4 Barb by 1/8 Barb Reducer
C-U-4B3B	1/4 Barb by 3/16 Barb Reducer
C-U-4B532B	1/4 Barb by 5/32 Barb Reducer
C-U-532B1B	5/32 Barb by 1/16 Barb Reducer
C-U-5B3B	5/16 Barb by 3/16 Barb Reducer
C-U-5B4B	5/16 Barb by 1/4 Barb Reducer
C-U-5B532B	5/16 Barb by 5/32 Barb Reducer
C-U-6B2B	3/8 Barb by 1/8 Barb Reducer

SKU	Description
C-U-6B4B	3/8 Barb by 1/4 Barb Reducer
C-U-8B4B	1/2 Barb by 1/4 Barb Reducer
C-U-8B6B	1/2 Barb by 3/8 Barb Reducer
C-U-10B4B	5/8 Barb by 1/4 Barb Reducer
C-U-12B8B	3/4 Barb by 1/2 Barb Reducer
C-U-16B12B	1 inch Barb by 3/4 inch Barb Reducer

DC SERIES



The DC Series Brass bite-style multi-barb male connector comes in barb sizes of 5/32 inch, 1/4 inch, 3/8 inch, and 1/2 inch for ID tube sizes of .096 inch, .170 inch, .250 inch, and .375 inch. Also available in a reducer connector. The barb sizes for the reducer connector are 1/4 inch by 5/32 inch, 1/4 inch by 3/8 inch, 1/4 inch by 1/2 inch, and 3/8 inch by 1/2 inch for ID tube sizes of .096 inch, .170 inch, .250 inch, and .375 inch. Working temperatures are from -65° F to 90° F. The maximum working pressure is 150 psi. Made for Polyethylene tubing.

SKU	Description
DC-332	3/32 inch Bite-Style Multi-Barbed Brass Connector
DC-250	1/4 inch Bite-Style Multi-Barbed Brass Connector
DC-375	3/8 inch Bite-Style Multi-Barbed Brass Connector
DC-170	.170 inch Bite-Style Multi-Barbed Brass Connector
DC-375250	.375 inch by .250 inch Bite-Style Multi-Barbed Brass Connector
DC-375170	.375 inch by .170 inch Bite-Style Multi-Barbed Brass Connector
DC-250170	.250 inch by .170 inch Bite-Style Multi-Barbed Brass Connector
DC-170332	.170 inch by 3/32 inch Bite-Style Multi-Barbed Brass Connector

MRB SERIES




The MRB Series is a Brass reducer bushing in Metric, UNF, and NPT thread sizes. Also available in Nickel-Plate. The working pressure for this fitting is 1200 psi and the temperature range is -65° F to 250°F.

SKU	Description
MRB-14M356F	1/4-28 Male by 3-56 Female Brass Reducer Bushing
MRB-14M632F	1/4-28 Male by 6-32 Female Brass Reducer Bushing
MRB-14M832F	1/4-28 Male by 8-32 Female Brass Reducer Bushing
MRB-14M10F	1/4-28 Male by 10-32 Female Brass Reducer Bushing
MRB-1428M10F	1/4-28 Male by 10-32 Female Brass Reducer Bushing
MRB-1M356F	1/16 inch Male by 3-56 Female Brass Reducer Bushing
MRB-1M632F	1/16 inch Male by 6-32 Female Brass Reducer Bushing
MRB-1M832F	1/16 inch Male by 8-32 Female Brass Reducer Bushing
MRB-1M10F	1/16 inch Male by 10-32 Female Brass Reducer Bushing
MRB-1M14F	1/16 inch Male by 1/4-28 Female Brass Reducer Bushing
MRB-2M356F	1/8 inch Male by 3-56 Female Brass Reducer Bushing
MRB-2M632F	1/8 inch Male by 6-32 Female Brass Reducer Bushing
MRB-2M832F	1/8 inch Male by 8-32 Female Brass Reducer Bushing
MRB-2M10F	1/8 inch Male by 10-32 Female Brass Reducer Bushing
MRB-2M14F	1/8 inch Male by 1/4-28 Female Brass Reducer Bushing
MRB-2M1F	1/8 inch Male by 1/16 inch Female Brass Reducer Bushing
MRB-4M356F	1/4 inch Male by 3-56 Female Brass Reducer Bushing
MRB-4M632F	1/4 inch Male by 6-32 Female Brass Reducer Bushing
MRB-4M832F	1/4 inch Male by 8-32 Female Brass Reducer Bushing
MRB-4M10F	1/4 inch Male by 10-32 Female Brass Reducer Bushing
MRB-4M14F	1/4 inch Male by 1/4-28 Female Brass Reducer Bushing
MRB-4M51628F	1/4 inch Male by 5/16-28 Female Brass Reducer Bushing
MRB-4M3824F	1/4 inch Male by 3/8-24 Female Brass Reducer Bushing
MRB-4M1F	1/4 inch Male by 1/16 inch Female Brass Reducer Bushing
MRB-4M2F	1/4 inch Male by 1/8 inch Female Brass Reducer Bushing
MRB-6M10F	3/8 inch Male by 10-32 Female Brass Reducer Bushing
MRB-M5MM3F	M5 Male by M3 Female Brass Reducer Bushing
MRB-M6MM3F	M6 Male by M3 Female Brass Reducer Bushing
MRB-M8M10F	M8 Male by 10-32 Female Brass Reducer Bushing
MRB-M8MM3F	M8 Male by M3 Female Brass Reducer Bushing
MRB-M8MM5F	M8 Male by M5 Female Brass Reducer Bushing
MRB-2M1032F	1/8 inch Male by 10-32 Female Brass Reducer Bushing
MRB-2M1F	1/8 inch Male by 1/16 inch Female Brass Reducer Bushing
MRB-4M1032F	1/4 inch Male by 10-32 Female Brass Reducer Bushing

SKU	Description
MRB-4M1F	1/4 inch Male by 1/16 inch Female Brass Reducer Bushing
MRB-4M2F	1/4 inch Male by 1/8 inch Female Brass Reducer Bushing
MRB-6M1032F	3/8 inch Male by 10-32 Female Brass Reducer Bushing
MRB-6M1F	3/8 inch Male by 1/16 inch Female Brass Reducer Bushing
MRB-6M2F	3/8 inch Male by 1/8 inch Female Brass Reducer Bushing
MRB-6M4F	3/8 inch Male by 1/4 inch Female Brass Reducer Bushing
MRB-8M1032F	1/2 inch Male by 10-32 Female Brass Reducer Bushing
MRB-8M1F	1/2 inch Male by 1/16 inch Female Brass Reducer Bushing
MRB-8M2F	1/2 inch Male by 1/8 inch Female Brass Reducer Bushing
MRB-8M4F	1/2 inch Male by 1/4 inch Female Brass Reducer Bushing
MRB-8M6F	1/2 inch Male by 3/8 inch Female Brass Reducer Bushing

BCX SERIES



The BCX and the BCXR Series are bite-style cross fittings. The BCXR Series is the reduced version of the BCX Series. These crosses have single sharp barbs to securely hold the tubing from slipping or pulling off. They are excellent fittings for use with Polyurethane or Polyethylene tubing. Made in Brass, Nickel-Plated Brass, or 303 Stainless Steel. Available barb sizes range from 1/16 inch to 3/8 inch.

SKU	Description
BCX-078B	.078 inch Barbed Brass Cross
BCX-1.25B	.078 inch Barbed Brass Cross
BCX-170B	.170 inch Barbed Brass Cross
BCX-1B	1/16 inch Barbed Brass Cross
BCX-2B	1/8 inch Barbed Brass Cross
BCX-332B	3/32 inch Barbed Brass Cross
BCX-3B	3/16 inch Barbed Brass Cross
BCX-4B	1/4 inch Barbed Brass Cross
BCX-532B	5/32 inch Barbed Brass Cross
BCX-6B	3/8 inch Barbed Brass Cross
BCXR-3X170B078B	.170 inch by .078 inch Barbed Reducing Brass Cross
BCXR-3X170B1.25B	.170 inch by .078 inch Barbed Reducing Brass Cross
BCXR-3X1B2B	1/16 inch by 1/8 inch Barbed Reducing Brass Cross