

WHITE NYLON

Y-S SERIES



The Y-S Series Wye tube fitting has equal single barbs and works well with flexible tubing. The barbs can expand tubing up to 50% above its normal size. This allows higher pressure capabilities. Available materials are White and Black Nylon, Natural Polypropylene, Polycarbonate, and PVDF. Barb sizes are 1/16 inch, 3/32 inch, 1/18 inch, 5/32 inch, 3/16 inch, and 1/4 inch. These Wyes are used primarily in laboratory and medical environments.

SKU	Description
Y-S-1B-WN	1/16 inch White Nylon Single Barbed Wye Connector
Y-S-1B-BN	1/16 inch Black Nylon Single Barbed Wye Connector
Y-S-1B-NPP	1/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-1B-PC	1/16 inch Polycarbonate Single Barbed Wye Connector
Y-S-1B-PVDF	1/16 inch PVDF Single Barbed Wye Connector
Y-S-332B-WN	3/32 inch White Nylon Single Barbed Wye Connector
Y-S-332B-BN	3/32 inch Black Nylon Single Barbed Wye Connector
Y-S-332B-NPP	3/32 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-332B-PC	3/32 inch Polycarbonate Single Barbed Wye Connector
Y-S-332B-PVDF	3/32 inch PVDF Single Barbed Wye Connector
Y-S-2B-WN	1/8 inch White Nylon Single Barbed Wye Connector
Y-S-2B-BN	1/8 inch Black Nylon Single Barbed Wye Connector
Y-S-2B-NPP	1/8 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-2B-PC	1/8 inch Polycarbonate Single Barbed Wye Connector
Y-S-2B-PVDF	1/8 inch PVDF Single Barbed Wye Connector
Y-S-532-WN	5/32 inch White Nylon Single Barbed Wye Connector
Y-S-532-BN	5/32 inch Black Nylon Single Barbed Wye Connector
Y-S-532-NPP	5/32 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-532-PC	5/32 inch Polycarbonate Single Barbed Wye Connector
Y-S-532-PVDF	5/32 inch PVDF Single Barbed Wye Connector
Y-S-3B-WN	3/16 inch White Nylon Single Barbed Wye Connector
Y-S-3B-BN	3/16 inch Black Nylon Single Barbed Wye Connector
Y-S-3B-NPP	3/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-3B-PC	3/16 inch Polycarbonate Single Barbed Wye Connector
Y-S-3B-PVDF	3/16 inch PVDF Single Barbed Wye Connector
Y-S-4B-WN	1/4 inch White Nylon Single Barbed Wye Connector
Y-S-4-BN	1/4 inch Black Nylon Single Barbed Wye Connector

SKU	Description
Y-S-4-NPP	1/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-4B-PC	1/4 inch Polycarbonate Single Barbed Wye Connector
Y-S-4B-PVDF	1/4 inch PVDF Single Barbed Wye Connector



VC-T SINGLE BARB VACUUM REDUCING TEES

The VC-T Series is a series of single barbed vacuum Tees, available materials are Natural Nylon and Red Nylon. Reducing Tees (VC-TR) are available in Natural, White, and Black Nylon 6/6. The temperature range for these tees is -20° F to 212° F. They can be used for air, liquid, and vapor.

Limited quantities.

SKU	Description
VC-T-3B4B	3/16 by 1/4 Vacuum Reducing Tee
VC-T-6B4B	3/8 by 1/4 Vacuum Reducing Tee
VC-TR-2B3B	1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B3B	3/16 by 1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B	3/16 by 1/8 Vacuum Reducing Tee
VC-TR-4B3B	1/4 by 3/16 Vacuum Reducing Tee
VC-TR-6B3B6B	3/8 by 3/16 by 3/8 Vacuum Reducing Tee

TR-C SINGLE BARB REDUCER TEE



The TR-C Series is a commercial grade, single barbed Tee connector. It is available in White Nylon. Barb sizes available are: 1/8 inch by 3/16 inch, 1/8 inch by 1/4 inch, 5/32 inch by 3/16 inch, and 5/32 inch by 1/4 inch. Reducing barb sizes: 5/32 inch by 1/16 inch.

Limited quantities.

SKU	Description
TR-C-2B4B	1/8 by 1/4 Barb Reducing Tee
TR-C-532B1B	5/32 by 1/16 Barb Reducing Tee
TR-C-532B3B	5/32 by 3/16 Barb Reducing Tee
TR-C-532B4B	5/32 by 1/4 Barb Reducing Tee

TP-O TUBE PLUG



The TP-O Series is a standard single barbed Tube Plug with no parting line on the barb. Tubing can be started on the barb before any expansion begins and it will expand the tubing up to 43% when completely inserted. It is available in Black and White Nylon, Polypropylene or PVDF. This series is also available with an orifice. Barb sizes for this tube plug are: 1/16 inch, 1/8 inch, 3/32 inch, 3/16 inch, 1/4 inch, 5/32 inch, 3/8 inch, 1/2 inch, 5/8 inch, and 1 inch. Materials vary with barb sizes (see list below).

SKU	Description
TP-O-1B	1/16 Barb Tube Plug
TP-O-2B	1/8 Barb Tube Plug
TP-O-332B	3/32 Barb Tube Plug
TP-O-3B	3/16 Barb Tube Plug
TP-O-4B	1/4 Barb Tube Plug
TP-O-532B	5/32 Barb Tube Plug
TP-O-6B	3/8 Barb Tube Plug
TP-O-8B	1/2 Barb Tube Plug
TP-O-10B	5/8 Barb Tube Plug
TP-S-1B	1/16 Standard Single Barb Tube Plug
TP-S-2B	1/8 Standard Single Barb Tube Plug
TP-S-332B	3/32 Standard Single Barb Tube Plug
TP-S-532B	5/32 Standard Single Barb Tube Plug

T-W SERIES



The T-W Series is a precision, equal single barbed tee connector. These tees are made of White Nylon or Polypropylene. Barb sizes are: 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
T-W-18NPP	1/8 inch Natural Polypropylene Single Barbed Precision Tee Connector
T-W-18-WN	1/8 inch White Nylon Single Barbed Precision Tee Connector
T-W-1B-NPP	1/16 inch Natural Polypropylene Single Barbed Precision Tee Connector
T-W-1B-WN	1/16 inch White Nylon Single Barbed Precision Tee Connector
T-W-332-NPP	3/32 inch Natural Polypropylene Single Barbed Precision Tee Connector
T-W-332-WN	3/32 inch White Nylon Single Barbed Precision Tee Connector


T-S STANDARD SINGLE BARB TEE



The T-S Series standard single barbed Tee is made of White Nylon and Natural Polypropylene. Available equal barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, and 1/4 inch. This Tee works well with flexible tubing and expands the tubing 50% above its normal ID.

SKU	Description
T-S-1B-400	1/16 Barb Tee Low Profile
T-S-1B	1/16 Barb Tee
T-S-2B	1/8 Barb Tee
T-S-332B	3/32 Barb Tee

RT-S SERIES



The RT-S Series are standard single barbed reducing and enlarging tees. Available in White Nylon and Natural Polypropylene. Barb sizes are: 1/16 inch, 3/32 inch, 1/8 inch, 3/16 inch, and 1/4 inch.

SKU	Description
RT-S-1B-2B-NPP	1/16 inch by 1/8 inch Natural Polypropylene Single Barbed Tee Connector
RT-S-1B-2B-WN	1/16 inch by 1/8 inch White Nylon Single Barbed Tee Connector
RT-S-2B-1B-NPP	1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-2B-1B-WN	1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-2B-332-NPP	1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-2B-332-WN	1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-332B-1B-NPP	3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-332B-1B-WN	3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-332B-2B-NPP	3/32 inch by 1/8 inch Natural Polypropylene Single Barbed Tee Connector
RT-S-332B-2B-WN	3/32 inch by 1/8 inch White Nylon Single Barbed Tee Connector
RT-S-4B-2B-NPP	1/4 inch by 1/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-2B-WN	1/4 inch by 1/8 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-4B-332B-NPP	1/4 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-332B-WN	1/4 inch by 3/32 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-4B-3B-NPP	1/4 inch by 3/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-3B-WN	1/4 inch by 3/16 inch White Nylon Single Barbed Reducing Tee Connector

L-W SERIES



This series of precision, single barbed Elbows are available in White Nylon, Natural Polypropylene and White ABS. The available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
L-W-332	3/32 Barb Precision Elbow Connector
L-W-16	1/16 Barb Precision Elbow Connector
L-W-18	1/8 Barb Precision Elbow Connector

L-IG SERIES



The L-IG Series are multi-barbed elbows made of Black and White Nylon and Gray Polypropylene. The ports are 1/16 inch and 1/8 inch. The maximum working pressure is 125 psi and the temperature ranges are: Nylon -50° F to 180° F; Polypropylene -40° F to 200° F.

SKU	Description
L-IG-1B-BN	1/16 inch Black Nylon Multi-Barbed Elbow
L-IG-1B-GPP	1/16 inch Gray Polypropylene Multi-Barbed Elbow
L-IG-1B-WN	1/16 inch White Nylon Multi-Barbed Elbow
L-IG-2B-BN	1/8 inch Black Nylon Multi-Barbed Elbow
L-IG-2B-GPP	1/8 inch Gray Polypropylene Multi-Barbed Elbow
L-IG-2B-WN	1/8 inch White Nylon Multi-Barbed Elbow

EV SERIES



The EV Series are single barbed tube-to-tube elbows. These elbows are available in White and Black Nylon, Natural Polypropylene, Clear Polycarbonate, and PVDF. These elbows are available in equal or reducing sizes. Barb sizes are 1/16 inch, 1/8 inch, and 3/32 inch.

SKU		Description
EV-1B	1/16 Barb Elbow	
EV-1B-400	1/16 Barb Elbow Low Profile	
EV-2B	1/8 Barb Elbow	
EV-332B	3/32 Barb Elbow	
EV-2B1B	1/8 by 1/16 Barb Reducing Elbow	
EV-2B332B	1/8 by 3/32 Barb Reducing Elbow	
EV-332B1B	3/32 by 1/16 Barb Reducing Elbow	

DTP-S FOUR PORT ELBOW FITTINGS



The DTP-S Series fittings are in four-port elbow tee configurations. Included in this series is the DTTP-S Series, which is a six-port double tee configuration. Both series have single barbs with no parting line, and the barbs will expand tubing 50% above its normal size. The materials available are White Nylon and Natural Polypropylene. All the barbs on each fitting are equal 1/16 inch, 3/32 inch, and 1/8 inch. These fittings are recommended for medical and laboratory environments.

SKU		Description
DTP-S-1B	1/16 Single Barb Double Tee	
DTP-S-2B	1/8 Single Barb Double Tee	
DTP-S-332	3/32 Single Barb Double Tee	
DTTP-S-1B	1/16 Single Barb Quad Tee	
DTTP-S-2B	1/8 Single Barb Quad Tee	
DTTP-S-332B	3/32 Single Barb Quad Tee	

DTF-S SERIES



The DTF-S Series is a three-port F style fitting usually used with flexible tubing. It can expand tubing by 50% of its normal ID. This permits high-pressure capabilities. This fitting is available in White Nylon and Natural Polypropylene. All three ports are equal. Available barb sizes are: 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
DTF-S-1B-NPP	1/16 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector
DTF-S-1B-WN	1/16 inch White Nylon F-Style Single Barbed Double Tube Tee Connector
DTF-S-2B-NPP	1/8 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector
DTF-S-2B-WN	1/8 inch White Nylon F-Style Single Barbed Double Tube Tee Connector
DTF-S-332B-WN	3/32 inch White Nylon F-Style Single Barbed Double Tube Tee Connector
DTF-S-332-P	3/32 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector

CX SERIES



The CX Series is a standard single barbed Cross fitting with no molded parting line on the barb. The barb will expand tubing to 50% above its normal size. It is available in White Nylon and Natural Polypropylene. The available equal barb sizes are: 1/16 inch, 3/32 inch, and 1/8 inch. This cross fitting is recommended for medical and laboratory environments.

SKU	Description
CX-1B-NPP	1/16 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-1B-WN	1/16 inch White Nylon Standard Single Barbed Cross Connector
CX-332B-NPP	3/32 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-332B-WN	3/32 inch White Nylon Standard Single Barbed Cross Connector
CX-2B-NPP	1/8 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-2B-WN	1/8 inch White Nylon Standard Single Barbed Cross Connector



CR-S SERIES

The CR-S Series are standard equal and reducing single barbed straight connectors with no parting line on the barb. These are ideal for medical and laboratory environments. The barbs will expand tubing up to 50% above its normal size. Both equal and reducing connectors are produced of White and Black Nylon, Natural Polypropylene, PVDF, and Polycarbonate. Equal connectors also have the options of Red and Blue Nylon. Orifices are also available. Equal barb sizes: 1/8 inch. Reducing barb sizes: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CR-S-2B2B-WN	1/8 inch White Nylon Single Barbed Straight Connector
CR-S-2B2B-BN	1/8 inch Black Nylon Single Barbed Straight Connector
CR-S-2B2B-NPP	1/8 inch Natural Polypropylene Single Barbed Straight Connector
CR-S-2B2B-PVDF	1/8 inch PVDF Single Barbed Straight Connector
CR-S-2B2B-PC	1/8 inch Polycarbonate Single Barbed Straight Connector
CR-S-2B2B-BL	1/8 inch Blue Nylon Single Barbed Straight Connector
CR-S-2B2B-RD	1/8 inch Red Nylon Single Barbed Straight Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B1B-NPP	1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B1B-PC	1/8 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B1B-PVDF	1/8 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-2B1B-WN	1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B332B-BN	1/8 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B332B-NPP	1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B332B-PC	1/8 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B332B-PVDF	1/8 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-2B332B-WN	1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Connector
CR-S-2B332B-YEL	1/8 inch by 3/32 inch Yellow Nylon Single Barbed Reducing Connector
CR-S-332B1B-BN	3/32 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-332B1B-NPP	3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-332B1B-PC	3/32 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-332B1B-PVDF	3/32 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-332B1B-WN	3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-532B332B-BN	5/32 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector
CR-S-532B332B-NPP	5/32 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-532B332B-PC	5/32 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-532B332B-PVDF	5/32 inch by 3/32 inch PVDF Single Barbed Reducing Connector

SKU	Description
CR-S-532B332B-WN	5/32 inch by 3/32 inch White Nylon Single Barbed Reducing Connector



CPP SERIES

The CPP Series is a standard single barbed connector with equal barbs. Included in this series is the CPR Series, which is the reducing connector. Both series are available in Natural, White and Black Nylon, Polypropylene, PVDF, and Polyethylene. Equal barb sizes (CPP Series) are: 1/16 inch, 3/32 inch, and 1/8 inch. Reducing barb sizes (CPR Series) are: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, 3/32 inch by 5/32 inch, 1/4 inch by 1/16 inch, 1/4 inch by 3/32 inch, 1/4 inch by 3/16 inch, 5/32 inch by 1/16 inch, 5/32 inch by 1/8 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CPP-1B	1/16 inch Standard Barbed Connector
CPP-2B	1/8 inch Standard Barbed Connector
CPP-332B	3/32 inch Standard Barbed Connector
CPR-2B1B	1/8 by 1/16 Standard Barbed Reducer
CPR-2B332B	1/8 by 3/32 Standard Barb Reducer
CPR-332B1B	3/32 by 1/16 Standard Barbed Reducer
CPR-3B532B	3/16 by 5/32 Standard Barbed Reducer
CPR-4B1B	1/4 by 1/16 Standard Barbed Reducer
CPR-4B2B	1/4 by 1/8 Standard Barbed Reducer
CPR-4B332B	1/4 by 3/32 Standard Barbed Reducer
CPR-4B3B	1/4 by 3/16 Standard Barbed Reducer
CPR-532B1B	5/32 by 1/16 Standard Barbed Reducer
CPR-532B2B	5/32 by 1/8 Standard Barbed Reducer
CPR-532B332B	5/32 by 3/32 Standard Barbed Reducer

C-U ULTIMATE HIGH FLOW SINGLE BARB FITTING



The C-U series is an ultimate high-flow single barb fitting for soft plastic tubing. The barb will expand the tubing up to 40%. This series is available as an equal or reducing fitting. Sizes ranging from 1/16 inch to 1 inch are available. Optional materials include: Natural Nylon, Black Nylon, White Nylon, Polycarbonate, Polypropylene, and PVDF.

SKU	Description
C-U-2B	1/8 Barb Connector
C-U-3B	3/16 Barb Connector
C-U-4B	1/4 Barb Connector
C-U-532B	5/32 Barb Connector
C-U-5B	5/16 Barb Connector
C-U-6B	3/8 Barb Connector
C-U-8B	1/2 Barb Connector
C-U-10B	5/8 Barb Connector
C-U-12B	3/4 Barb Connector
C-U-16B	1 inch Barb Connector
C-U-2B1B	1/8 Barb by 1/16 Barb Reducer
C-U-2B332B	1/8 Barb by 3/32 Barb Reducer
C-U-3B2B	3/16 Barb by 1/8 Barb Reducer
C-U-3B332B	3/16 Barb by 3/32 Barb Reducer
C-U-3B532B	3/16 Barb by 5/32 Barb Reducer
C-U-4B2B	1/4 Barb by 1/8 Barb Reducer
C-U-4B3B	1/4 Barb by 3/16 Barb Reducer
C-U-4B532B	1/4 Barb by 5/32 Barb Reducer
C-U-532B1B	5/32 Barb by 1/16 Barb Reducer
C-U-5B3B	5/16 Barb by 3/16 Barb Reducer
C-U-5B4B	5/16 Barb by 1/4 Barb Reducer
C-U-5B532B	5/16 Barb by 5/32 Barb Reducer
C-U-6B2B	3/8 Barb by 1/8 Barb Reducer
C-U-6B4B	3/8 Barb by 1/4 Barb Reducer
C-U-8B4B	1/2 Barb by 1/4 Barb Reducer
C-U-8B6B	1/2 Barb by 3/8 Barb Reducer
C-U-10B4B	5/8 Barb by 1/4 Barb Reducer
C-U-12B8B	3/4 Barb by 1/2 Barb Reducer
C-U-16B12B	1 inch Barb by 3/4 inch Barb Reducer

C-SO SINGLE AND REDUCING BARB CONNECTOR



The C-SO Series are original single barbed straight and reducing connectors. These connectors have no parting line on the barb, and have a square center hub. Tubing can be started on the barb of this connector before any expansion begins. It will expand tubing 43% when it is completely inserted. Available materials are Black and White Nylon, Natural Polypropylene, Clear Polycarbonate, and Natural PVDF. Available barb sizes are: 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
C-SO-2B1B	1/8 to 1/16 Square Hub Reducer
C-SO-2B332B	1/8 by 3/32 Square Hub Reducer
C-SO-332B1B	3/32 to 1/16 Square Hub Reducer
C-SO-1B	1/16 Square Hub Connector
C-SO-2B	1/8 Square Hub Connector
C-SO-332B	3/32 Square Hub Connector

AML-S SERIES



The AML-S Series are Male NPT threads by single barbed Elbow Adapters. Available materials are White and Black Nylon, and Natural Polypropylene. There is no parting line on the barb. The male NPT thread size is 1/8 inch and the barb sizes are 1/16 inch, 1/8 inch, 3/32 inch, 3/16 inch, and 1/4 inch.

SKU	Description
AML-S-2M1B-BN	1/8 inch MNPT by 1/16 inch Black Nylon
AML-S-2M1B-NPP	1/8 inch MNPT by 1/16 inch Natural Polypropylene
AML-S-2M1B-WN	1/8 inch MNPT by 1/16 inch White Nylon
AML-S-2M332B-BN	1/8 inch MNPT by 3/32 inch Black Nylon
AML-S-2M332B-NPP	1/8 inch MNPT by 3/32 inch Natural Polypropylene
AML-S-2M332B-WN	1/8 inch MNPT by 3/32 inch White Nylon
AML-S-2M2B-BN	1/8 inch MNPT by 1/8 inch Black Nylon
AML-S-2M2B-NPP	1/8 inch MNPT by 1/8 inch Natural Polypropylene
AML-S-2M2B-WN	1/8 inch MNPT by 1/8 inch White Nylon
AML-S-2M3B-BN	1/8 inch MNPT by 3/16 inch Black Nylon
AML-S-2M3B-NPP	1/8 inch MNPT by 3/16 inch Natural Polypropylene
AML-S-2M3B-WN	1/8 inch MNPT by 3/16 inch White Nylon
AML-S-2M4B-BN	1/8 inch MNPT by 1/4 inch Black Nylon
AML-S-2M4B-NPP	1/8 inch MNPT by 1/4 inch Natural Polypropylene
AML-S-2M4B-WN	1/8 inch MNPT by 1/4 inch White Nylon

AM-U SERIES



The AM-U Series is a 1/4-28 inch UNF bottom sealing Swivel fitting. It is available with Polypropylene or PVDF interiors with a Nylon encasement. The Nylon comes in five colors: white, black, red, blue or green. There are three barb sizes: 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
AM-U-14S1B-NP	1/4-28 inch UNF by 1/16 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S1B-PVDF	1/4-28 inch UNF by 1/16 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S1B-WN	1/4-28 inch UNF by 1/16 inch White Nylon Single Barbed Swivel
AM-U-14S1B-BN	1/4-28 inch UNF by 1/16 inch Black Nylon Single Barbed Swivel
AM-U-14S1B-RD	1/4-28 inch UNF by 1/16 inch Red Nylon Single Barbed Swivel
AM-U-14S1B-BL	1/4-28 inch UNF by 1/16 inch Blue Nylon Single Barbed Swivel
AM-U-14S1B-GN	1/4-28 inch UNF by 1/16 inch Green Nylon Single Barbed Swivel
AM-U-14S2B-NP	1/4-28 inch UNF by 1/8 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S2B-PVDF	1/4-28 inch UNF by 1/8 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S2B-WN	1/4-28 inch UNF by 1/8 inch White Nylon Single Barbed Swivel
AM-U-14S2B-BN	1/4-28 inch UNF by 1/8 inch Black Nylon Single Barbed Swivel
AM-U-14S2B-RD	1/4-28 inch UNF by 1/8 inch Red Nylon Single Barbed Swivel
AM-U-14S2B-BL	1/4-28 inch UNF by 1/8 inch Blue Nylon Single Barbed Swivel
AM-U-14S2B-GN	1/4-28 inch UNF by 1/8 inch Green Nylon Single Barbed Swivel
AM-U-14S332B-NPP	1/4-28 inch UNF by 3/32 inch Natural Polypropylene Single Barbed Swivel
AM-U-14S332B-WNP	1/4-28 inch UNF by 3/32 inch Nylon over Polypropylene Single Barbed Swivel
AM-U-14S332B-BN	1/4-28 inch UNF by 3/32 inch Black Nylon Single Barbed Swivel
AM-U-14S332B-PVDF	1/4-28 inch UNF by 3/32 inch Nylon over PVDF Single Barbed Swivel
AM-U-14S332B-RD	1/4-28 inch UNF by 3/32 inch Red Nylon Single Barbed Swivel
AM-U-14S332B-BL	1/4-28 inch UNF by 3/32 inch Blue Nylon Single Barbed Swivel
AM-U-14S332BGN	1/4-28 inch UNF by 3/32 inch Green Nylon Single Barbed Swivel



AL-S THREADED ELBOW ADAPTER

The AL-S Series is a male UNF threaded elbow adapter, and is available in White and Black Nylon, Natural and Black Polypropylene, and Natural PVDF. Available in 10-32 inch UNF straight and tapered threads, and the barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
AL-S-101B	10-32 by 1/16 Barb Elbow
AL-S-102B	10-32 by 1/8 Barb Elbow
AL-S-10332B	10-32 by 3/32 Barb Elbow
AL-S-10T1B	10-32 Taper by 1/16 Barb Elbow
AL-S-10T2B	10-32 Taper by 1/8 Barb Elbow
AL-S-10T332B	10-32 Taper by 3/32 Barb Elbow



AL-R THREAD TO BARB PLASTIC ELBOW ADAPTER

The AL-R Series standard Elbow Adapters have male NPT threads of 1/8 inch, 1/4 inch, 3/8 inch, 1/2 inch, 3/4 inch, and 1 inch. The single barb sizes range from 1/8 inch to 1 inch. This adapter is available in Natural, White, and Black Nylon, Glass-Filled Black Nylon, Natural and White Polypropylene, Natural and Gray PVDF and High-Density Polyethylene. BSPT threads are also available. Material availability may vary with size.

SKU	Description
AL-R-2M2B-NN	1/8 inch MNPT by 1/8 inch Natural Nylon Single Barbed Adapter
AL-R-2M2B-WN	1/8 inch MNPT by 1/8 inch White Nylon Single Barbed Adapter
AL-R-2M2B-NPP	1/8 inch MNPT by 1/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M2B-WPP	1/8 inch MNPT by 1/8 inch White Polypropylene Single Barbed Adapter
AL-R-2M2B-PVDF	1/8 inch MNPT by 1/8 inch PVDF Single Barbed Adapter
AL-R-2M2B-PVDFG	1/8 inch MNPT by 1/8 inch Gray PVDF Single Barbed Adapter
AL-R-2M4B-AC	1/8 inch MNPT by 1/4 inch Acetal Single Barbed Adapter
AL-R-2M4B-NN	1/8 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-2M4B-WN	1/8 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-2M4B-BN	1/8 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-2M4B-GFBN	1/8 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M4B-NPP	1/8 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M4B-WPP	1/8 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-2M4B-PVDF	1/8 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-2M4B-PVDFG	1/8 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter

SKU	Description
AL-R-2M4B-HDPE	1/8 inch MNPT by 1/4 inch Gray High-Density Polyethylene Single Barbed Adapter
AL-R-2M532B-NN	1/8 inch MNPT by 5/32 inch Natural Nylon Single Barbed Adapter
AL-R-2M532B-WN	1/8 inch MNPT by 5/32 inch White Nylon Single Barbed Adapter
AL-R-2M532B-BN	1/8 inch MNPT by 5/32 inch Black Nylon Single Barbed Adapter
AL-R-2M532B-GFBN	1/8 inch MNPT by 5/32 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M532B-NPP	1/8 inch MNPT by 5/32 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M532B-WPP	1/8 inch MNPT by 5/32 inch White Polypropylene Single Barbed Adapter
AL-R-2M532B-PVDF	1/8 inch MNPT by 5/32 inch PVDF Single Barbed Adapter
AL-R-2M532B-PVDFG	1/8 inch MNPT by 5/32 inch Gray PVDF Single Barbed Adapter
AL-R-2M532B-HDPE	1/8 inch MNPT by 5/32 inch High-Density Polyethylene Single Barbed Adapter
AL-R-2M5B-NN	1/8 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-2M5B-WN	1/8 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-2M5B-BN	1/8 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-2M5B-GFBN	1/8 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M5B-NPP	1/8 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M5B-WPP	1/8 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-2M5B-PVDF	1/8 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-2M5B-PVDFG	1/8 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-2M5B-HDPE	1/8 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-2M6B-NN	1/8 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-2M6B-WN	1/8 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-2M6B-BN	1/8 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-2M6B-GFBN	1/8 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-2M6B-NPP	1/8 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-2M6B-WPP	1/8 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-2M6B-PVDF	1/8 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-2M6B-PVDFG	1/8 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-2M6B-HDPE	1/8 inch MNPT by 3/8 inch Polyethylene Single Barbed Adapter
AL-R-4M2B-NN	1/4 inch MNPT by 1/8 inch Natural Nylon Single Barbed Adapter
AL-R-4M2B-WN	1/4 inch MNPT by 1/8 inch White Nylon Single Barbed Adapter
AL-R-4M2B-BN	1/4 inch MNPT by 1/8 inch Black Nylon Single Barbed Adapter
AL-R-4M2B-GFBN	1/4 inch MNPT by 1/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M2B-NPP	1/4 inch MNPT by 1/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M2B-WPP	1/4 inch MNPT by 1/8 inch White Polypropylene Single Barbed Adapter
AL-R-4M2B-PVDF	1/4 inch MNPT by 1/8 inch PVDF Single Barbed Adapter
AL-R-4M2B-PVDFG	1/4 inch MNPT by 1/8 inch Gray PVDF Single Barbed Adapter
AL-R-4M2B-HDPE	1/4 inch MNPT by 1/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M3B-NN	1/4 inch MNPT by 3/16 inch Natural Nylon Single Barbed Adapter

SKU	Description
AL-R-4M3B-WN	1/4 inch MNPT by 3/16 inch White Nylon Single Barbed Adapter
AL-R-4M3B-BN	1/4 inch MNPT by 3/16 inch Black Nylon Single Barbed Adapter
AL-R-4M3B-GFBN	1/4 inch MNPT by 3/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M3B-NPP	1/4 inch MNPT by 3/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M3B-WPP	1/4 inch MNPT by 3/16 inch White Polypropylene Single Barbed Adapter
AL-R-4M3B-PVDF	1/4 inch MNPT by 3/16 inch PVDF Single Barbed Adapter
AL-R-4M3B-PVDFG	1/4 inch MNPT by 3/16 inch Gray PVDF Single Barbed Adapter
AL-R-4M3B-HDPE	1/4 inch MNPT by 3/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M4B-NN	1/4 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-4M4B-WN	1/4 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-4M4B-BN	1/4 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-4M4B-GFBN	1/4 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M4B-NPP	1/4 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M4B-WPP	1/4 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-4M4B-PVDF	1/4 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-4M4B-PVDFG	1/4 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-4M4B-HDPE	1/4 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M532-NN	1/4 inch MNPT by 5/32 inch Natural Nylon Single Barbed Adapter
AL-R-4M532-WN	1/4 inch MNPT by 5/32 inch White Nylon Single Barbed Adapter
AL-R-4M532-BN	1/4 inch MNPT by 5/32 inch Black Nylon Single Barbed Adapter
AL-R-4M532-GFBN	1/4 inch MNPT by 5/32 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M532-NPP	1/4 inch MNPT by 5/32 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M532-WPP	1/4 inch MNPT by 5/32 inch White Polypropylene Single Barbed Adapter
AL-R-4M532-PVDF	1/4 inch MNPT by 5/32 inch PVDF Single Barbed Adapter
AL-R-4M532-PVDFG	1/4 inch MNPT by 5/32 inch Gray PVDF Single Barbed Adapter
AL-R-4M532-HDPE	1/4 inch MNPT by 5/32 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M5B-NN	1/4 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-4M5B-WN	1/4 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-4M5B-BN	1/4 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-4M5B-GFBN	1/4 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M5B-NPP	1/4 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M5B-WPP	1/4 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-4M5B-PVDF	1/4 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-4M5B-PVDFG	1/4 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-4M5B-HDPE	1/4 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-4M6B-BN	1/4 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-4M6B-GFBN	1/4 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M8B-NN	1/4 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter

SKU	Description
AL-R-4M8B-WN	1/4 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-4M8B-BN	1/4 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-4M8B-GFBN	1/4 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-4M8B-NPP	1/4 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-4M8B-WPP	1/4 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-4M8B-PVDF	1/4 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-4M8B-PVDFG	1/4 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-4M8B-HDPE	1/4 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M4B-NN	3/8 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-6M4B-WN	3/8 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-6M4B-BN	3/8 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-6M4B-GFBN	3/8 inch MNPT by 1/4 inch Natural Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M4B-NPP	3/8 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M4B-WPP	3/8 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-6M4B-PVDF	3/8 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-6M4B-PVDFG	3/8 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-6M4B-HDPE	3/8 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M5B-NN	3/8 inch MNPT by 5/16 inch Natural Nylon Single Barbed Adapter
AL-R-6M5B-WN	3/8 inch MNPT by 5/16 inch White Nylon Single Barbed Adapter
AL-R-6M5B-BN	3/8 inch MNPT by 5/16 inch Black Nylon Single Barbed Adapter
AL-R-6M5B-GFBN	3/8 inch MNPT by 5/16 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M5B-NPP	3/8 inch MNPT by 5/16 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M5B-WPP	3/8 inch MNPT by 5/16 inch White Polypropylene Single Barbed Adapter
AL-R-6M5B-PVDF	3/8 inch MNPT by 5/16 inch PVDF Single Barbed Adapter
AL-R-6M5B-PVDFG	3/8 inch MNPT by 5/16 inch Gray PVDF Single Barbed Adapter
AL-R-6M5B-HDPE	3/8 inch MNPT by 5/16 inch High-Density Polyethylene Single Barbed Adapter
AL-R-6M6B-NN	3/8 NPT by 3/8 Barb Elbow Natural Nylon Single Barbed Adapter
AL-R-6M6B-WN	3/8 NPT by 3/8 Barb Elbow White Nylon Single Barbed Adapter
AL-R-6M6B-BN	3/8 NPT by 3/8 Barb Elbow Black Nylon Single Barbed Adapter
AL-R-6M6B-GFBN	3/8 NPT by 3/8 Barb Elbow Glass-Filled Black Nylon Single Barbed Adapter
AL-R-6M6B-NPP	3/8 NPT by 3/8 Barb Elbow Natural Polypropylene Single Barbed Adapter
AL-R-6M6B-WPP	3/8 NPT by 3/8 Barb Elbow White Polypropylene Single Barbed Adapter
AL-R-6M6B-PVDF	3/8 NPT by 3/8 Barb Elbow PVDF Single Barbed Adapter
AL-R-6M6B-PVDFG	3/8 NPT by 3/8 Barb Elbow Gray PVDF Single Barbed Adapter
AL-R-6M6B-HDPE	3/8 NPT by 3/8 Barb Elbow High-Density Polyethylene Single Barbed Adapter
AL-R-6M8B-NN	3/8 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-6M8B-WN	3/8 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-6M8B-BN	3/8 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-6M8B-GFBN	3/8 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter

SKU	Description
AL-R-6M8B-NPP	3/8 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-6M8B-WPP	3/8 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-6M8B-PVDF	3/8 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-6M8B-PVDFG	3/8 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-6M8B-HDPE	3/8 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M4B-NN	1/2 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-8M4B-WN	1/2 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-8M4B-BN	1/2 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-8M4B-GFBN	1/2 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M4B-NPP	1/2 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M4B-WPP	1/2 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-8M4B-PVDF	1/2 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-8M4B-PVDFG	1/2 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-8M4B-HDPE	1/2 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M6B-NN	1/2 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-8M6B-WN	1/2 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-8M6B-BN	1/2 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-8M6B-GFBN	1/2 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M6B-NPP	1/2 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M6B-WPP	1/2 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-8M6B-PVDF	1/2 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-8M6B-PVDFG	1/2 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-8M6B-HDPE	1/2 inch MNPT by 3/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M8B-NN	1/2 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-8M8B-WN	1/2 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-8M8B-BN	1/2 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-8M8B-GFBN	1/2 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M8B-NPP	1/2 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M8B-WPP	1/2 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-8M8B-PVDF	1/2 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-8M8B-PVDFG	1/2 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-8M8B-HDPE	1/2 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M10B-NN	1/2 inch MNPT by 5/8 inch Natural Nylon Single Barbed Adapter
AL-R-8M10B-WN	1/2 inch MNPT by 5/8 inch White Nylon Single Barbed Adapter
AL-R-8M10B-BN	1/2 inch MNPT by 5/8 inch Black Nylon Single Barbed Adapter
AL-R-8M10B-GFBN	1/2 inch MNPT by 5/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M10B-NPP	1/2 inch MNPT by 5/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M10B-WPP	1/2 inch MNPT by 5/8 inch White Polypropylene Single Barbed Adapter
AL-R-8M10B-PVDF	1/2 inch MNPT by 5/8 inch PVDF Single Barbed Adapter
AL-R-8M10B-PVDFG	1/2 inch MNPT by 5/8 inch Gray PVDF Single Barbed Adapter

SKU	Description
AL-R-8M10B-HDPE	1/2 inch MNPT by 5/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-8M12B-NN	1/2 inch MNPT by 3/4 inch Natural Nylon Single Barbed Adapter
AL-R-8M12B-WN	1/2 inch MNPT by 3/4 inch White Nylon Single Barbed Adapter
AL-R-8M12B-BN	1/2 inch MNPT by 3/4 inch Black Nylon Single Barbed Adapter
AL-R-8M12B-GFBN	1/2 inch MNPT by 3/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-8M12B-NPP	1/2 inch MNPT by 3/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-8M12B-WPP	1/2 inch MNPT by 3/4 inch White Polypropylene Single Barbed Adapter
AL-R-8M12B-PVDF	1/2 inch MNPT by 3/4 inch PVDF Single Barbed Adapter
AL-R-8M12B-PVDFG	1/2 inch MNPT by 3/4 inch Gray PVDF Single Barbed Adapter
AL-R-8M12B-HDPE	1/2 inch MNPT by 3/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M4B-NN	3/4 inch MNPT by 1/4 inch Natural Nylon Single Barbed Adapter
AL-R-12M4B-WN	3/4 inch MNPT by 1/4 inch White Nylon Single Barbed Adapter
AL-R-12M4B-BN	3/4 inch MNPT by 1/4 inch Black Nylon Single Barbed Adapter
AL-R-12M4B-GFBN	3/4 inch MNPT by 1/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M4B-NPP	3/4 inch MNPT by 1/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M4B-WPP	3/4 inch MNPT by 1/4 inch White Polypropylene Single Barbed Adapter
AL-R-12M4B-PVDF	3/4 inch MNPT by 1/4 inch PVDF Single Barbed Adapter
AL-R-12M4B-PVDFG	3/4 inch MNPT by 1/4 inch Gray PVDF Single Barbed Adapter
AL-R-12M4B-HDPE	3/4 inch MNPT by 1/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M6B-NN	3/4 inch MNPT by 3/8 inch Natural Nylon Single Barbed Adapter
AL-R-12M6B-WN	3/4 inch MNPT by 3/8 inch White Nylon Single Barbed Adapter
AL-R-12M6B-BN	3/4 inch MNPT by 3/8 inch Black Nylon Single Barbed Adapter
AL-R-12M6B-GFBN	3/4 inch MNPT by 3/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M6B-NPP	3/4 inch MNPT by 3/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M6B-WPP	3/4 inch MNPT by 3/8 inch White Polypropylene Single Barbed Adapter
AL-R-12M6B-PVDF	3/4 inch MNPT by 3/8 inch PVDF Single Barbed Adapter
AL-R-12M6B-PVDFG	3/4 inch MNPT by 3/8 inch Gray PVDF Single Barbed Adapter
AL-R-12M6B-HDPE	3/4 inch MNPT by 3/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M8B-NN	3/4 inch MNPT by 1/2 inch Natural Nylon Single Barbed Adapter
AL-R-12M8B-WN	3/4 inch MNPT by 1/2 inch White Nylon Single Barbed Adapter
AL-R-12M8B-BN	3/4 inch MNPT by 1/2 inch Black Nylon Single Barbed Adapter
AL-R-12M8B-GFBN	3/4 inch MNPT by 1/2 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M8B-NPP	3/4 inch MNPT by 1/2 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M8B-WPP	3/4 inch MNPT by 1/2 inch White Polypropylene Single Barbed Adapter
AL-R-12M8B-PVDF	3/4 inch MNPT by 1/2 inch PVDF Single Barbed Adapter
AL-R-12M8B-PVDFG	3/4 inch MNPT by 1/2 inch Gray PVDF Single Barbed Adapter
AL-R-12M8B-HDPE	3/4 inch MNPT by 1/2 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M10B-NN	3/4 inch MNPT by 5/8 inch Natural Nylon Single Barbed Adapter
AL-R-12M10B-WN	3/4 inch MNPT by 5/8 inch White Nylon Single Barbed Adapter
AL-R-12M10B-BN	3/4 inch MNPT by 5/8 inch Black Nylon Single Barbed Adapter

SKU	Description
AL-R-12M10B-GFBN	3/4 inch MNPT by 5/8 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M10B-NPP	3/4 inch MNPT by 5/8 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M10B-WPP	3/4 inch MNPT by 5/8 inch White Polypropylene Single Barbed Adapter
AL-R-12M10B-PVDF	3/4 inch MNPT by 5/8 inch PVDF Single Barbed Adapter
AL-R-12M10B-PVDFG	3/4 inch MNPT by 5/8 inch Gray PVDF Single Barbed Adapter
AL-R-12M10B-HDPE	3/4 inch MNPT by 5/8 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M12B-NN	3/4 inch MNPT by 3/4 inch Natural Nylon Single Barbed Adapter
AL-R-12M12B-WN	3/4 inch MNPT by 3/4 inch White Nylon Single Barbed Adapter
AL-R-12M12B-BN	3/4 inch MNPT by 3/4 inch Black Nylon Single Barbed Adapter
AL-R-12M12B-GFBN	3/4 inch MNPT by 3/4 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M12B-NPP	3/4 inch MNPT by 3/4 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M12B-WPP	3/4 inch MNPT by 3/4 inch White Polypropylene Single Barbed Adapter
AL-R-12M12B-PVDF	3/4 inch MNPT by 3/4 inch PVDF Single Barbed Adapter
AL-R-12M12B-PVDFG	3/4 inch MNPT by 3/4 inch Gray PVDF Single Barbed Adapter
AL-R-12M12B-HDPE	3/4 inch MNPT by 3/4 inch High-Density Polyethylene Single Barbed Adapter
AL-R-12M16B-NN	3/4 inch MNPT by 1 inch Natural Nylon Single Barbed Adapter
AL-R-12M16B-WN	3/4 inch MNPT by 1 inch White Nylon Single Barbed Adapter
AL-R-12M16B-BN	3/4 inch MNPT by 1 inch Black Nylon Single Barbed Adapter
AL-R-12M16B-GFBN	3/4 inch MNPT by 1 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-12M16B-NPP	3/4 inch MNPT by 1 inch Natural Polypropylene Single Barbed Adapter
AL-R-12M16B-WPP	3/4 inch MNPT by 1 inch White Polypropylene Single Barbed Adapter
AL-R-12M16B-PVDF	3/4 inch MNPT by 1 inch PVDF Single Barbed Adapter
AL-R-12M16B-PVDFG	3/4 inch MNPT by 1 inch Gray PVDF Single Barbed Adapter
AL-R-12M16B-HDPE	3/4 inch MNPT by 1 inch High-Density Polyethylene Single Barbed Adapter
AL-R-16M16B-NN	1 inch MNPT by 1 inch Natural Nylon Single Barbed Adapter
AL-R-16M16B-WN	1 inch MNPT by 1 inch White Nylon Single Barbed Adapter
AL-R-16M16B-BN	1 inch MNPT by 1 inch Black Nylon Single Barbed Adapter
AL-R-16M16B-GFBN	1 inch MNPT by 1 inch Glass-Filled Black Nylon Single Barbed Adapter
AL-R-16M16B-NPP	1 inch MNPT by 1 inch Natural Polypropylene Single Barbed Adapter
AL-R-16M16B-WPP	1 inch MNPT by 1 inch White Polypropylene Single Barbed Adapter
AL-R-16M16B-PVDF	1 inch MNPT by 1 inch PVDF Single Barbed Adapter
AL-R-16M16B-PVDFG	1 inch MNPT by 1 inch Gray PVDF Single Barbed Adapter
AL-R-16M16B-HDPE	1 inch MNPT by 1 inch High-Density Polyethylene Single Barbed Adapter



A-S & A-S-M SINGLE BARB THREADED ADAPTERS

The A-S Series is a series of single barbed adapters with 10-32 inch and 1/4-28 inch male UNF threads, available either tapered or straight. Combined with this series is the A-S-M Series, which are available in Metric thread sizes of 5m and 6m. Both adapters are available in Black and White Nylon, Natural Polypropylene, and PVDF.

SKU	Description
A-S-10332B-BN	10-32 inch Male UNF by 3/32 inch Black Nylon Single Barbed Adapter
A-S-10332B-WN	10-32 inch Male UNF by 3/32 inch White Nylon Single Barbed Adapter
A-S-10332B-NPP	10-32 inch Male UNF by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-10332B-PVDF	10-32 inch Male UNF by 3/32 inch PVDF Single Barbed Adapter
A-S-101B-BN	10-32 inch Male UNF by 1/16 inch Black Nylon Single Barbed Adapter
A-S-101B-WN	10-32 inch Male UNF by 1/16 inch White Nylon Single Barbed Adapter
A-S-101B-NPP	10-32 inch Male UNF by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-101B-PVDF	10-32 inch Male UNF by 1/16 inch PVDF Single Barbed Adapter
A-S-10532B-WN	10-32 inch Male UNF by 5/32 inch White Nylon Single Barbed Adapter
A-S-10532B-PP	10-32 inch Male UNF by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-10532B-PVDF	10-32 inch Male UNF by 5/32 inch PVDF Single Barbed Adapter
A-S102B-BN	10-32 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-S-102B-WN	10-32 inch Male UNF by 1/8 inch White Nylon Single Barbed Adapter
A-S-102B-PP	10-32 inch Male UNF by 1/8 inch Polypropylene Single Barbed Adapter
A-S-102B-PVDF	10-32 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-S-14332B-WN	1/4-28 inch Male UNF by 3/32 inch White Nylon Single Barbed Adapter
A-S-14332B-NPP	1/4-28 inch Male UNF by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-14332B-PVDF	1/4-28 inch Male UNF by 3/32 inch PVDF Single Barbed Adapter
A-S-141B-NPP	1/4-28 inch Male UNF by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-141B-WN	1/4-28 inch Male UNF by 1/16 inch White Nylon Single Barbed Adapter
A-S-14532B-WN	1/4-28 inch Male UNF by 5/32 inch White Nylon Single Barbed Adapter
A-S-14532B-BK	1/4-28 inch Male UNF by 5/32 inch Black Nylon Single Barbed Adapter
A-S-14532B-NPP	1/4-28 inch Male UNF by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-14532B-PVDF	1/4-28 inch Male UNF by 5/32 inch PVDF Single Barbed Adapter
A-S-142B-WN	1/4-28 inch Male UNF by 1/8 inch White Nylon Single Barbed Adapter
A-S-142B-BN	1/4-28 inch Male UNF by 1/8 inch Black Nylon Single Barbed Adapter
A-S-142B-NPP	1/4-28 inch Male UNF by 1/8 inch Natural Polypropylene Single Barbed Adapter
A-S-142B-PVDF	1/4-28 inch Male UNF by 1/8 inch PVDF Single Barbed Adapter
A-S-143B-WN	1/4-28 inch Male UNF by 3/16 inch White Nylon Single Barbed Adapter
A-S-143B-BN	1/4-28 inch Male UNF by 3/16 inch Black Nylon Single Barbed Adapter

SKU	Description
A-S-143B-NPP	1/4-28 inch Male UNF by 3/16 inch Natural Polypropylene Single Barbed Adapter
A-S-143B-PVDF	1/4-28 inch Male UNF by 3/16 inch PVDF Single Barbed Adapter
A-S-M5-1B-WN	5M Metric Thread by 1/16 inch White Nylon Single Barbed Adapter
A-S-M5-1B-BN	5M Metric Thread by 1/16 inch Black Nylon Single Barbed Adapter
A-S-M5-1B-NPP	5M Metric Thread by 1/16 inch Natural Polypropylene Single Barbed Adapter
A-S-M5-332B-WN	5M Metric Thread by 3/32 inch White Nylon Single Barbed Adapter
A-S-M5-332B-BN	5M Metric Thread by 3/32 inch Black Nylon Single Barbed Adapter
A-S-M5-332B-NPP	5M Metric Thread by 3/32 inch Natural Polypropylene Single Barbed Adapter
A-S-M5-532B-WN	5M Metric Thread by 5/32 inch White Nylon Single Barbed Adapter
A-S-M5-532B-NPP	5M Metric Thread by 5/32 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-2B-WN	6M Metric Thread by 1/8 inch White Nylon Single Barbed Adapter
A-S-M6-2B-BN	6M Metric Thread by 1/8 inch Black Nylon Single Barbed Adapter
A-S-M6-2B-NPP	6M Metric Thread by 1/8 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-3B-NPP	6M Metric Thread by 3/16 inch Natural Polypropylene Single Barbed Adapter
A-S-M6-3B-BN	6M Metric Thread by 3/16 inch Black Nylon Single Barbed Adapter
A-S-M6-3B-PVDF	6M Metric Thread by 3/16 inch PVDF Single Barbed Adapter



A-R SERIES

The A-R Series is a standard single barbed adapter. Available materials are Natural, White, and Black Nylon, Natural and White Polypropylene, Natural and Gray PVDF, Black Glass-Filled Nylon, and NSF 51/61 certified High-Density Polyethylene. Some sizes have Acetal and Black High-Density Polyethylene available as well. MNPT and barb sizes range from 1/8 inch to 1 inch. Male NPT threads are standard, but BSPT threads are available.

SKU	Description
A-R-2M532B	1/8 MNPT by 5/32 Barb Adapter
A-R-2M2B	1/8 MNPT by 1/8 Barb Adapter
A-R-2M3B	1/8 MNPT by 3/16 Barb Adapter
A-R-2M4B	1/8 MNPT by 1/4 Barb Adapter
A-R-2M5B	1/8 MNPT by 5/16 Barb Adapter
A-R-2M6B	1/8 MNPT by 3/8 Barb Adapter
A-R-4M523B	1/4 MNPT by 5/32 Barb Adapter
A-R-4M2B	1/4 MNPT by 1/8 Barb Adapter
A-R-4M3B	1/4 MNPT by 3/16 Barb Adapter
A-R-4M4B	1/4 MNPT by 1/4 Barb Adapter
A-R-4M5B	1/4 MNPT by 5/16 Barb Adapter
A-R-4M6B	1/4 MNPT by 3/8 Barb Adapter
A-R-4M8B	1/4 MNPT by 1/2 Barb Adapter

SKU	Description
A-R-6M4B	3/8 MNPT by 1/4 Barb Adapter
A-R-6M5B	3/8 MNPT by 5/16 Barb Adapter
A-R-6M6B	3/8 MNPT by 3/8 Barb Adapter
A-R-6M8B	3/8 MNPT by 1/2 Barb Adapter
A-R-8M10B	1/2 MNPT by 5/8 Barb Adapter
A-R-8M12B	1/2 MNPT by 3/4 Barb Adapter
A-R-8M4B	1/2 MNPT by 1/4 Barb Adapter
A-R-8M5B	1/2 MNPT by 5/16 Barb Adapter
A-R-8M6B	1/2 MNPT by 3/8 Barb Adapter
A-R-8M8B	1/2 MNPT by 1/2 Barb Adapter
A-R-10X332	10-32 by 3/32 Barb Pipe Adapter
A-R-10M12B	5/8 MNPT by 3/4 Barb Pipe Adapter
A-R-12M12B	3/4 MNPT by 3/4 Barb Pipe Adapter
A-R-12M4B	3/4 MNPT by 1/4 Barb Pipe Thread Adapter
A-R-12M6B	3/4 MNPT by 3/8 Barb Pipe Thread Adapter
A-R-12M8B	3/4 MNPT by 1/2 Barb Pipe Thread Adapter
A-R-16M12B	1 inch MNPT by 3/4 Barb Pipe Adapter
A-R-16M16B	1 inch MNPT by 1 inch Barb Adapter

INDEX

A

A-R Series 22
A-S & A-S-M SINGLE BARB THREADED ADAPTERS 21
AL-R THREAD TO BARB PLASTIC ELBOW ADAPTER 14
AL-S THREADED ELBOW ADAPTER 14
AM-U Series 13
AML-S Series 12

C

C-SO SINGLE AND REDUCING BARB CONNECTOR 12
C-U ULTIMATE HIGH FLOW SINGLE BARB FITTING 11
CPP Series 10
CR-S Series 9
CX Series 8

D

DTF-S Series 8
DTP-S FOUR PORT ELBOW FITTINGS 7

E

EV Series 7

L

L-IG Series 6
L-W Series 6

R

RT-S Series 5

T

T-S STANDARD SINGLE BARB TEE 4
T-W Series 4
TP-O TUBE PLUG 3
TR-C SINGLE BARB REDUCER TEE 3

V

VC-T SINGLE BARB VACUUM REDUCING TEES 2

Y

Y-S Series 1